


Since 1968

cg

KochChemie®
ExcellenceForExperts.



Since 1968, our family business has stood for high-quality cleaning and care products in the fields of washing chemicals, vehicle care and maintenance, horse riding, workshop and industry. Tradition, which is characterized by constant improvements and attention to detail: Excellence for Experts.

In our industry we are one of the few companies that research, produce and sell our own products. We identify ourselves with Germany as a business location with its high quality, social and environmental standards. As a system provider, we have a complete range of range for the entire automotive sector. Customer-oriented service is as important to us as outstanding product quality. Through years of research and close cooperation with our demanding clientele, we now belong to the world's top.

We would like to thank you for the good cooperation, through which we have become what we are now.



Extension of the Elements.

New!



High-Tech Conserving Dryer
Page 38 — 420010

Headlight Polish Set
Page 84 — 999600

Spray Sealant
Page 93 — 427500

Ceramic Allround
Page 94 — 505001

Magic Wheel Cleaner
Page 24 — 425500

One Cut & Finish P6.01
Page 88 — 428001

Hand Wax
Page 96 — 426175

Headquarter



Due to the strong growth in recent years and the associated increased space requirements for production, warehousing and office space, we purchased an adjacent plot of land and building in mid-2015 and completely rebuilt it. This building complex houses the new logistics center, the administration and the multifunctional CompetenceCenter. Research, the laboratory and production remain at the original site from 1968.

Further construction work has been underway at the site in Unna since 2020. An additional office building is being constructed to provide sufficient space for the steadily growing workforce. Additional storage space and improved transport routes are also being built so that the site's logistics are also optimally prepared for the planned growth in the coming years.



Competence-Center



The CompetenceCenter is designed for new product development and training.

Product development

Dr. Ralf Münzenberg, Dr. Michael Hauber and their team extensively test and analyze new products here before they go to field tests at selected customers.

Training

Sales partners from all over the world come here to gain application and product knowledge. Customer training courses, workshops and specialist conferences are held on a regular basis. As a member of the German Association of Vehicle Preparation (BFA), we have developed a unique training system.

Vehicle preparation by and for experts

Two-day training in small groups (max. 6 participants) including detailed training documents, certification, drinks and lunch.

For questions about registration, special training courses (e.g. intensive paint training) and special dates, please contact us at T +49-23 03-9 86 70-0.



In 1968, Hans Koch began to develop his own recipes for polishes in his garage. He is dissatisfied with the poor quality of the car care products of his time. As a trained carpenter, he has a special passion for finished surfaces and cultivates attention to detail. The resulting products are of outstanding quality, so they are enthusiastically received by the experts, the commercial customers. In the course of the following years, a company grows that sets new standards on the market with innovative concepts in the fields of washing chemicals, vehicle preparation, and industrial and workshop floor cleaning. Through decades of continuous expansion of research and development, production and field service, Koch-Chemie is now a leading supplier of cleaning and care products for the entire automotive sector and supplies to over 60 countries worldwide.

Certificates and Approvals



Well-known automobile manufacturers such as Mercedes-Benz, BMW and VW as well as independent institutes have tested our products and approved them for worldwide use. We also have a complete VDA-compliant product line. A prerequisite for this is the consistent implementation of our quality and environmental

management system (DIN EN ISO 9001 and 14001). The high quality of our products is proven in daily practical use at countless car washes, car wash facilities, automobile factories, car dealerships, industrial plants and the largest vehicle processing companies.



System and Service



Due to our intensive cooperation with the automotive industry, manufacturers of washing and process water treatment plants as well as several hundred customer contacts every day, we are always up to date with the latest market requirements. We use this information to develop innovative products and concepts in a targeted manner and optimize your results and processes. Furthermore, we are one of the few developers and producers from the large number of chemical suppliers a direct access to all innovations in the raw materials sector. Our comprehensive field service offers you competent and regular on-site support. Our employees will be pleased to support you in the areas of product application, process optimization, washing plant settings, waste and process water optimization as well as in environmental and occupational safety issues. All field staff are in possession of the certificate of competence for light liquid separator systems according to DIN 1999-100.

Quality, Environmental Protection and Social Commitment



Koch-Chemie stands for high quality, environmental and social standards. For example, we use surfactants from renewable raw materials. In addition, all surfactants and complexing agents are easily biodegradable beyond the strict legal requirements. We do without questionable ingredients such as halogenated hydrocarbons, EDTA and APEO. Our environmental management system is certified according to DIN EN ISO 14001. The safety data sheets and operating instructions are prepared and permanently up-

dated by an independent institute. On request, we can compile an individual hazardous substances register and are available to answer questions on hazardous substances training and environmental protection issues. As part of our social commitment, we also support educational and sports facilities in Germany and have taken on several child sponsorships in developing countries.

Available online: <https://www.koch-chemie.com/en/products/data-sheets>





Car Wash

- 1.1 Pretreatment and Rim Cleaning
- 1.2 Foam and Shampoo
- 1.3 Drier and Conserver
- 1.4 Self-Service Car Washes
- 1.5 Commercial Vehicle Products
- 1.6 Service Water Processing
- 1.7 Hall Cleaning and Special Products
- 1.8 Scent Concept



Perfect cleaning and drying results, unrivalled deep shine and sound advice inspire thousands of car wash operators. Our expert staff will be pleased to support you in car wash settings and process water optimisation as well as in environmental and occupational safety issues. We use surfactants from renewable raw materials. In addition, all surfactants and complexing agents are easily biodegradable beyond the strict legal requirements. We are a member of the Federal Association of Petrol Stations and Commercial Car Washes (Bundesverband Tankstellen und Gewerbliche Autowasche - BTG) and have a complete VDA-compliant product line as well as worldwide approvals from leading automobile manufacturers. In order to guarantee maximum efficiency and optimum results, each product is precisely calibrated and documented in a car wash protocol. Regular service checks by our field staff ensure a consistent, high washing result. Our aim: to increase your washing figures and average washing prices with the highest product quality and sales-promoting advertising material.



PreWash B

Precleaner & insect remover B

Highly concentrated, phosphate-free, high alkaline precleaner for cars and trucks. The high proportion of complexing agents, surfactants and special additives dissolves even the most stubborn dirt such as insects, bird droppings, environmental and rim dirt spontaneously and is therefore ideally suited in particular for carwashes with short reaction times (eg express washing systems) as well as alkaline washing bay cleaning. Optimally suited as well for biological service water treatment plants. Quick-separating in accordance with ÖNORM 5106. VDA conform to class B: reaction time max. 1 min, max. application concentration 1:100

pH 13,9
Pb



- 33 kg 303033
- 225 kg 303225
- 1150 kg 303000

PreWash B NTA-free

Precleaner & insect remover B NTA-free

The NTA-free version of PreWash B.

pH 13,4
Pbn

- 33 kg 304033
- 225 kg 304225

New!

Pretreatment and Rim Cleaning

pH 5,5
Mwc

Magic Wheel Cleaner

Acid-free rim cleaner

Powerful and gentle at the same time – the Magic Wheel Cleaner combines the best of both worlds. Its innovative performance ensures thorough, mild cleaning of rims and rim wells, while being completely acid-free.

Behind the Magic

Due to its high viscosity, the rim cleaner adheres very well to the surface and thus enables an effective dirt solution over the entire contact time. Special dirt carriers gently disperse and remove stubborn dirt from the surface. The reaction of its reactive component with the iron particles produces the characteristic red discoloration. Even after prolonged exposure, the dirt remains bound and the cleaner does not dry out. Due to its mild setting, we recommend Magic Wheel Cleaner even for sensitive rims.



Container
500ml 425500
10l 425010



pH 13,9
Pa**PreWash A***Precleaner & insect remover A*

The highly concentrated, phosphate-containing, low-foaming, highly alkaline pre-cleaner for car and truck pre-washing. The high proportion of complexing agents, surfactants, alkalis and special additives spontaneously dissolves even the most extreme adhesions such as insects, bird excrements, environmental and rim soiling and is therefore ideally suited in particular for car washes with short reaction times (e.g. express car washes with closed pre-wash circuit systems) as well as for alkaline wash bay cleaning. Due to the phosphate content it is only conditionally suitable for biological service water treatment plants. Quick separating according to ÖNORM 5106. VDA-compliant class B: exposure time max. 1 min, max. application concentration 1:70

36 kg	310036
240 kg	310240
1150 kg	310000

pH 13,3
Pe**PreWash express***Express precleaner*

Highly concentrated, phosphate-free, high alkaline precleaner for prewashing cars and trucks. The combination of high-quality complexing agents and special surfactants dissolves even the most stubborn dirt such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for carwashes with short reaction times (eg express washing systems) as well as alkaline washing bay cleaning. Optimally suited as well for biological service water treatment plants. VDA conform to class B: reaction time max. 1 min, max. application concentration 1:100

33 kg	261033
225 kg	261225
1100 kg	261000

pH 13,3
Pen**PreWash express NTA-free***Express precleaner NTA-free*

The NTA-free version of PreWash express.

33 kg	262033
225 kg	262225

pH 13,1
Vb**Precleaner B***Precleaner B*

Highly concentrated, phosphate-free, alkaline, high foaming pre-cleaner for car and truck prewashing. The combination of high-quality complexing agents and special surfactants dissolves even stubborn incrustations such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for heavily frequented carwashes and for non-contact high-pressure washing. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Also suited for copolymer dewaxing. Optimally suited as well for biological service water treatment plants. Quick-separating and tested in accordance with ÖNORM 5106 (test concentration 0.05% mass). VDA conform to class A: reaction time max. 5 min, max. application concentration 1:300. Class B: reaction time max. 1 min, max. application concentration 1:30.

11 kg	211011
33 kg	211033
225 kg	211225
1100 kg	211000

Precleaner B NTA-free*Precleaner & insect remover A*

The NTA-free version of Precleaner B.

11 kg	248011
33 kg	248033
225 kg	248225

Copo Star BMP-T*Precleaner T*

Highly concentrated, phosphate- and NTA-free, alkaline, high foaming precleaner for car and truck prewashing for removing insects, bird droppings, environmental, engine and rim dirt. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Optimally suited as well for biological service water treatment plants. With Daimler approval. Quick-separating in accordance with ÖNORM 5105. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:5

10 kg	52010
32 kg	52032
218 kg	52218

pH 13,1
VbnpH 13
Cst

pH 13
Csv

Copo Star BMP V
Precleaner V

The VW approved version of Copo Star BMP-T.

32 kg 272032

pH 12,5
Gs

Green Star
Universal cleaner



Highly concentrated, phosphate- and solvent-free, alkaline universal cleaner. Universally usable for the areas of workshop floor and industrial cleaning, interior and exterior cleaning of cars and trucks and engine cleaning thanks to its enormous dirt and oil carrying capacity. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. For use in spray extraction and other carpet cleaning devices we recommend the addition of Kocentschäumer foam inhibitor. Optimally suited as well for biological service water treatment plants. Quick-separating and tested in accordance with ÖNORM 5105 (test concentration 10% solution). VDA conform to class A: reaction time max. 5 min, max. application concentration 1:3

1 l 25001
11 kg 25011
35 kg 25035
225 kg 25225

pH 9,8
le

Insektenentferner
Insect remover, mild-alkaline

Mild-alkaline special cleaner for the residue-free removal of dead insects, pollen and other organic residues for car prewashing. Special active ingredients penetrate into the dirt, soften it and remove it thoroughly and gently. VDA conform to class A: reaction time max. 5 min, max. application concentration: undiluted

11 kg 70011
35 kg 70035

pH 14
Awh

Alkali Wheel Cleaner
Rim Cleaner alkaline



The powerful, alkaline wheel cleaner with exceptional dirt absorption capabilities and cleaning power. Using a complex combination of special dirt carriers and an alkaline solution, the dirt resulting from brake abrasion is quickly dissolved and dispersed, similarly to acidic wheel cleaners. The rim well is also thoroughly cleaned after just one application. The Alkali Wheel Cleaner generates minimal foam for excellent moistening and minimal fogging. These properties make it possible to quickly and thoroughly clean the wheels without irritating skin. Quick-separating in accordance with ÖNORM 5106.

5 kg 411005
25 kg 411025

Felgenblitz alkalisch
Rim cleaner alkaline, viscous

Powerful highly alkaline rim cleaner with excellent dirt absorption and cleaning performance on the basis of a special dirt carrier for all alkali-resistant aluminium and steel rims. Burned in brake dusts and environmental dirt are removed quickly and thoroughly. The viscous setting leads to long adhesion and interaction. With water repelling effect and gloss additives. Free from organic complexing agents and phosphates. With Daimler approval. Quick-separating in accordance with ÖNORM 5106. VDA conform to class B: reaction time max. 1 min, maximum application concentration 1:20

33 kg 274033
210 kg 274210

Felgenblitz säurefrei
Rim cleaner, neutral, viscous

Powerful pH neutral rim cleaning gel on the basis of a special neutral ingredient. Burned in brake dusts, rust traces and other inorganic dirt are removed thoroughly and gently. The viscous setting leads to long adhesion and interaction. The effectiveness is made visible by the indicator (red colouring). With water repelling effect and gloss additives.

11 kg 248011
33 kg 248033

Reactive Rust Remover
Rust Remover acidfree

This powerful, pH-neutral cleaner is made with reactive agents and extra high performance detergents. Superficial rust, metal particles, burnt-in brake dust and other non-organic pollutants are swiftly and thoroughly cleaned away. Gentle for materials. Components are harmonised for a longer contact time / moisturisation, so that the reactive agents can dissolve tough stains and burnt-in particles effectively. The cleaner, once it has dissolved the dirt, turns violet in colour. The special surfactants in the formula coat and disperse the partially dissolved dirt, so it is easy to rinse it off.

500 ml 359500
11 kg 359011

pH 13,4
Fba

pH 7,5
Fb

pH 5,5
Rrr

pH 0
Fk

Felgenreiniger K
Rim cleaner, acidic

12 kg **6012**
36 kg **6036**
250 kg **6250**

The strong phosphoric acid based rim cleaner for all acid resistant materials. Brake dusts and other inorganic soiling are removed quickly and thoroughly. Special corrosion inhibitors reduce the corrosion of the brake calipers. Also perfectly suitable for use in wheel washing machines. Quick-release according to ÖNORM 5106.

pH 0
Fkv

Felgenreiniger K viskos
Rim & stainless steel cleaner, acidic, viscous

12 kg **233011**
35 kg **233035**
240 kg **233240**

Heavily phosphoric acid based cleaner for all acid-resistant materials (rims, stainless steel surfaces, etc.). Brake dusts and other inorganic dirt such as limescale are removed quickly and thoroughly. The highly viscous setting leads to long adhesion and thus long interaction on the surfaces and reduces aerosol formation (safe working). A special additive delays drying and corrosion inhibitors reduce corrosion of the brake callipers.

pH -0,2
Fcl

Felgenreiniger CL
Rim & washing bay cleaner, acidic

35 kg **247035**
225 kg **247225**

Powerful, phosphoric and hydrochloric acid based cleaner for all acid-resistant materials such as rims, commercial/construction vehicles, washing bay tiles, machinery, etc. Burned in brake dusts, rust stains, limescale, environmental dirt and other inorganic dirt are removed very quickly and thoroughly. The optimal combination of cleaning performance and material compatibility. Quick-separating in accordance with ÖNORM 5106.

pH -0,2
Fe

Felgenreiniger extrem
Rim cleaner, acidic, extreme



11 kg **187011**
35 kg **187035**
225 kg **187225**

Extremely acidic hydrochloric acid based special cleaner for all hydrochloric acid resistant materials such as rims, commercial/construction vehicles, washing bay tiles, machinery, etc. Burned in brake dusts, rust bloom, limescale, cement residues, environmental dirt and other inorganic dirt are removed very quickly and thoroughly. Quick-separating and tested in accordance with ÖNORM 5106 (test concentration 0,1% mass).

pH -0,3
Ta

Triple Acid Star
3-acid hammer

11 kg **242011**
35 kg **242035**
225 kg **242225**

The extremely powerful, acidic salt, phosphorus and ammonium bifluoride based rim cleaner for all acid resistant aluminium and steel rims. Burnt-in brake dust, rust film, environmental and other inorganic dirt is removed extremely quickly and thoroughly. Even static dirt is effectively removed. Quick release according to ÖNORM 5106.

pH -0,4
Ff

Felgen- & Fliesenreiniger aktiv sauer
Special rim and tile cleaner, acidic

11 kg **37011**
35 kg **37035**
225 kg **37225**

Extremely powerful acidic special cleaner with a high proportion of phosphoric and hydrofluoric acid for steel and undamaged, one-piece, acid-resistant painted aluminium rims, tiles in wash installations that no longer have a glaze (protective coating). Burned in brake dust, rust traces, limescale, environmental dirt and other organic dirt are removed extremely quickly and thoroughly with minimal manual cleaning effort. Special corrosion inhibitors reduced corrosion of the brake callipers. Quick-separating in accordance with ÖNORM 5106.

pH -0,6
Qa

Quattro-Acid-Star XL
4-acid hammer

11 kg **444011**
35 kg **444035**
225 kg **444225**

Where other acidic cleaners reach their limits, that's where Quattro-Acid-Star XL starts. Extremely powerful acidic special cleaner with a high proportion of hydrofluoric, hexafluorosilicic, hydrochloric and sulphuric acid for steel and undamaged, single piece, acid-resistant painted aluminium rims, extremely weathered truck chassis and tiles in washing bays that no longer have a glaze (protective coating). Burned in brake dusts, rust bloom, limescale, environmental dirt and other organic dirt are removed extremely quickly and thoroughly practically without any manual cleaning effort. Extremely dilutable. Quick-separating in accordance with ÖNORM 5106.

Wash & Finish
Waterless wash

10 l **317010**
30 l **317030**

Special-purpose product for quick and easy external cleaning of slightly to moderately dirty vehicles without water. Cleans, cares for and seals vehicle paints, glass, plastic parts, rims, etc. in a single step. Innovative cleaning and care components clean the surfaces gently, leaving them with a glossy, non-streaky and hydrophobic finish. Previously applied polishes and waxes are retained.

Wf



Combination Products

pH 8
Mf**Magic Fleur***Aromatic foam & shampoo*

Concentrated, phosphate- and NTA-free, very fragrant combination product (foam and shampoo) for gantry washing systems, wash systems and self-service carwashes. The high proportion of surfactants guarantees voluminous foam and intensive and paint-protecting cleaning performance and supports self-cleaning and therefore the service life of the brushes. Selected amphoteric surfactants prepare drying optimally. Premium special aromatics ensure a pleasant fresh scent even in high dilutions. Optimally suited as well for biological service water treatment plants. Quick-separating in accordance with ÖNORM 5105. VDA conform to class A.

33 kg **226033**
210 kg **226210**

pH 8
Twv**Twin Shampoo V***Foam & shampoo V*

33 kg **273033**

Concentrated, phosphate- and NTA-free, fragrant combination product (foam and shampoo) for gantry washing systems, wash systems, self-service carwashes and hand washing. The high proportion of surfactants guarantees voluminous foam and intensive and paint-protecting cleaning performance and supports self-cleaning and thus the service life of the bristles. Selected amphoteric surfactants prepare drying optimally. Premium special aromatics ensure a pleasant fruity scent. Optimally suited as well for biological service water treatment plants. With Volkswagen approval. Quick-separating in accordance with ÖNORM 5106. VDA conform to class A.

Twin Shampoo*Foam & shampoo*

Concentrated, phosphate- and NTA-free, fragrant combination product (foam and shampoo) for gantry washing systems, wash systems, self-service carwashes and hand washing. The high proportion of surfactants guarantees voluminous foam and intensive and paint-protecting cleaning performance and supports self-cleaning and thus the service life of the bristles. Selected amphoteric surfactants prepare drying optimally. Premium special aromatics ensure a pleasant fruity scent. Optimally suited as well for biological service water treatment plants. With Daimler approval. Quick-separating and tested in accordance with ÖNORM 5106 (test concentration 0.1% mass). VDA conform to class A.

33 kg **177033**
210 kg **177210**

pH 8
Tw**Active Foam***Aromatic intensive foam*

Highly concentrated, phosphate- and NTA-free foam with intensive aroma for gantry washing systems, wash systems, self-service carwashes and hand washing. The extremely high ratio of anionic surfactants creates a unique foam formation as well as an intensive and paintwork protecting cleaning performance and supports the self-cleaning and therefore the service life of the brushes. The attractive and long-lasting odour of sandalwood provides an intensive fragrance experience. Optimally suited as well for biological service water treatment plants. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:100

10 kg **282010**
33 kg **282033**
210 kg **282210**

pH 9,5
Af**Active Foam Spring***Intensive foam with spring scent*

33 kg **320033**

The fresh spring version of Active Foam.

pH 9,5
Afs**Active Foam X-Mas***Intensive foam with Christmas scent*

10 kg **293010**
33 kg **293033**

The Christmas version of Active Foam. Is only produced after pre-orders at the end of November.

pH 9,5
Afx

pH 9,5
Pow

Power-Schaum
Intensive foam

The highly concentrated, phosphate and NTA-free intensive foam for gantry car washes, car washes, self-service systems and hand washing. The extremely high proportion of anionic surfactants produces a unique foam pattern, an intensive and paint-friendly cleaning performance and supports self-cleaning and thus the service life of the brushes. The fresh citrus scent provides a pleasant fragrance. Also ideally suited for biological service water treatment plants. VDA-compliant class A: exposure time max. 5 min, max. application concentration 1:100

33 kg **250033**
210 kg **250210**

pH 1
Aa

Acid Shampoo A
Acid Car Wash Shampoo A

Concentrated acid shampoo for gantry car washes and tunnel car washes with conventional process-water treatment. The combination of mild acids and foaming surfactants guarantees gentle but thorough cleaning of vehicles, bonds to water-hardening elements, prevents limescale, and neutralises both the vehicle surface and the alkaline process water from the precleaning stage. Boosts self-cleaning and therefore the service life of brushes. Selected surfactants provide optimum preparation for drying. Encourages rapid sedimentation of dirt. Limited suitability for biological process-water treatment systems due to phosphate content. Quick-separating in accordance with ÖNORM 5105.



35 kg **311035**
225 kg **311225**

Shampoos

pH 9,5
Wss

Waschstraßen-Shampoo spezial BMP
Car wash shampoo

Concentrated, phosphate- and NTA-free shampoo for gantry washing systems and wash systems. The combination of non-ionic, amphoteric and anionic surfactants and regreasing components guarantees careful, thorough cleaning and protects the paintwork. Optimally suited as well for biological service water treatment plants. With Daimler approval. Quick-separating in accordance with ÖNORM 5106. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:100.



33 kg **156033**
210 kg **156210**

Aktivwäsche
Active shampoo

Concentrated, phosphate- and NTA-free active shampoo for gantry washing systems, wash systems and hand washing. The combination of anionic and non-ionic surfactants and replenishing components guarantees careful, thorough cleaning and protects the paintwork. Optimally suited as well for biological service water treatment plants. VDA conform to class A.

11 kg **10011**
33 kg **10033**
210 kg **10210**

pH 8
Aw

Autoshampoo
Vehicle shampoo

Phosphate and NTA-free vehicle shampoo for gantry washing systems, wash systems and hand washing. The combination of anionic and non-ionic surfactants guarantees mild and thorough cleaning. Optimally suited as well for biological service water treatment plants. VDA conform to class A.



11 kg **13011**
33 kg **13033**
210 kg **13210**

pH 9
As



Drier

pH 4,5
Hd

High-Tech Konservierungstrockner*HighTec-conserving dryer*

The next generation of innovative high-tech drying aids with excellent surface-protecting properties. Hyper Dryer rapidly breaks down water surface tension using a unique droplet method to dry your vehicle without any microbead residues. Highly specialised ingredients adhere firmly to surfaces to produce a smooth, hydrophobic, nanoscale protective layer that provides long-lasting protection against environmental influences and significantly helps to maintain the value of your vehicle. It can be applied as a hot or cold wax due to the long-lasting, colour-refreshing care and protection of the paintwork, plastics and convertible roof materials it provides. The hydrophobicity of glass surfaces ensures improved visibility in rain (no smearing effects). Hyper Dryer achieves optimum results even with the high conductance of the process water and with difficult blower geometries. Hyper Dryer is also ideally suited to biological service water treatment plants. Does not contain mineral oil hydrocarbons. VDA-compliant class A.

10 l 420010
20 l 420020
210 l 420210

Magic Dry & Care*HighTec conserving dryer*

The innovative high-tech conserving dryer generates a lightning fast breakup of the water film, a unique drip impulsion and thus a drying experience free of microbeads. Highly specialised reactive components bond tightly to the surface and generate a high-gloss, hydrophobic, nanoscale protective layer that protects against environmental factors for a long period and makes a considerable contribution to maintaining the value of the vehicle. Thanks to the long-life, colour-refreshing maintenance and protection of the paintwork, plastics and convertible fabric roofs. Can also be used hot, cold and foam wax. The hydrophobising of the glass surfaces leads to improved visibility in the rain (no smearing effect). Magic Dry & Care achieves optimum results even with high service water conductance and with difficult fan geometries. Optimally suited as well for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A. With Daimler approval.

10 l 190010
33 l 190033
210 l 190210

Hochglanzrockner*Rinse-off agent H*

10 l 178010
33 l 178033
210 l 178210

Special care product for underbody protection in carwashes. With regular use the vehicle underbody is protected against aggressive environmental factors (eg salt) and therefore against corrosion. Thanks to enhanced flow properties even areas that are difficult to reach are conserved. Optimally suited as well for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.

Glanztrockner V*Rinse-off agent V*

33 l 271033

The high-quality drying aid with gloss additives. Innovative care and water-repellent components ensure a fast, even with critical water values, a fast, flat opening and a good drying result. Also ideally suited for biological service water treatment systems. Contains no mineral oil hydrocarbons or silicone derivatives. VW approved. VDA-compliant class A.

pH 5
Mdc

pH 4,5
Hgt

pH 4,5
Gv

Polish

pH 3,7
Ncp**NanoCrystal Polish**
Foam gloss polish C

Foaming polish based on an innovative micro-emulsion for mechanical vehicle care. Thanks to optimal foam formation, carwash customers can experience care visibly. Premium, hydrophilic reactive and care components give paintwork a brilliant deep gloss and protect all paintwork, rubber and plastic surfaces against aggressive environmental factors over a long period. Also, extremely well-suited for care of convertible fabric tops. Drying is prepared optimally through the perfect surface finish. Surfactants in the product support the self-cleaning properties of the washing materials. Optimally suited as well for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.

10 kg **241010**
30 kg **241030**
210 kg **241210**

pH 5,5
Nmp**NanoMagic Polish**
Foam gloss polish M

Heavily foaming innovative micro-emulsion with excellent cleaning performance with simultaneous long-lasting high-gloss protection. NanoMagic Polish is used as foam gloss polish and/or brush shampoo. Thanks to voluminous foam formation, carwash customers can experience care visibly. Premium, hydrophobic reactive and care components give paintwork a brilliant deep gloss and protect all paintwork, rubber and plastic surfaces against aggressive environmental factors over a long period. Extremely well-suited as well for care of convertible fabric tops. Drying is prepared optimally through the perfect surface finish. Surfactants in the product support the self-cleaning properties of the washing materials. Optimally suited as well for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.

30 kg **210030**
210 kg **210210**

Wax

ProtectorWax*Premium protection wax P*

1 l **319001**
10 l **319010**
33 l **319033**

High-gloss, lotus effect and protection. The innovative high-tech conserving wax sets new standards in matters of protection, durability, extreme deep gloss, long-term water repellence (lotus effect), easy-to-clean performance and vehicle drying without micro-beading. The use of polyfunctional reactive components in combination with highest quality care components, which bond firmly with the surfaces as a network, guarantee perfect long-lasting high-gloss protection and improved visibility during rain (beading). Improves with regular use the gloss and protection layer, covers fine scratches and all rubber and plastic parts as well as convertible fabric top materials are protected against fading and embrittlement. ProtectorWax thus makes a considerable contribution to maintaining the vehicle's value. Can be used as hot, cold and foam wax (mechanically and manually). Achieves optimum drying results even with high conductance values of the service water and with difficult fan geometries. Optimally suited for standard as well as for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.

NanoMagic Twin Wax*High-Tech protection wax*

33 l **220033**
210 l **220210**

High-gloss, lotus effect and protection. The innovative high-tech conserving wax sets new standards in matters of protection, durability, extreme deep gloss, long-term water repellence (lotus effect), easy-to-clean performance and vehicle drying without micro-beading. The use of polyfunctional reactive components in combination with highest quality care components, which bond firmly with the surfaces as a network, guarantee perfect long-lasting high-gloss protection and improved visibility during rain (beading). Improves with regular use the gloss and protection layer, covers fine scratches and all rubber and plastic parts as well as convertible fabric top materials are protected against fading and embrittlement. ProtectorWax thus makes a considerable contribution to maintaining the vehicle's value. Can be used as hot, cold and foam wax (mechanically and manually). Achieves optimum drying results even with high conductance values of the service water and with difficult fan geometries. Optimally suited for standard as well as for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.

Unterbodenwachs*Underbody wax, concentrated*

33 l **213033**

Special care product for underbody protection in carwashes. With regular use the vehicle underbody is protected against aggressive environmental factors (eg salt) and therefore against corrosion. Thanks to enhanced flow properties even areas that are difficult to reach are conserved. Optimally suited as well for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.

pH 4,5
PwpH 5
NwpH 4,5
Uw



Self-Service Car Washes

pH 11
Pds**Cleaning powder**
Cleaning powder

Highly effective, high foaming cleaning powder based on phosphates that is careful on surfaces for self-service carwashes and high-pressure appliances with powder dosing devices. The combination of high-quality special surfactants and complexing agents loosens even stubborn dirt, such as insects, bird droppings and environmental dirt extremely quickly. Cleaning powder is characterised by its good flowability and quick dissolving. With an intensive, pleasant fragrance. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:100.

25 kg 227025

pH 13,1
Vb**Precleaner B**
Precleaner B

Highly concentrated, phosphate-free, alkaline, high foaming pre-cleaner for car and truck prewashing. The combination of high-quality complexing agents and special surfactants dissolves even stubborn incrustations such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for heavily frequented carwashes and for non-contact high-pressure washing. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Also suited for copolymer dewaxing. Optimally suited as well for biological service water treatment plants. Quick-separating and tested in accordance with ÖNORM 5106 (test concentration 0.05% mass). VDA conform to class A: reaction time max. 5 min, max. application concentration 1:300. Class B: reaction time max. 1 min, max. application concentration 1:30.

11 kg 211011
33 kg 211033
225 kg 211225
1100 kg 211000

Precleaner B NTA-free
Precleaner B NTA-free

The NTA-free version of Precleaner B.

11 kg 248011
33 kg 248033
225 kg 248225

pH 13,1
Vbn**Super Foam**
Cleaning Foam for Self-Wash stations

The extremely foamy, alkaline active foam with an intense fruity aroma for self-service car wash stations and use in foam guns. Super Foam constitutes an incomparable foam cleaning experience for your vehicle and leaves a long-lasting scent in the cleaning area. Its alkaline pH and highly effective ingredients remove the dirt and ensure a high-quality cleaning performance. The foam encapsulates the dirt and can easily be rinsed off so that the vehicle is cleaned by high pressure which is gentle on the paintwork. VDA-compliant class A: treatment time max. 5 minutes, max. application concentration 1:50

11 kg 396011
33 kg 396033
210 kg 396210

pH 12
Sf**Active Foam**
Aromatic intensive foam

Highly concentrated, phosphate- and NTA-free foam with intensive aroma for gantry washing systems, wash systems, self-service carwashes and hand washing. The extremely high ratio of anionic surfactants creates a unique foam formation as well as an intensive and paintwork protecting cleaning performance and supports the self-cleaning and therefore the service life of the brushes. The attractive and long-lasting odour of sandalwood provides an intensive fragrance experience. Optimally suited as well for biological service water treatment plants. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:100

10 kg 282010
33 kg 282033
210 kg 282210

pH 9,5
Af**Active Foam Spring**
Intensive foam with spring scent

The fresh spring version of Active Foam.

33 kg 320033

pH 9,5
Afs**Active Foam X-Mas**
Intensive foam with Christmas scent

The Christmas version of Active Foam. Is only produced after pre-orders at the end of November.

10 kg 293010
33 kg 293033

pH 9,5
Afx

pH 9,5
Pow

Power-Schaum
Intensive foam



The highly concentrated, phosphate and NTA-free intensive foam for gantry car washes, car washes, self-service systems and hand washing. The extremely high proportion of anionic surfactants produces a unique foam pattern, an intensive and paint-friendly cleaning performance and supports self-cleaning and thus the service life of the brushes. The fresh citrus scent provides a pleasant fragrance. Also ideally suited for biological service water treatment plants. VDA-compliant class A: exposure time max. 5 min, max. application concentration 1:100

33 kg **250033**
210 kg **250210**

pH 8
Mf

Magic Fleur
Aromatic foam & shampoo

33 kg **226033**
210 kg **226210**

Concentrated, phosphate- and NTA-free, very fragrant combination product (foam and shampoo) for gantry washing systems, wash systems and self-service carwashes. The high proportion of surfactants guarantees voluminous foam and intensive and paint-protecting cleaning performance and supports self-cleaning and therefore the service life of the brushes. Selected amphoteric surfactants prepare drying optimally. Premium special aromatics ensure a pleasant fresh scent even in high dilutions. Optimally suited as well for biological service water treatment plants. Quick-separating in accordance with ÖNORM 5105. VDA conform to class A.

pH 8
Tw

Twin Shampoo
Foam & shampoo



Concentrated, phosphate- and NTA-free, fragrant combination product (foam and shampoo) for gantry washing systems, wash systems, self-service carwashes and hand washing. The high proportion of surfactants guarantees voluminous foam and intensive and paint-protecting cleaning performance and supports self-cleaning and thus the service life of the bristles. Selected amphoteric surfactants prepare drying optimally. Premium special aromatics ensure a pleasant fruity scent. Optimally suited as well for biological service water treatment plants. With Daimler approval. Quick-separating and tested in accordance with ÖNORM 5106 (test concentration 0.1% mass). VDA conform to class A.

33 kg **177033**
210 kg **177210**

pH 4,5
Pw

ProtectorWax
Premium protection wax P



High-gloss, lotus effect and protection. The innovative high-tech conserving wax sets new standards in matters of protection, durability, extreme deep gloss, long-term water repellence (lotus effect), easy-to-clean performance and vehicle drying without micro-beading. The use of polyfunctional reactive components in combination with highest quality care components, which bond firmly with the surfaces as a network, guarantee perfect long-lasting high-gloss protection and improved visibility during rain (beading). Improves with regular use the gloss and protection layer, covers fine scratches and all rubber and plastic parts as well as convertible fabric top materials are protected against fading and embrittlement. ProtectorWax thus makes a considerable contribution to maintaining the vehicle's value. Can be used as hot, cold and foam wax (mechanically and manually). Achieves optimum drying results even with high conductance values of the service water and with difficult fan geometries. Optimally suited for standard as well as for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.

1 l **319001**
10 l **319010**
33 l **319033**


NanoMagic Twin Wax
High-Tech protection wax



The high-tech conserving wax with high performance in protection, durability, deep gloss, long-term water repellence (lotus effect), easy-to-clean effect and vehicle drying without micro-beading. The use of polyfunctional reactive components in combination with care components, which bond firmly with the surfaces as a nano-network, guarantee long-lasting high-gloss protection and improved visibility during rain (no smearing). With regular use NanoMagic Twin Wax maintains and waterproofs all rubber and plastic parts as well as convertible fabric top materials and prevents fading and embrittlement. NanoMagic Twin Wax thus makes a considerable contribution to maintaining the vehicle's value. Can be used as hot, cold and foam wax (mechanically and manually). Achieves optimum results even with high conductance values of the service water and with difficult fan geometries. Optimally suited as well for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.

33 l **220033**
210 l **220210**

pH 5
Nw



Magic Dry & Care
HighTec conserving dryer

The innovative high-tech conserving dryer generates a lightning fast breakup of the water film, a unique drip impulsion and thus a drying experience free of microbeads. Highly specialised reactive components bond tightly to the surface and generate a high-gloss, hydrophobic, nanoscale protective layer that protects against environmental factors for a long period and makes a considerable contribution to maintaining the value of the vehicle. Thanks to the long-life, colour-refreshing maintenance and protection of the paintwork, plastics and convertible fabric roofs. Can also be used hot, cold and foam wax. The hydrophobising of the glass surfaces leads to improved visibility in the rain (no smearing effect). Magic Dry & Care achieves optimum results even with high service water conductance and with difficult fan geometries. Optimally suited as well for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A. With Daimler approval.


- 10 l 190010
- 33 l 190033
- 210 l 190210



Hochglanztrockner
Rinse-off agent H

Special care product for underbody protection in carwashes. With regular use the vehicle underbody is protected against aggressive environmental factors (eg salt) and therefore against corrosion. Thanks to enhanced flow properties even areas that are difficult to reach are conserved. Optimally suited as well for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.

- 10 l 178010
- 33 l 178033
- 210 l 178210



NanoMagic Polish
Foam gloss polish M

Heavily foaming innovative micro-emulsion with excellent cleaning performance with simultaneous long-lasting high-gloss protection. NanoMagic Polish is used as foam gloss polish and/or brush shampoo. Thanks to voluminous foam formation, carwash customers can experience care visibly. Premium, hydrophobic reactive and care components give paintwork a brilliant deep gloss and protect all paintwork, rubber and plastic surfaces against aggressive environmental factors over a long period. Extremely well-suited as well for care of convertible fabric tops. Drying is prepared optimally through the perfect surface finish. Surfactants in the product support the self-cleaning properties of the washing materials. Optimally suited as well for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.



- 30 kg 210030
- 210 kg 210210



Super Foam NTA-free
Cleaning Foam for Self-Wash stations
NTA-free

The extremely foamy, alkaline active foam with an intense fruity aroma for self-service car wash stations and use in foam guns. Super Foam NTA frei constitutes an incomparable foam cleaning experience for your vehicle and leaves a long-lasting scent in the cleaning area. Its alkaline pH and highly effective ingredients remove the dirt and ensure a high-quality cleaning performance. The foam encapsulates the dirt and can easily be rinsed off so that the vehicle is cleaned by high pressure which is gentle on the paintwork. VDA-compliant class A: treatment time max. 5 minutes, max. application concentration 1:50



- 10 l 421010
- 210 l 421020

pH 13,5

Lkw**Commercial vehicle cleaner, extremely-alkaline***Commercial vehicle cleaner, extremely-alkaline*

Highly concentrated, phosphate-free, extremely alkaline cleaner for use on the heaviest dirt (including ingrained) such as environmental dirt, insects, oil, diesel residues, soot, etc., on commercial vehicles and on all other alkali-resistant surfaces. Quick-separating in accordance with ÖNORM 5106.



11 kg 170011
35 kg 170035
230 kg 170230

pH 13,9

Pb**PreWash B***Precleaner & insect remover B*

Highly concentrated, phosphate-free, high alkaline precleaner for cars and trucks. The high proportion of complexing agents, surfactants and special additives dissolves even the most stubborn dirt such as insects, bird droppings, environmental and rim dirt spontaneously and is therefore ideally suited in particular for carwashes with short reaction times (eg express washing systems) as well as alkaline washing bay cleaning. Optimally suited as well for biological service water treatment plants. Quick-separating in accordance with ÖNORM 5106. VDA conform to class B: reaction time max. 1 min, max. application concentration 1:100

33 kg 303033
225 kg 303225
1150 kg 303000

pH 13,4

Pbn**PreWash B NTA-free***Precleaner & insect remover B NTA-free*

The NTA-free version of PreWash B.



33 kg 304033
225 kg 304225

PreWash A*Precleaner & insect remover A*

The highly concentrated, phosphate-containing, low-foaming, highly alkaline pre-cleaner for car and truck pre-washing. The high proportion of complexing agents, surfactants, alkalis and special additives spontaneously dissolves even the most extreme adhesions such as insects, bird excrements, environmental and rim soiling and is therefore ideally suited in particular for car washes with short reaction times (e.g. express car washes with closed pre-wash circuit systems) as well as for alkaline wash bay cleaning. Due to the phosphate content it is only conditionally suitable for biological service water treatment plants. Quick separating according to ÖNORM 5106. VDA-compliant class B: exposure time max. 1 min, max. application concentration 1:70

36 kg 310036
240 kg 310240
1150 kg 310000

PreWash express*Express precleaner*

Highly concentrated, phosphate-free, high alkaline precleaner for prewashing cars and trucks. The combination of high-quality complexing agents and special surfactants dissolves even the most stubborn dirt such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for carwashes with short reaction times (eg express washing systems) as well as alkaline washing bay cleaning. Optimally suited as well for biological service water treatment plants. VDA conform to class B: reaction time max. 1 min, max. application concentration 1:100

33 kg 261033
225 kg 261225
1100 kg 261000

PreWash express NTA-free*Express precleaner NTA-free*

The NTA-free version of PreWash express.

33 kg 262033
225 kg 262225

pH 13,9

Pa

pH 13,3

Pe

pH 13,3

Pen

pH 13,1
Vb**Precleaner B**
Precleaner B

11 kg	211011
33 kg	211033
225 kg	211225
1100 kg	211000

Highly concentrated, phosphate-free, alkaline, high foaming pre-cleaner for car and truck prewashing. The combination of high-quality complexing agents and special surfactants dissolves even stubborn incrustations such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for heavily frequented carwashes and for non-contact high-pressure washing. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Also suited for copolymer dewaxing. Optimally suited as well for biological service water treatment plants. Quick-separating and tested in accordance with ÖNORM 5106 (test concentration 0.05% mass). VDA conform to class A: reaction time max. 5 min, max. application concentration 1:300. Class B: reaction time max. 1 min, max. application concentration 1:30.

pH 13,1
Vbn**Precleaner B NTA-free**
Precleaner & insect remover A

The NTA-free version of Precleaner B



11 kg	248011
33 kg	248033
225 kg	248225

pH 13
Cst**Copo Star BMP-T**
Precleaner T

10 kg	52010
32 kg	52032
218 kg	52218

Highly concentrated, phosphate- and NTA-free, alkaline, high foaming pre-cleaner for car and truck prewashing for removing insects, bird droppings, environmental, engine and rim dirt. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Optimally suited as well for biological service water treatment plants. With Daimler approval. Quick-separating in accordance with ÖNORM 5105. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:5

Copo Star BMP V
Precleaner V


The VW approved version of Copo Star BMP-T.

32 kg	272032
-------	--------

pH 13
Csv**Green Star**
Universal cleaner

1 l	25001
11 kg	25011
35 kg	25035
225 kg	25225

Highly concentrated, phosphate- and solvent-free, alkaline universal cleaner. Universally usable for the areas of workshop floor and industrial cleaning, interior and exterior cleaning of cars and trucks and engine cleaning thanks to its enormous dirt and oil carrying capacity. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. For use in spray extraction and other carpet cleaning devices we recommend the addition of Kocentschäumer foam inhibitor. Optimally suited as well for biological service water treatment plants. Quick-separating and tested in accordance with ÖNORM 5105 (test concentration 10% solution). VDA conform to class A: reaction time max. 5 min, max. application concentration 1:3

pH 12,5
Gs**Truck Dry**
Rinse-off dryer premium

Premium run-off dryer for commercial vehicle and bus washing installations without a drying fan. The hydrophilic property causes the water to run off in a thin film, leaving behind no streaks or staining. With Daimler approval. Quick-separating in accordance with ÖNORM 5106. Meets VDA class A.

30 kg	307030
210 kg	307210

pH 7
Td

pH 14
Awh

Alkali Wheel Cleaner
Rim Cleaner alkaline

The powerful, alkaline wheel cleaner with exceptional dirt absorption capabilities and cleaning power. Using a complex combination of special dirt carriers and an alkaline solution, the dirt resulting from brake abrasion is quickly dissolved and dispersed, similarly to acidic wheel cleaners. The rim well is also thoroughly cleaned after just one application. The Alkali Wheel Cleaner generates minimal foam for excellent moistening and minimal fogging. These properties make it possible to quickly and thoroughly clean the wheels without irritating skin. Quick-separating in accordance with ÖNORM 5106.

5 kg **411005**
25 kg **411025**

pH 13,4
Fba

Felgenblitz alkalisch
Rim cleaner alkaline, viscous

Powerful highly alkaline rim cleaner with excellent dirt absorption and cleaning performance on the basis of a special dirt carrier for all alkali-resistant aluminium and steel rims. Burned in brake dusts and environmental dirt are removed quickly and thoroughly. The viscous setting leads to long adhesion and interaction. With water repelling effect and gloss additives. Free from organic complexing agents and phosphates. With Daimler approval. Quick-separating in accordance with ÖNORM 5106. VDA conform to class B: reaction time max. 1 min, maximum application concentration 1:20

33 kg **274033**
210 kg **274210**

pH -0,2
Fcl

Felgenreiniger CL
Rim & washing bay cleaner, acidic

Powerful, phosphoric and hydrochloric acid based cleaner for all acid-resistant materials such as rims, commercial/construction vehicles, washing bay tiles, machinery, etc. Burned in brake dusts, rust stains, limescale, environmental dirt and other inorganic dirt are removed very quickly and thoroughly. The optimal combination of cleaning performance and material compatibility. Quick-separating in accordance with ÖNORM 5106.

35 kg **247035**
225 kg **247225**

pH -0,2
Fe

Felgenreiniger extrem
Rim cleaner, acidic, extreme

Extremely acidic hydrochloric acid based special cleaner for all hydrochloric acid resistant materials such as rims, commercial/construction vehicles, washing bay tiles, machinery, etc. Burned in brake dusts, rust bloom, limescale, cement residues, , environmental dirt and other inorganic dirt are removed very quickly and thoroughly. Quick-separating and tested in accordance with ÖNORM 5106 (test concentration 0,1% mass).

11 kg **187011**
35 kg **187035**
225 kg **187225**

pH -0,6
Qa

Quattro-Acid-Star XL
4-acid hammer

Where other acidic cleaners reach their limits, that's where Quattro-Acid-Star XL starts. Extremely powerful acidic special cleaner with a high proportion of hydrofluoric, hexafluorosilicic, hydrochloric and sulphuric acid for steel and undamaged, single piece, acid-resistant painted aluminium rims, extremely weathered truck chassis and tiles in washing bays that no longer have a glaze (protective coating). Burned in brake dusts, rust bloom, limescale, environmental dirt and other organic dirt are removed extremely quickly and thoroughly practically without any manual cleaning effort. Extremely dilutable. Quick-separating in accordance with ÖNORM 5106.

11 kg **444011**
33 kg **444033**
225 kg **444225**

pH 0
Fib

Flugrostentferner BMP
Rust bloom remover, highly concentrated

Highly concentrated powerful, acidic cleaner for removing inorganic dirt such as rust bloom, limescale, brake particles, etc., from acid-resistant surfaces such as paint, glass, ceramic and metal parts. Corrosion inhibitors protect temporarily against corrosion. With Daimler approval.

12 kg **224012**
36 kg **224036**
250 kg **224250**

pH 14
Ti

Tankinnenreiniger BL
Tank interior cleaner, alkaline

Alkaline, foam-inhibited special cleaner for quick and thorough inside cleaning of alkali-resistant tanks, silos, containers, IBCs, etc. Oil, greases, proteins, dust, powder, plastic granules, etc., are quickly loosened and removed without trace. Because of its extreme foam-inhibited setting and fast rinsability extremely economical with water in the rinsing process. Approved for cleaning in the food sector (Dekra tested). Quick-separating in accordance with ÖNORM 5105.

35 kg **258035**
230 kg **258230**
1100 kg **258000**

Eue

Eulex E
Adhesive remover E

The special product for the removal of adhesive build-up after the removal of large-surface stickers (decals) on vehicles (especially commercial vehicles), glass surfaces etc. in the pre-wash area. Also penetrates quickly into other residues such as tree resin and rubber, softening them and thus enabling easy removal. Due to the purely vegetable-based active ingredients, Eulex E is free of hazardous substances, non-flammable and slowly evaporates.

10 l **268010**

Ken**KocEntschäumer**
*Defoamer concentrate*1 kg 189001
10 kg 189010

The highly concentrated, fast and very effective defoamer. It eliminates or prevents undesired foam formation in oversoaped industrial water treatment plants, cooling lubricant circuits and strongly foaming cleaning solutions (e.g. when used in spray extraction equipment, automatic floor cleaning machines, parts cleaning machines, etc.) Even a very small amount causes the existing foam to collapse spontaneously or not to form at all.

pH 2
Kkl**KocKlar**
Process water disinfection P

30 kg 75030

Special product on the basis of active oxygen for the effective elimination of odours (odour-forming, anaerobic bacteria) in industrial water treatment and waste water treatment plants. Suitable for shock treatment and continuous feeding. KocKlar is not an additional load for the process water. It can even reduce the biological and chemical oxygen demand (COD/BOD). Not suitable for introduction into biological process water treatment plants.

pH 14
Kp2**KocPlus 25 %**
*ph-value lifter*35 kg 74036
250 kg 74250

Sodium hydroxide (25%) based product for the regulation (increase) of the pH-value in industrial water treatment and waste water treatment plants. The pH value increase is recommended for the following areas of application: compliance with municipal discharge conditions; regulation after acidic cleaning work; for permanent adjustment of the process water in process water treatment plants. The optimum pH value range for conventional systems (flocculation) and biological systems is 7 to 8. Daimler approved.

pH 1,4
Kfl**KocFloc**
Flocculation agent A

34 kg 74034

The highly concentrated flocculation and precipitation agent based on aluminium hydroxychloride for use in industrial water treatment and waste water treatment plants. Finest dirt particles combine to large flocs and are removed from the waste water by precipitation (sedimentation in the sludge trap) and/or filtration. Not suitable for use in biological process water treatment plants.

KocFloc Bio Clear
Flocculation agent B

34 kg 243034

Concentrated flocculation and precipitation agent, based on aluminium nitrate, for use in industrial water treatment and waste water treatment plants. Finest dirt particles combine to large flocs and are removed from the waste water by precipitation (sedimentation in the sludge trap) and/or filtration. Compared to other flocculants, KocFloc Bio Clear does not introduce any corrosion-causing chlorides and aerobic microorganisms are promoted (prevention of odours). Not suitable for use in biological service water treatment plants.

Regenit-Salz
Regeneration salt tablets

25 kg 19025

High-purity sodium chloride in tablet form for regenerating water softening installations. The ion exchange resin is released through the Broxo-Salz solution from the hardeners (magnesium, calcium ions, etc.) and returned to the original condition.

KocElektrolyt
Water hardness raiser

33 kg 277033

Electrolyte solution for increasing water hardness or conductivity in rainwater and very soft surface water. By using KocElektrolyt, shampoos and other strongly wetting detergents are rinsed off more thoroughly during the rinse cycle, thus considerably improving the drying result.

pH 2,5
Kfb**Bs**pH 7
Kel



pH 0
Hrm

Hallenreiniger mild-sauer*Workshop & stainless steel cleaner, acidic,*

Mild cleaner based on phosphoric acid for all acid-resistant surfaces such as washing bay tiles, stainless steel units, plastic facings, etc. Limescale, environmental dirt, rust blooms and other inorganic dirt are removed quickly and thoroughly. Has extremely good material compatibility. Contains no fluoric or hydrochloric acid, and no bifluoride, and is therefore suitable for use in biological service water treatment plants (in strict accordance with the default pH values). Quick-separating in accordance with ÖNORM 5106.

35 kg **301035**

pH 0
Fkv

Felgenreiniger K viskos*Rim & stainless steel cleaner, acidic, viscous*

Heavily phosphoric acid based cleaner for all acid-resistant materials (rims, stainless steel surfaces, etc.). Brake dusts and other inorganic dirt such as limescale are removed quickly and thoroughly. The highly viscous setting leads to long adhesion and thus long interaction on the surfaces and reduces aerosol formation (safe working). A special additive delays drying and corrosion inhibitors reduce corrosion of the brake callipers.

12 kg **233011**

35 kg **233035**

240 kg **233240**

pH -0,2
Hr

Hallenreiniger sauer*Washing bay cleaner, acidic*

Powerful, phosphoric and hydrochloric acid based cleaner for all acid-resistant surfaces such as washing bay tiles, etc. Limescale, environmental dirt, rust bloom and other inorganic dirt are removed very quickly and thoroughly. Contains no fluoric acid, and no bifluoride, and is therefore suitable for use in biological service water treatment plants (in strict accordance with the default pH values). Quick-separating in accordance with ÖNORM 5106.

35 kg **265035**

Felgenreiniger CL*Rim & washing bay cleaner, acidic*

Powerful, phosphoric and hydrochloric acid based cleaner for all acid-resistant materials such as rims, commercial/construction vehicles, washing bay tiles, machinery, etc. Burned in brake dusts, rust stains, limescale, environmental dirt and other inorganic dirt are removed very quickly and thoroughly. The optimal combination of cleaning performance and material compatibility. Quick-separating in accordance with ÖNORM 5106.

35 kg **247035**

225 kg **247225**

pH -0,2
Fcl

Sauer Star*Tile & washing bay cleaner*

Powerful basic cleaner containing phosphoric acid, sulphuric acid, hydrochloric acid and hexafluorosilicic acid for removing limescale, environmental and industrial dirt, boiler and urine scale, and rust bloom and other inorganic dirt on washing bay tiles and other acid-resistant surfaces. Quick-separating in accordance with ÖNORM 5106.

11 kg **123011**

35 kg **123035**

pH -0,3
Sau

Felgen- & Fliesenreiniger aktiv sauer*Special rim and tile cleaner, acidic*

Extremely powerful acidic special cleaner with a high proportion of phosphoric and hydrofluoric acid for steel and undamaged, one-piece, acid-resistant painted aluminium rims, tiles in wash installations that no longer have a glaze (protective coating). Burned in brake dust, rust traces, limescale, environmental dirt and other organic dirt are removed extremely quickly and thoroughly with minimal manual cleaning effort. Special corrosion inhibitors reduced corrosion of the brake callipers. Quick-separating in accordance with ÖNORM 5106.



11 kg **37011**

35 kg **37035**

225 kg **37225**

pH -0,4
Ff

pH -0,6
Qa**Quattro-Acid-Star XL**
4-acid hammer

Where other acidic cleaners reach their limits, that's where Quattro-Acid-Star XL starts. Extremely powerful acidic special cleaner with a high proportion of hydrofluoric, hexafluorosilicic, hydrochloric and sulphuric acid for steel and undamaged, single piece, acid-resistant painted aluminium rims, extremely weathered truck chassis and tiles in washing bays that no longer have a glaze (protective coating). Burned in brake dusts, rust bloom, limescale, environmental dirt and other organic dirt are removed extremely quickly and thoroughly practically without any manual cleaning effort. Extremely dilutable. Quick-separating in accordance with ÖNORM 5106.

11 kg **444011**
35 kg **444035**
225 kg **444225**

pH 13,3
Pe**PreWash express**
Express precleaner

33 kg **261033**
225 kg **261225**
1100 kg **261000**

Highly concentrated, phosphate-free, high alkaline precleaner for prewashing cars and trucks. The combination of high-quality complexing agents and special surfactants dissolves even the most stubborn dirt such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for carwashes with short reaction times (eg express washing systems) as well as alkaline washing bay cleaning. Optimally suited as well for biological service water treatment plants. VDA conform to class B: reaction time max. 1 min, max. application concentration 1:100

pH 13,3
Pen**PreWash express NTA-free**
Express precleaner NTA-free

The NTA-free version of PreWash Express.

33 kg **262033**
225 kg **262225**

pH 7
We**Water softener**
Water softener

Liquid water softener for protection against lime deposits and scale formation in pipes, heating coils, storage tanks and aggregates in hot water systems. The crystallization is prevented by the Tresh-Hold-Effect.

11 kg **306011**
225 kg **306225**

Construction Cleaner CTH
Hall & unit cleaner, CDA area

Washing bay, unit and spray arch cleaner for the washing & drying sector. An extreme cleaner for removing residues of drying agent and preservative waxes from all alkali-resistant surfaces, such as washing bay tiles, stainless steel assemblies, plastic panelling, VA/polymer spray arches, glass, etc. Persistent organic stains containing silicon are dissolved and destroyed. Construction Cleaner CTH contains a strong alkaline solution and is applied undiluted to the surface to be treated. In compliance with the pH value requirements for industrial water (pH < 9.0), it is suitable for use in biological industrial water treatment facilities.

25 l **414025**

pH 14
Coc



Db

Duftstoff Bazooka*Fragrance concentrate Bubble-gum*

1 l | 216001

Highly concentrated fruity fresh bubble-gum fragrance for scenting carwashes. Use undiluted with the Fresh-S-Center (999331).

Dt

Duftstoff Ice Tea*Fragrance concentrate Ice Tea*

1 l | 389001

Highly concentrated fresh Ice Tea fragrance for scenting carwashes. Use undiluted with the Fresh-S-Center (999331).

Dcs

Duftstoff Cool Stream*Fragrance concentrate Fresh Breeze*

1 l | 215001

Highly concentrated fresh fragrance of a sea breeze for scenting carwashes. Use undiluted with the Fresh-S-Center (999331).

Df

Duftstoff Fresh Cotton*Fragrance concentrate Spring Freshness*

1 l | 217001

Highly concentrated fresh spring fragrance for scenting carwashes. Use undiluted with the Fresh-S-Center (999331).

Ddc

Duftstoff Dark Cherry*Fragrance concentrate cherry*

1 l | 356001

Highly concentrated fruity fresh cherry fragrance for scenting carwashes. Use undiluted with the Fresh-S-Center (999331).

Dos

Duftstoff Oriental Spirit*Fragrance concentrate sandalwood*

1 l | 358001

Highly concentrated sandalwood fragrance for scenting carwashes. Use undiluted with the Fresh-S-Center (999331).

Fresh-S-Center scenting device*Fresh-S-Center scenting device*

Sturdy scenting device for carwashes. The week timer enables individual dosing during your hours of business. The intensity of the fragrance can be adjusted by frequency and spray duration. Compressed air and power connection required. A large selection of concentrated fragrances can be found in the category Car Wash/ Scent Concept.

30 x 20 x 15 cm | 999331

Duftstoff Apfel*Fragrance concentrate Apple*

1 l | 176001

Concentrated fruity fresh apple fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Duftstoff Citrone*Fragrance concentrate Lemon*

1 l | 167001

Concentrated fresh lemon fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Duftstoff Himbeere*Fragrance concentrate Raspberry*

1 l | 175001

Concentrated fruity fresh raspberry fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Duftstoff Orange*Fragrance concentrate Orange*

1 l | 166001

Concentrated fresh orange fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Duftstoff Aqua Marine*Fragrance concentrate Aqua Marine*

1 l | 436001

Concentrated fresh ocean fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Da

Dc

Dh

Do

Dam



Detailing

- 2.1 Dewaxser
- 2.2 Engine and Chassis
- 2.3 Rim Cleaning
- 2.4 Washing Exteriors and Pretreatment
- 2.5 Rubber and Plastics Exterior
- 2.6 Paintwork
- 2.7 Interiors
- 2.8 Glass
- 2.9 Special Products



We are the leading complete system provider in the field of new and used vehicle preparation. Many cleaning and care products comply with worldwide car manufacturer approvals and are optimized for our customers' requirements and environmental protection specifications. As a market leader, we serve the largest detailing companies in the industry as well as thousands of regional specialists with the best products and application know-how.

Our expert staff will be happy to support you on site with application, environmental and occupational safety issues. We support the HWK in the training of innovative vehicle reconditioners (HWK) and certified detailers (BFA/HWK). As a member of the Vocational Training and Examination Committee of the Federal Association of Detailers (BFA), we have developed a unique training system. We offer our customers individual in-house training courses (e.g. hologram-free polishing) as well as two-day training courses in our training and Competence Center. Dates and further information can be found on our website under www.koch-chemie.com/en/competence/training



Precleaner B
Precleaner B

Highly concentrated, phosphate-free, alkaline, high foaming pre-cleaner for car and truck prewashing. The combination of high-quality complexing agents and special surfactants dissolves even stubborn incrustations such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for heavily frequented carwashes and for non-contact high-pressure washing. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Also suited for copolymer dewaxing. Optimally suited as well for biological service water treatment plants. Quick-separating and tested in accordance with ÖNORM 5106 (test concentration 0.05% mass). VDA conform to class A: reaction time max. 5 min, max. application concentration 1:300. Class B: reaction time max. 1 min, max. application concentration 1:30.

pH 13,1
Vb



- 11 kg 211011
- 33 kg 211033
- 225 kg 2110225
- 1100 kg 211000

pH 13,1

Vbn**Precleaner B NTA-free***Precleaner B NTA-free*

The NTA-free version of Precleaner B.

11 kg	248011
33 kg	248033
225 kg	248225


pH 13,3

Fw**Fleckenwasser***Stain and wax remover*

Organic solvent for removing greasy and organic residues left by cosmetics, oil, ink, paint, paraffin waxes (dewaxing residues), tar, etc. from all solvent-resistant surfaces such as glass, paint, ceramic, metal, textiles. Contains no halogenated hydrocarbons.



1 l	36001
10 l	36010

**Cleaning****Copo Star***Workshop floor and industrial cleaner*

Highly concentrated, phosphate- and solvent-free, high-alkaline cleaner for removing the heaviest dirt such as oil, greases, environmental dirt, graphite dusts, rubber marks, etc. Because of its enormous dirt fragmenting properties it is ideally suited for use in cleaning workshop floors and for industrial, engine and commercial vehicle cleaning (chassis, tarpaulins, etc.), as well as for removing copolymer-based floor sealants. Optimally suited as well for biological service water treatment plants. Quick-separating and tested in accordance with ÖNORM 5106 (test concentration 0.15% mass).

pH 13,4

Cs

11 kg	27011
35 kg	27035
225 kg	27225

pH 13
Cst

Copo Star BMP-T
Precleaner T

10 kg **52010**
32 kg **52032**
218 kg **52218**

Highly concentrated, phosphate- and NTA-free, alkaline, high foaming precleaner for car and truck prewashing for removing insects, bird droppings, environmental, engine and rim dirt. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Optimally suited as well for biological service water treatment plants. With Daimler approval. Quick-separating in accordance with ÖNORM 5105. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:5

pH 13
Csv

Copo Star BMP V
Precleaner V



The VW approved version of Copo Star BMP-T.

32 kg **272032**

pH 12,5
Gs

Green Star
Universal cleaner

1 l **25001**
11 kg **25011**
35 kg **25035**
225 kg **25225**

Highly concentrated, phosphate- and solvent-free, alkaline universal cleaner. Universally usable for the areas of workshop floor and industrial cleaning, interior and exterior cleaning of cars and trucks and engine cleaning thanks to its enormous dirt and oil carrying capacity. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. For use in spray extraction and other carpet cleaning devices we recommend the addition of Kocentschäumer foam inhibitor. Optimally suited as well for biological service water treatment plants. Quick-separating and tested in accordance with ÖNORM 5105 (test concentration 10% solution). VDA conform to class A: reaction time max. 5 min, max. application concentration 1:3

pH 9,5
Gsb

Green Star BMP
Universal cleaner, mild-alkaline

11 kg **66011**
33 kg **66033**
225 kg **66225**
1050 kg **66000**

Highly concentrated, foam-inhibited, mild-alkaline universal cleaner free of phosphate, solvents and NTA, for mechanical and manual cleaning of workshop, industrial and office floors. Existing floor sealants or coatings are not impaired. Thanks to its enormous dirt and oil carrying capacity and highest material compatibility it is also ideal for prewashing and engine washing for cars and trucks, as well as for machine and workpiece cleaning. With re-greasing additives and temporary corrosion protection. Optimally suited as well for biological service water treatment plants. With Daimler approval. Quick-separating in accordance with ÖNORM 5105. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:2

Golden Star
Engine cleaner, contains solvents

30 l **90030**
200 l **90200**

Highly viscous, solvent-containing, emulsifying cold cleaner with perfect adhesive strength for quick removal of waxes, oil, environmental dirt and very heavy ingrained dirt on engines, chassis, agricultural machinery, machinery, etc. Special ingredients protect the treated parts temporarily against corrosion.

Conservation

Motorplast
Special engine conserver

5 l **236005**
30 l **236030**

Naturally shiny, water-displacing conserver for engines, housing parts, rubber hoses and power units of cars, commercial vehicles, etc., with pleasant fragrance. Treated parts regain their new appearance. The complete drying (no lubricating film) prevents dirt sticking. The power units are protected from corrosion and environmental factors by the permanently elastic protective film. Suitable for use on dry and wet surfaces. Temperature-resistant to 250°C. With Daimler approval.

Motorkonservierer Charlie
Engine conserver, silicone-oil-free

10 l **105010**

Semi-gloss-shiny, hydrocarbon based conserver for engines, housing parts and power units of cars, commercial vehicles, etc. Treated parts regain their new appearance and are protected from corrosion and environmental factors by the permanently elastic protective film. The complete drying (no lubricating film) prevents dirt sticking. Suitable for use on dry surfaces. Temperature-resistant to 200°C. Silicone oil free.

Conservation

Pls

Plastiklack-Spray schwarz*Spray paint, matt black, RAL 9005*

Highly adhesive, quick drying spray paint with very high coverage. For touching up paint on worn and bleached out surfaces such as door entry sill trim, sills, bumpers, wheel arches, trim and similar made of metal, rubber, plastic, fabric, etc. Provides long-lasting protection against corrosion and environmental factors.



400 ml 103412

Plg

Plastiklack-Spray grau*Spray paint, matt grey*

Highly adhesive, quick drying spray paint with very high coverage. For touching up paint on worn and bleached out surfaces such as door entry sill trim, sills, bumpers, wheel arches, trim and similar made of metal, rubber, plastic, fabric, etc. Provides long-lasting protection against corrosion and environmental factors.



400 ml 107412



Acid Cleaners

Felgenreiniger K*Rim cleaner, acidic*

12 kg 6012
36 kg 6036
250 kg 6250

Highly concentrated powerful, acidic cleaner for removing inorganic dirt such as rust bloom, limescale, brake particles, etc., from acid-resistant surfaces such as paint, glass, ceramic and metal parts. Corrosion inhibitors protect temporarily against corrosion. With Daimler approval.

pH 0
Fk**Felgenreiniger K viskos***Rim & stainless steel cleaner, acidic, viscous*

11 kg 233011
35 kg 233035
240 kg 233240

Heavily phosphoric acid based cleaner for all acid-resistant materials (rims, stainless steel surfaces, etc.). Brake dusts and other inorganic dirt such as limescale are removed quickly and thoroughly. The highly viscous setting leads to long adhesion and thus long interaction on the surfaces and reduces aerosol formation (safe working). A special additive delays drying and corrosion inhibitors reduce corrosion of the brake callipers.

pH 0
Fkv

pH 0
Fa

Felgenreiniger A

Rim cleaner, acidic, for wheel washing systems

34 kg 300034
230 kg 300230

Highly concentrated, phosphoric acid based rim cleaner for cleaning dismantled acid-resistant wheels/rims in mechanical wheel/rim washing systems (closed systems). Brake dusts and other inorganic dirt are removed quickly and thoroughly. Extremely economical consumption. Quick-separating in accordance with ÖNORM 5106. With Daimler approval.

pH -0,2
Fcl

Felgenreiniger Cl

Rim & washing bay cleaner, acidic

35 kg 247035
225 kg 247225

Powerful, phosphoric and hydrochloric acid based cleaner for all acid-resistant materials such as rims, commercial/construction vehicles, washing bay tiles, machinery, etc. Burned in brake dusts, rust stains, limescale, environmental dirt and other inorganic dirt are removed very quickly and thoroughly. The optimal combination of cleaning performance and material compatibility. Quick-separating in accordance with ÖNORM 5106.

pH -0,2
Fe

Felgenreiniger extrem

Rim cleaner, acidic, extreme

11 kg 187011
35 kg 187035
225 kg 187225

Extremely acidic hydrochloric acid based special cleaner for all hydrochloric acid resistant materials such as rims, commercial/construction vehicles, washing bay tiles, machinery, etc. Burned in brake dusts, rust bloom, limescale, cement residues, environmental dirt and other inorganic dirt are removed very quickly and thoroughly. Quick-separating and tested in accordance with ÖNORM 5106 (test concentration 0,1% mass).

pH -0,3
Ta

Triple Acid Star

3-acid hammer

11 kg 242011
35 kg 242035
225 kg 242225

The extremely powerful, acidic salt, phosphorus and ammonium bifluoride based rim cleaner for all acid resistant aluminium and steel rims. Burnt-in brake dust, rust film, environmental and other inorganic dirt is removed extremely quickly and thoroughly. Even static dirt is effectively removed. Quick release according to ÖNORM 5106.

pH -0,4
Ff

Felgen- & Fliesenreiniger aktiv sauer

Special rim and tile cleaner, acidic

11 kg 37011
35 kg 37035
225 kg 37225

Extremely powerful acidic special cleaner with a high proportion of phosphoric and hydrofluoric acid for steel and undamaged, one-piece, acid-resistant painted aluminium rims, tiles in wash installations that no longer have a glaze (protective coating). Burned in brake dust, rust traces, limescale, environmental dirt and other organic dirt are removed extremely quickly and thoroughly with minimal manual cleaning effort. Special corrosion inhibitors reduced corrosion of the brake callipers. Quick-separating in accordance with ÖNORM 5106.

pH -0,6
Qa

Quattro-Acid-Star XL

4-acid hammer

11 kg 444011
35 kg 444035
225 kg 444225

Where other acidic cleaners reach their limits, that's where Quattro-Acid-Star XL starts. Extremely powerful acidic special cleaner with a high proportion of hydrofluoric, hexafluorosilicic, hydrochloric and sulphuric acid for steel and undamaged, single piece, acid-resistant painted aluminium rims, extremely weathered truck chassis and tiles in washing bays that no longer have a glaze (protective coating). Burned in brake dusts, rust bloom, limescale, environmental dirt and other organic dirt are removed extremely quickly and thoroughly practically without any manual cleaning effort. Extremely dilutable. Quick-separating in accordance with ÖNORM 5106.

Neutral Cleaner**Felgenblitz säurefrei**

Rim cleaner, neutral, viscous

11 kg 218011
33 kg 218033

Powerful pH neutral rim cleaning gel on the basis of a special neutral ingredient. Burned in brake dusts, rust traces and other inorganic dirt are removed thoroughly and gently. The viscous setting leads to long adhesion and interaction. The effectiveness is made visible by the indicator (red colouring). With water repelling effect and gloss additives.

pH 7,5
Fb

Magic Wheel Cleaner

Acid-free rim cleaner



Powerful and gentle at the same time – the Magic Wheel Cleaner combines the best of both worlds. Its innovative performance ensures thorough, mild cleaning of rims and rim wells, while being completely acid-free.

Behind the Magic. Due to its high viscosity, the rim cleaner adheres very well to the surface and thus enables an effective dirt solution over the entire contact time. Special dirt carriers gently disperse and remove stubborn dirt from the surface. The reaction of its reactive component with the iron particles produces the characteristic red discoloration. Even after prolonged exposure, the dirt remains bound and the cleaner does not dry out. Due to its mild setting, we recommend Magic Wheel Cleaner even for sensitive rims.

Container

500ml 425500
10l 425010

pH 5,5
Mwc



Reactive Rust Remover
Rust Remover acidfree

This powerful, pH-neutral cleaner is made with reactive agents and extra high performance detergents. Superficial rust, metal particles, burnt-in brake dust and other non-organic pollutants are swiftly and thoroughly cleaned away. Gentle for materials. Components are harmonised for a longer contact time / moisturisation, so that the reactive agents can dissolve tough stains and burnt-in particles effectively. The cleaner, once it has dissolved the dirt, turns violet in colour. The special surfactants in the formula coat and disperse the partially dissolved dirt, so it is easy to rinse it off.

500 ml **359500**
11 kg **359011**

Alkaline Cleaners




Felgenblitz alkalisch
Rim cleaner alkaline, viscous

Powerful highly alkaline rim cleaner with excellent dirt absorption and cleaning performance on the basis of a special dirt carrier for all alkali-resistant aluminium and steel rims. Burned in brake dusts and environmental dirt are removed quickly and thoroughly. The viscous setting leads to long adhesion and interaction. With water repelling effect and gloss additives. Free from organic complexing agents and phosphates. With Daimler approval. Quick-separating in accordance with ÖNORM 5106. VDA conform to class B: reaction time max. 1 min, maximum application concentration 1:20



33 kg **274033**
210 kg **274210**



PreWash express
Express precleaner

Highly concentrated, phosphate-free, high alkaline precleaner for prewashing cars and trucks. The combination of high-quality complexing agents and special surfactants dissolves even the most stubborn dirt such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for carwashes with short reaction times (eg express washing systems) as well as alkaline washing bay cleaning. Optimally suited as well for biological service water treatment plants. VDA conform to class B: reaction time max. 1 min, max. application concentration 1:100

33 kg **261033**
225 kg **261225**
1100 kg **261000**

PreWash express NTA-free
Express precleaner NTA-free

The NTA-free version of PreWash Express.

33 kg **262033**
225 kg **262225**

Precleaner B
Precleaner B


Highly concentrated, phosphate-free, alkaline, high foaming precleaner for car and truck prewashing. The combination of high-quality complexing agents and special surfactants dissolves even stubborn incrustations such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for heavily frequented carwashes and for non-contact high-pressure washing. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Also suited for copolymer dewaxing. Optimally suited as well for biological service water treatment plants. Quick-separating and tested in accordance with ÖNORM 5106 (test concentration 0.05% mass). VDA conform to class A: reaction time max. 5 min, max. application concentration 1:300. Class B: reaction time max. 1 min, max. application concentration 1:30.

11 kg **211011**
33 kg **211033**
225 kg **211225**
1100 kg **211000**

Precleaner B NTA-free
Precleaner B NTA-free

The NTA-free version of Precleaner B.

11 kg **248011**
33 kg **248033**
225 kg **248225**



pH 13
Cst

Copo Star BMP-T
Precleaner T



Highly concentrated, phosphate- and NTA-free, alkaline, high foaming precleaner for car and truck prewashing for removing insects, bird droppings, environmental, engine and rim dirt. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Optimally suited as well for biological service water treatment plants. With Daimler approval. Quick-separating in accordance with ÖNORM 5105. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:5

10 kg	52010
32 kg	52032
218 kg	52218

pH 13
Csv

Copo Star BMP V
Precleaner V

The VW approved version of Copo Star BMP-T.

32 kg	272032
-------	---------------



Precleaner B
Precleaner B

11 kg	211011
33 kg	211033
225 kg	211225
1100 kg	211000

Precleaner B NTA-free
Precleaner B NTA-free

Highly concentrated, phosphate-free, alkaline, high foaming pre-cleaner for car and truck prewashing. The combination of high-quality complexing agents and special surfactants dissolves even stubborn incrustations such as insects, bird droppings, environmental and rim dirt extremely quickly and is therefore ideally suited in particular for heavily frequented carwashes and for non-contact high-pressure washing. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Also suited for copolymer dewaxing. Optimally suited as well for biological service water treatment plants. Quick-separating and tested in accordance with ÖNORM 5106 (test concentration 0.05% mass). VDA conform to class A: reaction time max. 5 min, max. application concentration 1:300. Class B: reaction time max. 1 min, max. application concentration 1:30.

The NTA-free version of Precleaner B.

11 kg	248011
33 kg	248033
225 kg	248225

pH 13,1
Vb

pH 13,1
Vbn

pH 13
Cst**Copo Star BMP-T**
Precleaner T

10 kg	52010
32 kg	52032
218 kg	52218

Highly concentrated, phosphate- and NTA-free, alkaline, high foaming precleaner for car and truck prewashing for removing insects, bird droppings, environmental, engine and rim dirt. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. Optimally suited as well for biological service water treatment plants. With Daimler approval. Quick-separating in accordance with ÖNORM 5105. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:5

pH 13
Csv**Copo Star BMP V**
Precleaner V

The VW approved version of Copo Star BMP-T.

32 kg	272032
-------	---------------

pH 12,5
Gs**Green Star**
Universal cleaner

Highly concentrated, phosphate- and solvent-free, alkaline universal cleaner. Universally usable for the areas of workshop floor and industrial cleaning, interior and exterior cleaning of cars and trucks and engine cleaning thanks to its enormous dirt and oil carrying capacity. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. For use in spray extraction and other carpet cleaning devices we recommend the addition of Kocentschäumer foam inhibitor. Optimally suited as well for biological service water treatment plants. Quick-separating and tested in accordance with ÖNORM 5105 (test concentration 10% solution). VDA conform to class A: reaction time max. 5 min, max. application concentration 1:3



1 l	25001
11 kg	25011
35 kg	25035
225 kg	25225

pH 9,5
Gsb**Green Star BMP**
Universal cleaner, mild-alkaline

Highly concentrated, foam-inhibited, mild-alkaline universal cleaner free of phosphate, solvents and NTA, for mechanical and manual cleaning of workshop, industrial and office floors. Existing floor sealants or coatings are not impaired. Thanks to its enormous dirt and oil carrying capacity and highest material compatibility it is also ideal for prewashing and engine washing for cars and trucks, as well as for machine and workpiece cleaning. With re-greasing additives and temporary corrosion protection. Optimally suited as well for biological service water treatment plants. With Daimler approval. Quick-separating in accordance with ÖNORM 5105. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:2



11 kg	66011
33 kg	66033
225 kg	66225
1050 kg	66000

Insektenentferner
Insect remover, mild-alkaline

Mild-alkaline special cleaner for the residue-free removal of dead insects, pollen and other organic residues for car prewashing. Special active ingredients penetrate into the dirt, soften it and remove it thoroughly and gently. VDA conform to class A: reaction time max. 5 min, max. application concentration: undiluted

11 kg	70011
35 kg	70035

pH 9,8
le**Shampoo****Autoshampoo**
Vehicle shampoo

11 kg	13011
33 kg	13033
210 kg	13210

Phosphate and NTA-free vehicle shampoo for gantry washing systems, wash systems and hand washing. The combination of anionic and non-ionic surfactants guarantees mild and thorough cleaning. Optimally suited as well for biological service water treatment plants. VDA conform to class A.

pH 9
As

pH 8

Aw**Aktivwäsche***Active shampoo*

11 kg 10011
 33 kg 10033
 210 kg 10210

Concentrated, phosphate- and NTA-free active shampoo for gantry washing systems, wash systems and hand washing. The combination of anionic and non-ionic surfactants and replenishing components guarantees careful, thorough cleaning and protects the paintwork. Optimally suited as well for biological service water treatment plants. VDA conform to class A.

pH 4,5

Gw**Glanzwachsshampoo***Quick-dispersing shampoo*

Concentrated, phosphate- and NTA-free quick-dispersing shampoo for hand washing. The combination of cationic and non-ionic surfactants and conserving components guarantees careful, thorough cleaning and protects the paintwork. Washing, maintaining, drying and conserving are all carried out in a single step. After rinsing, the water film disperses immediately and this supports the fast drying of the vehicle. With Daimler approval. Quick-separating in accordance with ÖNORM 5106. VDA conform to class A.

10 kg 46010
 33 kg 46033
 210 kg 46210

pH 5,5

Nms**NanoMagicShampoo***The Nano-Shampoo*

10 kg 206010

High-tech shine shampoo with premium preservation for manual car wash. Due to the unique combination of innovative cleaning and sealing components form a long-lasting dirt- and water-repellent nano-layer (lotus effect). The treated surfaces are protected from aggressive environmental influences. After rinsing, the water film breaks up immediately and thus supports the fast drying of the vehicle. NanoMagicShampoo is suitable in particular for the care of the vehicles sealed with 1K-Nano, since the contained the contained sealing components connect themselves firmly with the 1K-Nano network. Thus the service life is increased with regular (every second to third vehicle wash) is significantly extended. Other polishes or sealants applied in advance are also renewed and not, as with conventional car shampoos, removed.

Super Foam*Cleaning Foam for Self-Wash stations*

11 kg 396011
 33 kg 396033

The extremely foamy, alkaline active foam with an intense fruity aroma for self-service car wash stations and use in foam guns. Super Foam constitutes an incomparable foam cleaning experience for your vehicle and leaves a long-lasting scent in the cleaning area. Its alkaline pH and highly effective ingredients remove the dirt and ensure a high-quality cleaning performance. The foam encapsulates the dirt and can easily be rinsed off so that the vehicle is cleaned by high pressure which is gentle on the paintwork. VDA-compliant class A: treatment time max. 5 minutes, max. application concentration 1:50

Gentle Snow Foam*Cleaning foam pH Neutral*

1 l 383001

The high foaming, pH neutral cleaning foam with a unique cherry fragrance can be used as a Snow Foam for pre-washing when applied using a foam gun or foam sprayer, and as a shampoo for manual car washing. Gentle Snow Foam develops an even, well moistened foam blanket that sticks to the entire surface, thereby allowing a long application time. Due to its pH neutral formula, it does not corrode waxed or sealed surfaces. The Gentle Snow Foam can be enriched with the Green Star to create an active foam in order to quickly remove stubborn dirt and insects.

Various**Wash & Finish***Waterless wash*

10 l 317010
 30 l 317030

Special-purpose product for quick and easy external cleaning of slightly to moderately dirty vehicles without water. Cleans, cares for and seals vehicle paints, glass, plastic parts, rims, etc. in a single step. Innovative cleaning and care components clean the surfaces gently, leaving them with a glossy, non-streaky and hydrophobic finish. Previously applied polishes and waxes are retained.

Flugrostentferner*Concentrated rust bloom remover*

11 l 39011
 35 l 39035

Concentrated acidic cleaner for removing inorganic dirt such as rust bloom, limescale, brake particles, etc., from paint, glass, ceramic and metal parts. Corrosion inhibitors protect temporarily against corrosion.

pH 12

Sf

pH 7,5

Gsf**Wf**

pH 0,5

Flu

**Flugrostentferner BMP***Rust bloom remover, highly concentrated*

Highly concentrated powerful, acidic cleaner for removing inorganic dirt such as rust bloom, limescale, brake particles, etc., from acid-resistant surfaces such as paint, glass, ceramic and metal parts. Corrosion inhibitors protect temporarily against corrosion. With Daimler approval.

12 kg 224012
36 kg 224036
250 kg 224250

**Reactive Rust Remover***Rust Remover acidfree*

This powerful, pH-neutral cleaner is made with reactive agents and extra high performance detergents. Superficial rust, metal particles, burnt-in brake dust and other non-organic pollutants are swiftly and thoroughly cleaned away. Gentle for materials. Components are harmonised for a longer contact time / moisturisation, so that the reactive agents can dissolve tough stains and burnt-in particles effectively. The cleaner, once it has dissolved the dirt, turns violet in colour. The special surfactants in the formula coat and disperse the partially dissolved dirt, so it is easy to rinse it off.

500 ml 359500
11 kg 359011

**Baumharzentferner***Special tree resin remover*

Special product for quick removal of all tree and blossom resins from solvent-resistant surfaces such as paintwork, glass, metal, etc. Compatible with polycarbonate.

10 l 98010

**Silicon- & Wachsentsferner***Silicone remover, soluble in water*

Alcohol-based solvent for removing silicone oils, waxes, oils such as polish residues, etc. from all solvent-resistant surfaces. The treated surfaces are optimally prepared for further processing steps (painting, 1K-Nano paint sealing, etc.). Contains no halogenated hydrocarbons.

5 l 207005

Fleckenwasser*Stain and wax remover*

Organic solvent for removing greasy and organic residues left by cosmetics, oil, ink, paint, paraffin waxes (dewaxing residues), tar, etc. from all solvent-resistant surfaces such as glass, paint, ceramic, metal, textiles. Contains no halogenated hydrocarbons.

1 l 36001
10 l 36010

Orange Power*Adhesive, tree resin and rubber remover*

Quick-acting, slow vaporising special product based on natural orange extracts. Removes adhesive residues, eg removing labelling on vehicles. Rubber and resin residues, ink stains, oil, greases, tar and chewing gum, etc., can also be removed without any problems from solvent-resistant surfaces such as paintwork, glass, ceramic, metal, etc. Contains no halogenated hydrocarbons and is pleasant to use thanks to its fresh orange fragrance.

1 l 192001
10 l 192010

Eulex*Adhesive & stain remover*

Special product for the quick removal of adhesives (eg sticker residues), rubber, tree resin, spray mist, ink stains, oil, greases, tar, etc. from solvent-resistant surfaces such as paintwork, glass, ceramic, metal, etc. Evaporates quickly and without leaving residues and contains no halogenated hydrocarbons. With Daimler approval.

1 l 43001

Eulex M*Adhesive remover M*

Low-odour special product for the effortless removal of adhesive, tree sap and rubber marks even from matt-painted vehicles, glass surfaces, etc. Penetrates quickly into the organic residues and softens them and this enables easy removal. The product's active ingredients are not flammable and only evaporates slowly. Contains no halogenated hydrocarbons. With Daimler approval.

1 l 264001

Eulex E*Adhesive remover E*

The special product for the removal of adhesive build-up after the removal of large-surface stickers (decals) on vehicles (especially commercial vehicles), glass surfaces etc. in the pre-wash area. Also penetrates quickly into other residues such as tree resin and rubber, softening them and thus enabling easy removal. Due to the purely vegetable-based active ingredients, Eulex E is free of hazardous substances, non-flammable and slowly evaporates.

10 l 268010

Fw

Op

Eu

Eum

Eue

Euv**Eulex V***Adhesive remover V*

The low-odor special product for the removal of adhesive buildup after the removal of large-area films or advertising stickers on vehicles and glass surfaces. Penetrates quickly into residues of adhesives, tree resin and waxes, softening them and thus enabling easy removal. Due to its special solvent, Eulex V is a special low-odor and mild variant compared to the usual vinegar ester / acetone-containing adhesive removers. VW approved.

10 l 364010

ClS**Clay Spray***Lubricant spray for cleaning clay*500 ml 368500
10 l 368010

Mild, low-residue lubricant free of coating defects. Effective for use with clay bars or pads. The excellent lubricity minimises surface scratching during cleaning. Unlike other lubricants it does not leave behind any film. Residue is easy to wipe away with a microfibre cloth. Due to the specialised formula the clay bars or pads do not dissolve and last considerably longer.

Rkb**Reinigungsknete blau***Cleaning clay mild*

1 Stk 183001

Removes even stubborn deposits such as tree resin and insects, rust bloom, industrial dust, spray mist, tar, limescale stains, etc. gently from smooth surfaces such as paintwork and glass, without affecting or damaging them. Optimal for intensive cleaning before the polishing process or before fitting new windscreen wipers.

Rkr**Reinigungsknete rot***Cleaning clay, abrasive*

1 Stk 183002

Removes even stubborn deposits such as tree resin and insects, rust bloom, industrial dust, spray mist, tar, limescale stains, etc. gently from smooth surfaces such as heavily weathered / dirty paintwork and glass. Optimal for intensive cleaning before the polishing process or before fitting new windscreen wipers. Not recommended for new paintwork because subsequent polishing is necessary.

**Plast Star***Premium care for external plastic*1 l 108001
10 l 108010

The premium product in the area of plastic care products. Maintains and protects over months and is extremely UV-stable. The treated parts regain their original new semi-matt appearance thanks to a special care components system (wax-silicone dispersion), which bonds firmly with the treated surface. Stops door seals from freezing. The extremely long service life, fast and simple use and a pleasant fragrance make Plast Star into an unbeatable product. Optimally suited for tyres and rubber parts as well.

Ps**Plast Star 96***Care for external plastic, plus*

The high-quality wax silicone dispersion for all tire, rubber and plastic exterior parts. Maintains, preserves and gives the treated surfaces a long-lasting new appearance. Prevents the freezing of rubber seals.

Ps91 l 109001
10 l 109010

New!

Highlight the Headlight.

Headlight Preparation Set

Our new Headlight Polish Set gives yellowed, matt headlights a clear view again. With our perfectly coordinated polishes and pads, an optimal surface is created in just two steps. The innovative machine polish Headlight Polish 1 effectively removes scratches and sanding scratches from P1000 grit, so that weathered acrylic glass headlights can be quickly refurbished. Headlight Polish 2 subsequently produces a high-gloss surface on the pre-treated headlights. The included Carnauba waxes seal the headlight at the same time. This is an economical approach, as it eliminates the need for additional application of a sealing component. Processing with the Thermo Pad allows good control over the temperature development of the material, as the colour change of the pad serves as an indicator due to its thermochromic properties. A total of 50 headlights can be treated with the Headlight Polish Set.

Headlight Polish Set
999600



**KochChemie®
ThermoPad.**

76 x 23 mm / 3"



Pss

Plast Star siliconölfrei*Premium care for external plastic*

Silicone oil-free premium product in the area of plastic care products. Maintains and protects over months and is extremely UV-stable. The treated parts regain their original new semi-matt appearance thanks to a special care components system (micro-emulsion), which bonds firmly with the treated surface. Stops door seals from freezing. The extremely long service life, fast and simple use and a pleasant fragrance make Plast Star siliconölfrei into an unbeatable product. Optimally suited for tyres and rubber parts as well. With Daimler approval.

1 l 173001
10 l 173010

Gkv

Gummi-, Kunststoff- & Vinylpflege*Exterior plastic care*

10 l 191010
30 l 191030

Effective cleaning and protective care product for easy quick use. With protection properties for all tyres, exterior rubber and plastic parts. With paint refreshing and semi-gloss. With Daimler approval.

Gkg

Gummi- & Kunststoffpflege glänzend*Exterior plastic care, glossy*

10 l 295010

Effective cleaning and protective care product for easy quick use. With protection properties for all tyres, exterior rubber and plastic parts. With paint refreshing and glossy finish.

Rfs

Kcu-Reifenschaum*Tyre cleaning and care foam*

600 ml 196612

Maintains and protects tyres quickly and effectively in a single step. Premium care components give the tyres an intensive and long-lasting sheen.

Pls

Plastiklack-Spray schwarz*Spray paint, matt black, RAL 9005*

Highly adhesive, quick drying spray paint with very high coverage. For touching up paint on worn and bleached out surfaces such as door entry sill trim, sills, bumpers, wheel arches, trim and similar made of metal, rubber, plastic, fabric, etc. Provides long-lasting protection against corrosion and environmental factors.

400 ml 103412

Plastiklack-Spray grau*Spray paint, matt grey*

400 ml 107412

Highly adhesive, quick drying spray paint with very high coverage. For touching up paint on worn and bleached out surfaces such as door entry sill trim, sills, bumpers, wheel arches, trim and similar made of metal, rubber, plastic, fabric, etc. Provides long-lasting protection against corrosion and environmental factors.

Kunststoff-Färber schwarz*Plastic dye paste, black*

250 ml 251250

Water-resistant plastic dye for recolouring badly faded or weathered plastic parts on vehicle exteriors. Dyes, impregnates and cares for the treated parts. Excellent covering properties and extremely high resistance.

Kfs

New!

Paintwork

6,0
P6₀₁
8,0

Orange Peeling.

High-gloss Polish with Sealant

Evolution of our PolishSystem

With our two-step PolishSystem, we have evolved paint treatment. With the aim of increasing the degree of cut in all polishes while maintaining the same high level of gloss, the polishes have been adapted to the newly developed, more scratch-resistant paint systems. In order to achieve the best possible result in only two work steps, our polishes are matched to our specially developed pads.

Turn two into one

For an even more economical approach to vehicle preparation, we have now developed an efficient one-step PolishSystem to complement our two-step PolishSystem. With our innovative One Cut & Finish P6.01 machine polish, we provide a product that combines the optimum ratio of cut and gloss. Here, too, we follow the system concept: The orange One Cut Pad with its reticulation and cell count is optimally matched to the One Cut & Finish P6.01. Polishing compound and pad complement each other perfectly to quickly create a high-gloss surface. In just one step, scratches and sanding traces from P2000 grit upwards are effectively removed and the surface is simultaneously sealed by the Carnauba waxes contained in the polish. The conclusion: Maximum results with minimum time and effort.

Containers / Sizes


One Cut & Finish P6.01

1l 428001
250ml 428250

One Cut Pad

Ø 76 x 23 mm / 3" 999591
Ø 126 x 23 mm / 5" 999592
Ø 150 x 23 mm / 6" 999593





Polishing Compounds

9,0
H9₀₁
5,0

Heavy Cut H9.01*Coarse polishing compound, silicone-oil-free*

Innovative machine polish for fast reworking of heavily weathered paintwork, elimination of deep scratches, and effective removal of paint mists and sanding traces of up to 1,200 grain. With its extremely homogeneous abrasive grain, Heavy Cut 9.01 achieves an extremely high level of cut with an excellent gloss level. Can be polished for prolonged periods without sticking and with low dust formation. Ideally suited to all types of paint (both soft and scratch-proof).

Cut: 9,0

Gloss: 5,0



250 ml 402250

1 l 402001

Heavy Cut H8.02*Coarse polishing compound, silicone-oil-free*

Innovative machine polish for fast reworking of heavily weathered paintwork, elimination of deep scratches, and effective removal of paint mists and sanding traces of up to 1,500 grain. With its extremely homogeneous abrasive grain, Heavy Cut 8.02 achieves an extremely high level of cut with an excellent gloss level. Can be polished for prolonged periods without sticking and with low dust formation. Ideally suited to all types of paint (both soft and scratch-proof). With Daimler approval.

250 ml 312250

1 l 312001

Cut: 8,5

Gloss: 5,0

Schleifpaste H7.01*Coarse polishing compound*

Schleifpaste H7.01 is the heavily abrasive machine polish for quick reconditioning of heavily weathered paintwork, removing paint overspray and sanding traces to P2000 grain.

250 ml 180250

1 l 180001

Cut: 7,5

Gloss: 3,0

Fine Cut F6.01*Fine polishing compound, silicone-oil-free*

Intelligent machine polish of the latest generation with unique aluminium oxide quality. The intelligent grain size ensures very quick, complete removal of wash system scratches and similar traces of use and gives the paintwork a long-lasting deep sheen. Sanding marks left behind by 2500 grade sanding media are removed effortlessly. Fine Cut F6.01 is therefore ideally suited for perfect reconditioning of medium to heavily weathered paintwork. Perfectly coordinated for the treatment of scratch-proof paint.

Cut: 6,0

Gloss: 7,0

1 l 181001

Micro Cut M3.02*Micro polishing compound, silicone-oil-free*

Micro Cut M3.02 is the latest generation machine micro-polish for the permanent removal of streaks, holograms, fine scratches and sanding marks to P3000 grain size on all paint systems (including scratch-resistant). Through the use of highly specialised, extremely homogenous abrasive bodies, a brilliant permanent high gloss finish is created under extreme light conditions even on dark and similarly sensitive shades. Holograms and fine scratches are eliminated mechanically and not, which is often the case, covered over. Micro Cut M3.02 is extremely economical, easy to polish and removable without leaving traces.

Cut: 3,2

Gloss: 9,0

250 ml 403250

1 l 403001

8,5
H8₀₂
5,0

7,5
H7₀₁
3,0

6,0
F6₀₁
7,0

3,2
M3₀₂
9,0

Polishes

3,2
P3₀₁
9,5

Micro Cut & Finish P3.01

Micro polishing compound with carnauba wax

Micro Cut & Finish is the latest generation machine micro-polish for the permanent removal of streaks, holograms, fine scratches and sanding marks to P3000 grain size on all paint systems (including scratch-resistant) with simultaneous long-term sealing with high degree of gloss and smoothness. Through the use of highly specialised, extremely homogenous abrasive bodies, a brilliant permanent high gloss finish is created under extreme light conditions even on dark and similarly sensitive shades. Holograms and fine scratches are eliminated mechanically and not, which is often the case, covered over. Micro Cut & Finish is economical, easy to polish and to remove. Contains carnauba wax and non-fugitive silicones.

250 ml 315250
1 l 315001

Cut: 3,2
Gloss: 9,5

2,0
P2₀₁
9,3

Lack-Polish blau P2.01

Abrasive gloss polish

Lack-Polish blau maintains and refines new to medium weathered gloss paintwork. Lack-Polish blau creates an optimum streak-free mirror finish both mechanically and manually. The treated surfaces are protected over a long period. Depending on the degree of weathering of the paintwork, various pad hardnesses support the cleaning process and in this way optimise the cleaning performance. Lack-Polish blau is ideally suited for all types of paint. With Daimler approval.

1 l 501
5 l 505

Cut: 2,0.
Gloss: 9,3

1,5
P1₀₂
9,2

Lack-Polish rosa P1.02

Gloss polish

Lack-Polish rosa maintains and refines new, as new and slightly weathered paintwork. Lack-Polish rosa creates an optimum, streak-free mirror finish both mechanically and manually. The high-quality care components preserve the finish therefore lasting for months with an extremely deep gloss finish. Lack-Polish rosa is ideally suited for all types of paint.

1 l 401
5 l 405

Cut: 1,5.
Gloss: 9,2

Lack-Polish grün P1.01

Finish polish

Lack-Polish grün protects, maintains and refines new and as new paintwork. The finish with Lack-Polish grün will give the paintwork a depth of gloss and colour that is exceptional. The treated paintwork is protected for a long period against adverse environmental factors. Lack-Polish grün is very easy and time-saving to use, and is suitable for all paint types. With Daimler approval.

1 l 801
5 l 805

Cut: 1,0
Gloss: 9,5

1,0
P1₀₁
9,5

Sealants

Hartwachs BMP S0.01

Finishing wax

Hartwachs BMP is the ideal sprayable premium long-term conservator for all paints and various plastics. With a special mixture of particularly hard and resistant special waxes, Hartwachs BMP cleans, nourishes and protects the treated surfaces and gives them an attractive deep shine and a high gloss sheen that last for months. Remains of previous polishes, waxes and traces of tar are also removed effectively and quickly.

1 l 2001

Cut: 0;
Gloss: 9,2

0
S0₀₁
9,2

Spray Sealant

Spray sealant for painted surfaces

The fastest way to a perfect finish

This bottle combines brilliant radiance, colour deepening and hydrophobicity for spraying. In just one step, our efficient Spray Sealant achieves a fast, high-gloss and velvety finish. This makes it a gloss booster.

Spray Sealant can be sprayed directly onto the dry paint surface and is polished out with a clean microfibre cloth after a short evaporation time. The product properties are effective immediately after polishing out: The sealing components create a perfect water beading effect, the paint is characterized by a clearly visible colour deepening effect and the surface is highly glossy.



500 ml 427500

0
S0₀₂
9,9

New!

The Paint Bodyguard

Ceramic Allround C0.01: The Protective Vest for Surfaces

A long-lasting protective layer that shields the surface from environmental influences: This is what the first ceramic sealant in Koch-Chemie's product portfolio promises. With Ceramic Allround C0.01, we now offer a high-quality ceramic sealant, which optimizes and permanently protects surfaces with little effort. The ceramic coating contributes significantly to maintaining or increasing the value of the vehicle.

Properties of Ceramic Allround C0.01

- Long-lasting protection of the surface with a service life of 18-24 months
- Smooth, hydrophobic surface with lotus effect
- Gloss stable even after use of acid and alkaline cleaners
- Easy-to-clean properties, so that dirt adheres less well and the surface can be cleaned gently
- Protection of the sealed surface against environmental influences such as UV radiation, road salt, bird droppings and rust
- Protection of the clearcoat against corrosive and acidic products in pH range 5 to 12
- Easy processing

For Safety Reasons Not Full to the Brim

The glass bottle with 100ml filling volume is only filled with 75ml for safe storage of the product. The remaining 25ml offer enough space (gas volume) to buffer the pressure build-up in the bottle. Thus, the container remains tight and the ceramic sealant does not leak. Nevertheless, it is strongly recommended to store the Ceramic Allround C0.01 bottles upright only.

The Chemistry Behind It


Untreated paint does not have a smooth surface. This causes diffuse light reflections. [A] Water does not bead off easily and dirt sticks better. Deep scratches, unevenness and holograms are removed through paint preparation. The paint surface is now homogeneous and smooth, so that light is reflected optimally and evenly. This creates the extremely glossy paint surface, which is still unprotected. [B] The treatment with Ceramic Allround C0.01 forms a thin ceramic coating on the surface. The ingredients of the ceramic sealant react with the humidity in the ambient air during application, crystallize and form a molecular matrix structure. After the drying is completed, the coating is stable in the long term, highly resilient and hard. Unlike waxes or polishes, Ceramic Allround C0.01 does not simply lie on the surface, but bonds with it. [C]



[A] Untreated paint: Diffuse light reflection



[B] After paint preparation: Perfect light reflection and smoothness



[C] Reactively bonded ceramic protection: magnified 1000 times compared to A/B



Ceramic Allround Ceramic Sealant

505001

Set includes

- 505075 Ceramic Allround C0.01 (75ml)
- 999621 Applicator block (1 pcs.)
- 999620 Applicator cloth microfiber 10x10 cm (5 pcs.)
- 999619 Special microfiber cloth grey 40x40 cm (1 pcs.)
- 9998049 Certificate for ceramic coating (5 pcs.)
- 9998050 Door entry sticker for ceramic coating (5 pcs.)

New!

Paintwork

Water Beading Redefined.

Wax Sealing with Carnauba

The First of its Kind for Redefined Hydrophobicity

If the vehicle deserves a special treatment, this Hand Wax is used – for high gloss and special hydrophobicity. High-quality Carnauba waxes provide a long-lasting sealed and protected paint surface in our first wax sealant.


Applied with care and the appropriate applicator sponge, the sealing components create a smooth surface with very good hydrophobic properties. The paint is clearly more brilliant and highly glossy. External plastic components can also be maintained and sealed with Hand Wax. Our Hand Wax only needs to be applied thinly and is therefore very economical.

Container
175ml / 426175



Paintwork

WO⁰₀₁
9,9



Cut
Gloss



01. Car Wash
02. Detailing
03. Dealership & Industry
04. Care & Safety
05. Accessories
06. Private Customers

Qs

Quick & Shine*Allround finish spray*

1 l 168001

10 l 168010

The all-round quick detailer for all smooth and painted surfaces (vehicle paintwork, painted wood, glass, plastic parts, consoles, painted furniture and musical instruments, stainless steel surfaces, etc.). Cleans, maintains and preserves in a single step. The surfaces receive a colour deepening and a streak-free, brilliant gloss. Finger marks and light dirt are removed quickly and easily. The treated parts are conserved and repel water and dirt and are protected from becoming dirty again quickly (lotus effect). Quick & Shine is quickly removed and is therefore easy to use. Previously applied veneers or waxes are preserved. Particularly suited for quick finishing of exhibited goods in showrooms or at fairs, as well as for quick valeting of vehicles. With Daimler approval.

Qf

Quick Finish*Allround finish spray, silicone-oil-free*

1 l 314001

An all-round talent for all smooth and painted surfaces (vehicle paintwork, painted wood, glass, plastic parts, dashboards, painted furniture and musical instruments, stainless steel surfaces, etc.). Cleans, cares and seals in a single step. Fingerprints and light dirt are removed quickly and easily. Surfaces are left with a brilliant shine, high surface smoothness and good hydrophobic properties. Quick Finish runs off quickly without leaving streaks and is therefore easy to apply. Previously applied polishes and waxes are retained. It is particularly well suited to quick finishing of exhibited goods in showrooms or at trade fairs, as well as for quick valeting of vehicles. Also suitable for use in painting applications.

Fse

Finish Spray exterior*Quick detailer with limescale remover*

All-round detailing spray for fast care of all external vehicle surfaces such as paintwork, glass and plastics. With its special formula even stubborn limescale stains are removed quickly and without leaving any residue. Cleans, maintains and preserves in a single step. Depth of colour is returned leaving a smooth brilliant high gloss free from streaks. Finish Spray exterior is quickly removed, is easy to use and protects the surfaces against new dirt.

1 l 285001

10 l 285010

Wf

Wash & Finish*Waterless wash*

10 l 317010

30 l 317030

Special-purpose product for quick and easy external cleaning of slightly to moderately dirty vehicles without water. Cleans, cares for and seals vehicle paints, glass, plastic parts, rims, etc. in a single step. Innovative cleaning and care components clean the surfaces gently, leaving them with a glossy, non-streaky and hydrophobic finish. Previously applied polishes and waxes are retained.

ProtectorWax*Premium protection wax P*

High-gloss, lotus effect and protection. The innovative high-tech conserving wax sets new standards in matters of protection, durability, extreme deep gloss, long-term water repellence (lotus effect), easy-to-clean performance and vehicle drying without micro-beading. The use of polyfunctional reactive components in combination with highest quality care components, which bond firmly with the surfaces as a network, guarantee perfect long-lasting high-gloss protection and improved visibility during rain (beading). Improves with regular use the gloss and protection layer, covers fine scratches and all rubber and plastic parts as well as convertible fabric top materials are protected against fading and embrittlement. ProtectorWax thus makes a considerable contribution to maintaining the vehicle's value. Can be used as hot, cold and foam wax (mechanically and manually). Achieves optimum drying results even with high conductance values of the service water and with difficult fan geometries. Optimally suited for standard as well as for biological service water treatment plants. Contains no mineral oil hydrocarbons. VDA conform to class A.

1 l 319001

10 l 319010

33 l 319033

pH 4,5
Pw

Nano-Sealing

0
1K
9,9**1K-Nano***Nano paintwork sealant*

The 1K-Nano is bonded to the paint and based on innovative reactive substances forms an extremely smooth, mirror paint seal that is resistant to chemicals, UV radiation and abrasion. Special additives give the paintwork an extremely deep sheen. The one-step process reduces the working time considerably in comparison with 2-component systems. The paintwork is protected perfectly and lastingly from adverse environmental factors. A unique easy to clean performance means that insects, bird droppings and other deposit build-ups can be removed much more easily. The durability is approx. 1 year, but this can be extended up to 3 years through regular manual after-care with NanoMagicShampoo (hand wash) or through after-care with NanoMagic Twin Wax (carwash) and the recommended annual paintwork inspection by an expert!

Cut: 0
Gloss: 9,9

250 ml 245001

pH 5,5
Nms**NanoMagicShampoo***Nano protection shampoo*

High-tech shine shampoo with premium preservation for manual car wash. Due to the unique combination of innovative cleaning and sealing components form a long-lasting dirt- and water-repellent nano-layer (lotus effect). The treated surfaces are protected from aggressive environmental influences. After rinsing, the water film breaks up immediately and thus supports the fast drying of the vehicle. NanoMagicShampoo is suitable in particular for the care of the vehicles sealed with 1K-Nano, since the contained the contained sealing components connect themselves firmly with the 1K-Nano network. Thus the service life is increased with regular (every second to third vehicle wash) is significantly extended. Other polishes or sealants applied in advance are also renewed and not, as with conventional car shampoos, removed.



10 kg 206010

Cleaning

Mehrzweckreiniger*Interior & special cleaner*

Highly effective alkaline intensive cleaner for cars, industrial and building cleaning. Deep, thorough removal of oil, greases, ink, soot, nicotine and common road dirt. For plastics, textiles, upholstery, machinery, etc. Mehrzweckreiniger has an excellent dirt dissolving and carrying capacity. Provides a pleasant scent for the surroundings. With Daimler approval.

pH 12,5
Mzr

11 kg 86011
35 kg 86035
225 kg 86225

Pol Star*Textile, leather and alcantara cleaner*

Effective neutral cleaner with protection formula for leather, alcantara and textiles such as upholstery and carpets. The dirt is removed from deep in the fibres by fine-pored foam lamellas and can be wiped up with a wet/dry vacuum cleaner or a damp cloth. Does not leave any water marks and preserves the original water-proofing. The conserver protects the parts against becoming dirty again quickly.

pH 7
Po

1 l 92001

pH 12,5
Gs**Green Star**
Universal cleaner

1 l	25001
11 kg	25011
35 kg	25035
225 kg	25225

Highly concentrated, phosphate- and solvent-free, alkaline universal cleaner. Universally usable for the areas of workshop floor and industrial cleaning, interior and exterior cleaning of cars and trucks and engine cleaning thanks to its enormous dirt and oil carrying capacity. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. For use in spray extraction and other carpet cleaning devices we recommend the addition of Kocentschäumer foam inhibitor. Optimally suited as well for biological service water treatment plants. Quick-separating and tested in accordance with ÖNORM 5105 (test concentration 10% solution). VDA conform to class A: reaction time max. 5 min, max. application concentration 1:3

Asc**Allround Surface Cleaner**
Surface cleaner special

500 ml	367500
10 l	367010

Ready to use surface cleaner for the car, home and workplace. Finger-marks, dust, grease and all other forms of dirt are all swiftly and thoroughly cleaned away. Leaves a residue and streak free clean finish on all smooth surfaces including non-polar materials such as plastics. Also for use with a cleaning gun (such as Cyclone, Art.No. 999021) for great results on ventilation slots, textiles etc. because the formulation does not leave any water marks or chemical residue behind. Has a pleasant scent.

Stain Removal**Fw****Fleckenwasser**
Stain and wax remover

1 l	36001
10 l	36010

Organic solvent for removing greasy and organic residues left by cosmetics, oil, ink, paint, paraffin waxes (dewaxing residues), tar, etc. from all solvent-resistant surfaces such as glass, paint, ceramic, metal, textiles. Contains no halogenated hydrocarbons.

Tex**Tinten- & Kuli-Ex**
Ink and ballpoint remover

250 ml	197250
--------	--------

Dissolves water-soluble ink and ballpoint marks quickly and thoroughly from textiles, leather and tiles. A combination of special solvents and detergents dissolves the ink pigments and disperses them. Tinten- & Kuli-Ex contains no halogenated hydrocarbons and is pleasant to use thanks to its fresh orange aroma.

Orange Power*Adhesive, tree resin and rubber remover*

1 l	192001
10 l	192010

Quick-acting, slow vaporising special product based on natural orange extracts. Removes adhesive residues, eg removing labelling on vehicles. Rubber and resin residues, ink stains, oil, greases, tar and chewing gum, etc., can also be removed without any problems from solvent-resistant surfaces such as paintwork, glass, ceramic, metal, etc. Contains no halogenated hydrocarbons and is pleasant to use thanks to its fresh orange fragrance.

Dirt eraser, pack of 5*Dirt eraser, pack of 5*

1 kg	999328
------	--------

Abrasive, quick cleaning special sponge for removing stubborn stains and dirt such as rubber marks, ballpoint pen stains, tea and coffee stains, grease stains, chewing gum, tar stains, etc. from hard surfaces.

Top Star*Interior plastic trim semi-matt*

1 l	132001
10 l	132010

Premium care emulsion for deep pore cleaning and freshening plastic and rubber parts such as consoles, interior trim, seals, etc. Top Star creates a long-lasting, semigloss, natural sheen and protects the surface permanently against new dirt and UV radiation. Special active ingredients keep plastic supple, have an antistatic effect and provide a new and attractive look. With fresh fragrance. With Daimler approval.

Cockpit-Super-Pflege*Interior plastic maintenance product, glossy*

1 l	20001
10 l	20010

Cockpit-Super-Pflege is an interior plastic trim maintenance product with cleaning and preserving properties adjusted for gloss. Provides long-lasting protection against new dirt and UV radiation. With fresh fragrance.

Quick & Shine*Allround finish spray*

1 l	168001
10 l	168010

The all-round quick detailer for all smooth and painted surfaces (vehicle paintwork, painted wood, glass, plastic parts, consoles, painted furniture and musical instruments, stainless steel surfaces, etc.). Cleans, maintains and preserves in a single step. The surfaces receive a colour deepening and a streak-free, brilliant gloss. Finger marks and light dirt are removed quickly and easily. The treated parts are conserved and repel water and dirt and are protected from becoming dirty again quickly (lotus effect). Quick & Shine is quickly removed and is therefore easy to use. Previously applied veneers or waxes are preserved. Particularly suited for quick finishing of exhibited goods in showrooms or at fairs, as well as for quick valeting of vehicles. With Daimler approval.

Op**Ts****Csp****Qs**

KC— Refresher



The KC refresher is a component of an innovative system for sustainable odour elimination without depleting the ozone layer. By hot spraying the KC-Refresher fluid, the device creates steam in the vehicle interior, the drops of which are so small that they waft through the vehicle interior and create a thick mist. This mist permeates into the corners of the interior and, in particular, into the ventilation system and the air conditioning evaporator and thus removes even the strongest of odours. Application only takes approx. 20 minutes. Can also be used in other areas such as in buildings. Due to the combination of substances and the hot spraying, application is not sensitive to temperature or humidity. The vehicle can be used shortly after application.

999525

KC-Refresher Fluid

Fumigation liquid



Fumigation liquid for nebulisation in the KC-Refresher. Without the use of ozone, the innovative combination of active ingredients immediately removes unpleasant odours with a long-lasting effect. Nebulisation enables the liquid to be effectively distributed throughout the interior and therefore achieves optimum results even in hard-to-reach places.

1 | 500001

Ps

Plast Star*Premium care for external plastic*

1 l 108001

10 l 108010

The premium product in the area of plastic care products. Maintains and protects over months and is extremely UV-stable. The treated parts regain their original new semi-matt appearance thanks to a special care components system (wax-silicone dispersion), which bonds firmly with the treated surfac. Stops door seals from freezing. The extremely long service life, fast and simple use and a pleasant fragrance make Plast Star into an unbeatable product. Optimally suited for tyres and rubber parts as well.

Guf

Gummifix*Interior plastic care, non-slip*

10 l 48010

Non-greasy, silicone-oil-free rubber and plastic care for rubber foot mats, plastic floor surfaces and other interior areas in cars and commercial vehicles for which slip resistance is necessary. Makes surfaces appear 'as new'.

Pls

Plastklack-Spray schwarz*Spray paint, matt black, RAL 9005*

400 ml 103412

Highly adhesive, quick drying spray paint with very high coverage. For touching up paint on worn and bleached out surfaces such as door entry sill trim, sills, bumpers, wheel arches, trim and similar made of metal, rubber, plastic, fabric, etc. Provides long-lasting protection against corrosion and environmental factors.

Plg

Plastklack-Spray grau*Spray paint, matt grey*

400 ml 107412

Highly adhesive, quick drying spray paint with very high coverage. For touching up paint on worn and bleached out surfaces such as door entry sill trim, sills, bumpers, wheel arches, trim and similar made of metal, rubber, plastic, fabric, etc. Provides long-lasting protection against corrosion and environmental factors.

Ls

Leather Star*Deep care for leather*

1 l 238001

Premium leather care with a natural semigloss finish. For revitalising and preserving smooth leather, suede and perforated leather materials on vehicle seats, sofas, etc. Leather Star is easy to use and creates a pleasant fragrance, a colour intensifying appearance and a supple and soft feel, without causing undesirable slipperiness. The use of premium active ingredients from cosmetics makes the leather supple and provides prolonged protection against new dirt and becoming brittle.

Odour Control**Fresh Up***Odour eliminator*

1 l 153001

Sprayable special product for eliminating unpleasant smells in vehicles, caravans, boats, sanitary, residential and commercial areas. The odour molecules of tobacco smoke, animal smells, decomposition processes, etc. are encapsulated and thus made ineffective. Fresh Up deodorises the treated rooms, textiles and areas with a fresh fragrance. For odour control of extreme problem vehicles we recommend in addition the use of our ozone generator KC 3500.

Fu

Duftstoff Apfel*Fragrance concentrate Apple*

1 l 176001

Concentrated fruity fresh apple fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Da

Duftstoff Citrone*Fragrance concentrate Lemon*

1 l 167001

Concentrated fresh lemon fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Dc

Duftstoff Himbeere*Fragrance concentrate Raspberry*

1 l 175001

Concentrated fruity fresh raspberry fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Dh

Duftstoff Orange*Fragrance concentrate Orange*

1 l 166001

Concentrated fresh orange fragrance for scenting carwashes with the Fresh-S-Center (999331). Also for individual scenting of water-miscible cleaners for cleaning vehicle interiors, buildings, etc.

Do



Ng

Nano-Glasversiegelung

Nano-glass-sealing

Reactive high-tech sealant that forms a hydrophobic nano network that is extremely resistant to chemicals and abrasion, providing a lasting seal on all glass, mirror and ceramic surfaces. The resulting lotus effect reduces adhesion of environmental dirt, insects, ice, etc. and thereby delivers an easy-to-clean surface. Using the product on motor vehicle windscreens leads to a significant reduction in wiper usage and improved visibility in case of rain thanks to unique repellent behaviour, whereby raindrops are carried away by the airstream at speeds of approx. 80 km/h or more. Durability: up to one year or 20,000 km. Set contents: 250 ml each of polishing milk and nano sealant.

250 ml 202001

Gla

Glas Star

Glass cleaner concentrate, premium

The concentrated, alcohol based glass cleaner for all smooth, alcohol-resistant surfaces on vehicles, buildings, etc. Effortlessly removes the most stubborn dirt including oil, grease, silicone, wax residues, light spray mist, insects and similar. Glas Star runs off quickly without streaks and its gloss and smoothness additive improve the wiping action of the cleaning cloth. The alcohol content means that cleaning cloths dry faster. Also ideal for use in winter. With Daimler approval.

10 l 44010
33 l 44033
200 l 44200

Gc

Glass Cleaner

Glass cleaner Pro

10 l 302010
30 l 302030
200 l 302200

Ready-to-use glass cleaner for all smooth surfaces on vehicles, buildings, etc. Effortlessly removes the most stubborn dirt including oil, grease, insects and similar. Runs off quickly without streaks and its gloss and smoothness additive improves the wiping effect of the cleaning cloth. With fresh fragrance.

Gf

Glasfix Neu

Glass cleaner concentrate

Concentrated glass cleaner for all smooth surfaces on vehicles, buildings, etc. Removes all types of dirt including oil, grease and similar hard to remove residues. Runs off without streaks and is suitable for polycarbonates.



10 l 126010
30 l 126030

Quick & Shine

Allround finish spray

The all-round quick detailer for all smooth and painted surfaces (vehicle paintwork, painted wood, glass, plastic parts, consoles, painted furniture and musical instruments, stainless steel surfaces, etc.). Cleans, maintains and preserves in a single step. The surfaces receive a colour deepening and a streak-free, brilliant gloss. Finger marks and light dirt are removed quickly and easily. The treated parts are conserved and repel water and dirt and are protected from becoming dirty again quickly (lotus effect). Quick & Shine is quickly removed and is therefore easy to use. Previously applied veneers or waxes are preserved. Particularly suited for quick finishing of exhibited goods in showrooms or at fairs, as well as for quick valeting of vehicles. With Daimler approval.

1 l 168001
10 l 168010

Qs

Fse

Finish Spray exterior*Quick detailer with limescale remover*

1 l 285001
10 l 285010

All-round detailing spray for fast care of all external vehicle surfaces such as paintwork, glass and plastics. With its special formula even stubborn limescale stains are removed quickly and without leaving any residue. Cleans, maintains and preserves in a single step. Depth of colour is returned leaving a smooth brilliant high gloss free from streaks. Finish Spray exterior is quickly removed, is easy to use and protects the surfaces against new dirt.

Eu

Eulex*Adhesive & stain remover*

1 l 43001

Special product for the quick removal of adhesives (eg sticker residues), rubber, tree resin, spray mist, ink stains, oil, greases, tar, etc. from solvent-resistant surfaces such as paintwork, glass, ceramic, metal, etc. Evaporates quickly and without leaving residues and contains no halogenated hydrocarbons. With Daimler approval.

Eum

Eulex M*Adhesive remover M*

1 l 264001

Low-odour special product for the effortless removal of adhesive, tree sap and rubber marks even from matt-painted vehicles, glass surfaces, etc. Penetrates quickly into the organic residues and softens them and this enables easy removal. The product's active ingredients are not flammable and only evaporates slowly. Contains no halogenated hydrocarbons. With Daimler approval.

Euv

Eulex V*Adhesive remover V*

10 l 364010


The low-odor special product for the removal of adhesive buildup after the removal of large-area films or advertising stickers on vehicles and glass surfaces. Penetrates quickly into residues of adhesives, tree resin and waxes, softening them and thus enabling easy removal. Due to its special solvent, Eulex V is a special low-odor and mild variant compared to the usual vinegar ester / acetone-containing adhesive removers. VW approved.

Op

Orange Power*Adhesive, tree resin and rubber remover*

1 l 192001
10 l 192010

Quick-acting, slow vaporising special product based on natural orange extracts. Removes adhesive residues, eg removing labelling on vehicles. Rubber and resin residues, ink stains, oil, greases, tar and chewing gum, etc., can also be removed without any problems from solvent-resistant surfaces such as paintwork, glass, ceramic, metal, etc. Contains no halogenated hydrocarbons and is pleasant to use thanks to its fresh orange fragrance.

**Cabriodach-Versiegelung***Convertible roof sealant*

High-value sealant based on organic fluorine resins waterproofs and protects all fade-resistant textiles such as convertible fabric tops, tents, outdoor textiles, etc., from wet and dirt. Creates a colour-intensifying, stain repellent and hydrophobic effect.

Cv




400 ml 234412



Dealership & Industry

- 3.1 Alkaline Cleaners
- 3.2 Acid Cleaners
- 3.3 Glass
- 3.4 Adhesive and Tar Remover
- 3.5 Parts Cleaners
- 3.6 Workshop and Special Products



Extreme dirt loads in workshops and industry demand powerful products. These have to meet all requirements for fast, thorough and environmentally friendly cleaning far beyond the standard commercial cleaning level. Through decades of research and development in this area, we have a wide range of highly effective special cleaning agents. With dosing systems individually adapted to your local conditions, we guarantee easy handling as well as economical use of our highly concentrated products. Many of our products are fast-separating, easily biodegradable beyond the strict legal requirements and therefore optimally suited for both light liquid separators and biological water treatment plants. All our sales representatives are in possession of the certificate of competence for light liquid separator systems according to DIN 1999-100. We will be pleased to support you in the areas of product application, process optimization, waste and process water optimization as well as in environmental and occupational safety issues. Well-known industrial companies, automobile manufacturers, countless car dealerships and service companies have been relying on our product and service quality for decades.

Floor- & Universal cleaner

Copo Star
Workshop floor and industrial cleaner

- 11 kg 27011
- 35 kg 27035
- 225 kg 27225

Highly concentrated, phosphate- and solvent-free, high-alkaline cleaner for removing the heaviest dirt such as oil, greases, environmental dirt, graphite dusts, rubber marks, etc. Because of its enormous dirt fragmenting properties it is ideally suited for use in cleaning workshop floors and for industrial, engine and commercial vehicle cleaning (chassis, tarpaulins, etc.), as well as for removing copolymer-based floor sealants. Optimally suited as well for biological service water treatment plants. Quick-separating and tested in accordance with ÖNORM 5106 (test concentration 0.15% mass).

pH 13,4
Cs

Copo Star BMP-G
Workshop floor and industrial cleaner G



Foam-inhibited highly concentrated, NTA-, phosphate- and solvent-free, high-alkaline cleaner for removing the heaviest dirt such as oil, greases, environmental dirt, graphite dusts, rubber marks, etc. Because of its enormous dirt fragmenting properties it is ideally suited for use in cleaning workshop floors and for industrial, engine and commercial vehicle cleaning (chassis, tarpaulins, etc.), as well as for removing copolymer-based floor sealants. Optimally suited for biological service water treatment plants. With Daimler approval. Quick-separating in accordance with ÖNORM 5106.

pH 12,9
Csg

- 10 kg 138010
- 32 kg 138032
- 218 kg 138218

Copo Star 96
Workshop floor and industrial cleaner 96



The concentrated, phosphate- and solvent-free, highly alkaline cleaner for removing heavy soiling such as oils, greases, environmental dirt, graphite dust, rubber abrasion, etc. Due to its soil-repellent properties, it is ideal for workshop floor, industrial, engine and commercial vehicle cleaning (chassis, tarpaulins, etc.) as well as for removing copolymer-based floor sealants. Also optimally suited for biological service water treatment plants. Quick release according to ÖNORM 5106.

pH 12,8
Cs9

- 35 kg 16035
- 225 kg 16225

pH 12,5
Gs**Green Star**
Universal cleaner

1 l	25001
11 kg	25011
35 kg	25035
225 kg	25225

Highly concentrated, phosphate- and solvent-free, alkaline universal cleaner. Universally usable for the areas of workshop floor and industrial cleaning, interior and exterior cleaning of cars and trucks and engine cleaning thanks to its enormous dirt and oil carrying capacity. Special corrosion inhibitors ensure high material compatibility with regard to sensitive components such as, eg, anodised aluminium. For use in spray extraction and other carpet cleaning devices we recommend the addition of Kocentschäumer foam inhibitor. Optimally suited as well for biological service water treatment plants. Quick-separating and tested in accordance with ÖNORM 5105 (test concentration 10% solution). VDA conform to class A: reaction time max. 5 min, max. application concentration 1:3

pH 12,5
Gss**Green Star schaumarm**
Universal cleaner schaumarm

The low-foaming version of Green Star.



11 kg	24011
35 kg	24035
225 kg	24225
1100 kg	24000

pH 12,4
Gs9**Green Star 96**
Universal cleaner 96

11 kg	29011
35 kg	29035
225 kg	29225

The concentrated, phosphate- and solvent-free, alkaline universal cleaner. Due to its high dirt and oil carrying capacity, it is universally applicable for workshop floor and industrial cleaning, interior and exterior cleaning of cars and trucks as well as engine washing. Special corrosion inhibitors ensure high material compatibility with sensitive components such as anodized aluminium. For use in spray extraction and other carpet cleaning equipment, we recommend the addition of the foam inhibitor KocEntschäumer. Also optimally suited for biological service water treatment plants. Quick release according to ÖNORM 5105. VDA-compliant Class A: Application time max. 5 min, max. application concentration 1:2

pH 9,8
Cc**Cosmo-Clean**
Safety floor cleaner concentrate

11 kg	193011
35 kg	193035
235 kg	193235
1100 kg	193000

Highly concentrated, mild-alkaline, foam-inhibited, NTA- and solvent-free safety cleaner for mechanical and manual cleaning of industrial, workshop and other building floors. In comparison with other cleaners, the danger of slipping on surfaces that are still wet is considerably reduced. Existing floor sealants or coatings are not impaired. A selected combination of detergent substances and phosphates guarantees sensational cleaning results with extremely high dilutability at the same time. With a fresh lemon fragrance. Quick-separating in accordance with ÖNORM 5105. With Daimler approval.

Green Star BMP
Universal cleaner, mild-alkaline

11 kg	66011
33 kg	66033
225 kg	66225
1050 kg	66000

Highly concentrated, foam-inhibited, mild-alkaline universal cleaner free of phosphate, solvents and NTA, for mechanical and manual cleaning of workshop, industrial and office floors. Existing floor sealants or coatings are not impaired. Thanks to its enormous dirt and oil carrying capacity and highest material compatibility it is also ideal for prewashing and engine washing for cars and trucks, as well as for machine and workpiece cleaning. With re-greasing additives and temporary corrosion protection. Optimally suited as well for biological service water treatment plants. With Daimler approval. Quick-separating in accordance with ÖNORM 5105. VDA conform to class A: reaction time max. 5 min, max. application concentration 1:2

Special Cleaners**Commercial vehicle cleaner, extremely-alkaline**
Commercial vehicle cleaner, extremely-alkaline

11 kg	170011
35 kg	170035
230 kg	170230

Highly concentrated, phosphate-free, extremely alkaline cleaner for use on the heaviest dirt (including ingrained) such as environmental dirt, insects, oil, diesel residues, soot, etc., on commercial vehicles and on all other alkali-resistant surfaces. Quick-separating in accordance with ÖNORM 5106.

Mehrzweckreiniger
Interior & special cleaner

11 kg	86011
35 kg	86035
225 kg	86225

Highly effective alkaline intensive cleaner for cars, industrial and building cleaning. Deep, thorough removal of oil, greases, ink, soot, nicotine and common road dirt. For plastics, textiles, upholstery, machinery, etc. Mehrzweckreiniger has an excellent dirt dissolving and carrying capacity. Provides a pleasant scent for the surroundings. With Daimler approval.

pH 9,5
GsbpH 13,5
LkwpH 12,5
Mzr

**Felgenreiniger A**

Rim cleaner, acidic, for wheel washing systems

34 kg **300034**
230 kg **300230**

Highly concentrated, phosphoric acid based rim cleaner for cleaning dismantled acid-resistant wheels/rims in mechanical wheel/rim washing systems (closed systems). Brake dusts and other inorganic dirt are removed quickly and thoroughly. Extremely economical consumption. Quick-separating in accordance with ÖNORM 5106. With Daimler approval.

**Hallenreiniger mild-sauer**

Workshop & stainless steel cleaner, acidic,

35 kg **301035**

Mild cleaner based on phosphoric acid for all acid-resistant surfaces such as washing bay tiles, stainless steel units, plastic facings, etc. Limescale, environmental dirt, rust blooms and other inorganic dirt are removed quickly and thoroughly. Has extremely good material compatibility. Contains no fluoric or hydrochloric acid, and no bifluoride, and is therefore suitable for use in biological service water treatment plants (in strict accordance with the default pH values). Quick-separating in accordance with ÖNORM 5106.

**Hallenreiniger sauer**

Washing bay cleaner, acidic

35 kg **265035**


Powerful, phosphoric and hydrochloric acid based cleaner for all acid-resistant surfaces such as washing bay tiles, etc. Limescale, environmental dirt, rust bloom and other inorganic dirt are removed very quickly and thoroughly. Contains no fluoric acid, and no bifluoride, and is therefore suitable for use in biological service water treatment plants (in strict accordance with the default pH values). Quick-separating in accordance with ÖNORM 5106.

**Felgenreiniger CL**

Rim & washing bay cleaner, acidic

35 kg **247035**
225 kg **247225**

Powerful, phosphoric and hydrochloric acid based cleaner for all acid-resistant materials such as rims, commercial/construction vehicles, washing bay tiles, machinery, etc. Burned in brake dusts, rust stains, limescale, environmental dirt and other inorganic dirt are removed very quickly and thoroughly. The optimal combination of cleaning performance and material compatibility. Quick-separating in accordance with ÖNORM 5106.

**Felgenreiniger extrem**

Rim cleaner, acidic, extreme

11 kg **187011**
35 kg **187035**
225 kg **187225**

Extremely acidic hydrochloric acid based special cleaner for all hydrochloric acid resistant materials such as rims, commercial/construction vehicles, washing bay tiles, machinery, etc. Burned in brake dusts, rust bloom, limescale, cement residues, environmental dirt and other inorganic dirt are removed very quickly and thoroughly. Quick-separating and tested in accordance with ÖNORM 5106 (test concentration 0,1% mass).

Sauer Star

Tile & washing bay cleaner

11 kg **123011**
35 kg **123035**

Powerful basic cleaner containing phosphoric acid, sulphuric acid, hydrochloric acid and hexafluorosilicic acid for removing limescale, environmental and industrial dirt, boiler and urine scale, and rust bloom and other inorganic dirt on washing bay tiles and other acid-resistant surfaces. Quick-separating in accordance with ÖNORM 5106.

Felgen- & Fliesenreiniger aktiv sauer

Special rim and tile cleaner, acidic

11 kg **37011**
35 kg **37035**
225 kg **37225**


Extremely powerful acidic special cleaner with a high proportion of phosphoric and hydrofluoric acid for steel and undamaged, one-piece, acid-resistant painted aluminium rims, tiles in wash installations that no longer have a glaze (protective coating). Burned in brake dust, rust traces, limescale, environmental dirt and other organic dirt are removed extremely quickly and thoroughly with minimal manual cleaning effort. Special corrosion inhibitors reduced corrosion of the brake callipers. Quick-separating in accordance with ÖNORM 5106.

Quattro-Acid-Star XL

4-acid hammer

11 kg **444011**
35 kg **444035**
225 kg **444225**

Where other acidic cleaners reach their limits, that's where Quattro-Acid-Star XL starts. Extremely powerful acidic special cleaner with a high proportion of hydrofluoric, hexafluorosilicic, hydrochloric and sulphuric acid for steel and undamaged, single piece, acid-resistant painted aluminium rims, extremely weathered truck chassis and tiles in washing bays that no longer have a glaze (protective coating). Burned in brake dusts, rust bloom, limescale, environmental dirt and other organic dirt are removed extremely quickly and thoroughly practically without any manual cleaning effort. Extremely dilutable. Quick-separating in accordance with ÖNORM 5106.



Gla

Glas Star*Glass cleaner concentrate, premium*

10 l 44010
33 l 44033
200 l 44200

The concentrated, alcohol based glass cleaner for all smooth, alcohol-resistant surfaces on vehicles, buildings, etc. Effortlessly removes the most stubborn dirt including oil, grease, silicone, wax residues, light spray mist, insects and similar. Glas Star runs off quickly without streaks and its gloss and smoothness additive improve the wiping action of the cleaning cloth. The alcohol content means that cleaning cloths dry faster. Also ideal for use in winter. With Daimler approval.

Gc

Glass Cleaner*Glass cleaner Pro*

10 l 302010
30 l 302030
200 l 302200

Ready-to-use glass cleaner for all smooth surfaces on vehicles, buildings, etc. Effortlessly removes the most stubborn dirt including oil, grease, insects and similar. Runs off quickly without streaks and its gloss and smoothness additive improves the wiping effect of the cleaning cloth. With fresh fragrance.

Gf

Glasfix Neu*Glass cleaner concentrate*

10 l 126010
30 l 126030

Concentrated glass cleaner for all smooth surfaces on vehicles, buildings, etc. Removes all types of dirt including oil, grease and similar hard to remove residues. Runs off without streaks and is suitable for polycarbonates.

Asc

Allround Surface Cleaner*Surface cleaner special*

500 ml 367500
10 l 367010

Ready to use surface cleaner for the car, home and workplace. Finger-marks, dust, grease and all other forms of dirt are all swiftly and thoroughly cleaned away. Leaves a residue and streak free clean finish on all smooth surfaces including non-polar materials such as plastics. Also for use with a cleaning gun (such as Cyclone, Art.No. 999021) for great results on ventilation slots, textiles etc. because the formulation does not leave any water marks or chemical residue behind. Has a pleasant scent.

Qs

Quick & Shine*Allround finish spray*

1 l 168001
10 l 168010

The all-round quick detailer for all smooth and painted surfaces (vehicle paintwork, painted wood, glass, plastic parts, consoles, painted furniture and musical instruments, stainless steel surfaces, etc.). Cleans, maintains and preserves in a single step. The surfaces receive a colour deepening and a streak-free, brilliant gloss. Finger marks and light dirt are removed quickly and easily. The treated parts are conserved and repel water and dirt and are protected from becoming dirty again quickly (lotus effect). Quick & Shine is quickly removed and is therefore easy to use. Previously applied veneers or waxes are preserved. Particularly suited for quick finishing of exhibited goods in showrooms or at fairs, as well as for quick valeting of vehicles. With Daimler approval.

Op

Orange Power*Adhesive, tree resin and rubber remover*

Quick-acting, slow vaporising special product based on natural orange extracts. Removes adhesive residues, eg removing labelling on vehicles. Rubber and resin residues, ink stains, oil, greases, tar and chewing gum, etc., can also be removed without any problems from solvent-resistant surfaces such as paintwork, glass, ceramic, metal, etc. Contains no halogenated hydrocarbons and is pleasant to use thanks to its fresh orange fragrance.

1 l 192001
10 l 192010

Eulex*Adhesive & stain remover*

Special product for the quick removal of adhesives (eg sticker residues), rubber, tree resin, spray mist, ink stains, oil, greases, tar, etc. from solvent-resistant surfaces such as paintwork, glass, ceramic, metal, etc. Evaporates quickly and without leaving residues and contains no halogenated hydrocarbons. With Daimler approval.

1 l 43001

Eulex E*Adhesive remover E*

The special product for the removal of adhesive build-up after the removal of large-surface stickers (decals) on vehicles (especially commercial vehicles), glass surfaces etc. in the pre-wash area. Also penetrates quickly into other residues such as tree resin and rubber, softening them and thus enabling easy removal. Due to the purely vegetable-based active ingredients, Eulex E is free of hazardous substances, non-inflammable and slowly evaporates.

10 l 268010

Eu

Eue

Eum**Eulex M**
Adhesive remover M

Low-odour special product for the effortless removal of adhesive, tree sap and rubber marks even from matt-painted vehicles, glass surfaces, etc. Penetrates quickly into the organic residues and softens them and this enables easy removal. The product's active ingredients are not flammable and only evaporates slowly. Contains no halogenated hydrocarbons. With Daimler approval.

1 l 264001

Euv**Eulex V**
Adhesive remover V

The low-odor special product for the removal of adhesive buildup after the removal of large-area films or advertising stickers on vehicles and glass surfaces. Penetrates quickly into residues of adhesives, tree resin and waxes, softening them and thus enabling easy removal. Due to its special solvent, Eulex V is a special low-odor and mild variant compared to the usual vinegar ester / acetone-containing adhesive removers. VW approved.

10 l 364010

Parts Cleaners alkalisch
Parts cleaner A

Powerful, high-alkaline, foam-inhibited parts cleaner for quick and thorough cleaning of extremely dirty workpieces and units made of steel, aluminium, cast materials, etc., in immersion, spray and ultrasound baths. Oil, grease, oil carbon, soot, etc., are removed quickly and thoroughly. Quick-separating and with very good temporary corrosion protection. Rust grade in accordance with DIN 51360/2 0-1 at 3%. With Daimler approval.

35 kg 38035
1230 kg 38000pH 13,5
Tr**Parts Cleaners BMP mild alkalisch**
Parts cleaner B

Mild-alkaline, foam-inhibited parts cleaner for quick and thorough cleaning of workpieces made of steel, aluminium, cast materials, etc., in industrial production and processing in immersion, spray and ultrasound baths. Removes cooling lubricants and processing oils quickly and thoroughly. Possesses good microbiological stability for a long service life. Quick-separating and with very good temporary corrosion protection. Rust grade in accordance with DIN 51360/2 0 at 3%.



33 kg 174033

pH 10,2
Trb

Pls

Plastiklack-Spray schwarz*Spray paint, matt black, RAL 9005*

400 ml 103412

Highly adhesive, quick drying spray paint with very high coverage. For touching up paint on worn and bleached out surfaces such as door entry sill trim, sills, bumpers, wheel arches, trim and similar made of metal, rubber, plastic, fabric, etc. Provides long-lasting protection against corrosion and environmental factors.

Plg

Plastiklack-Spray grau*Spray paint, matt grey*

400 ml 107412

Highly adhesive, quick drying spray paint with very high coverage. For touching up paint on worn and bleached out surfaces such as door entry sill trim, sills, bumpers, wheel arches, trim and similar made of metal, rubber, plastic, fabric, etc. Provides long-lasting protection against corrosion and environmental factors.

Water softener*Water softener*

11 kg 306011
225 kg 306225

Liquid water softener for protection against lime deposits and scale formation in pipes, heating coils, storage tanks and aggregates in hot water systems. The crystallization is prevented by the Tresh-Hold-Effect.

KocEntschäumer*Defoamer concentrate*

1 l 189001
10 kg 189010

The highly concentrated, fast and very effective defoamer. It eliminates or prevents undesired foam formation in oversoaped industrial water treatment plants, cooling lubricant circuits and strongly foaming cleaning solutions (e.g. when used in spray extraction equipment, automatic floor cleaning machines, parts cleaning machines, etc.) Even a very small amount causes the existing foam to collapse spontaneously or not to form at all.

Oil Dry - Ölbindemittel grob*Oil binding agent coarse*

1 Stk 999057

The perfect binding agent for wiping up oil, acids and other liquids. Spread a sufficient amount over the contaminated area, wait for a short time and then sweep up. 20 kg sack.

pH 7
We

Ken



Care & Safety

- 4.1 Skin Protection
- 4.2 Skin Cleansing
- 4.3 Skin Care
- 4.4 Dispenser Systems
- 4.5 Protective Products
- 4.6 Protective Gloves

Employees in craft and industry are at risk from sometimes extreme pollution and harmful working materials. Targeted protection is necessary here. Skin diseases are at the top of the list of occupational diseases. The causes are often insufficient skin protection, contact with skin irritating or harmful substances and cleaning with aggressive cleaning products. An optimal system means: skin protection before work, skin cleansing after work and a regenerating care after cleaning. We offer offers you effective and skin-friendly products for all three areas as well as the appropriate dispenser systems. We would be pleased to create an individual skin protection plan for your company, because Skin protection is occupational safety and therefore an investment in the future!

Hautschutzplan

<p>Skin Protection</p>  <p>Schmu-Schu Liquid glove, wear suitable protective gloves if necessary</p>	<p>Skin Cleansing</p>  <p>Handy Star Hand cleaning paste premium</p>	<p>Skin Care</p>  <p>Kolan Skin care lotion</p>
---	---	--

Schmu-Schu
Liquid glove

1 l 64001

Long-lasting, non-greasy skin protection lotion (liquid glove) for effective protection from lubricants, diluted acids and lyes, oils, tar, bitumen, ink, pigments, soot, paint, various lacquers, cement, limescale, various adhesives, PU foams, sealing materials, etc. Simplifies skin cleaning after work considerably. Contains natural care substances such as anti-inflammatory camomile extract (?-bisabolol) that increase the skin's natural protection and thus reduce the potential for allergies and sensitisation. Schmu-Schu is breathable, dermatologically tested and pH skin neutral. Ideal for industrial, craft-based, automotive companies, paint shops, etc. Silicone-free.



Skin Cleansing

Handy Star
Hand cleaning paste premium

1 l 63001
3 l 63003
10 l 63010

Hand cleaner paste suitable for dispenser systems, for careful and effortless removal of stubborn dirt eg, oil, greases, tar, bitumen, etc. Ideal for industrial, craft-based, automotive companies, etc. Contains high-value, skin friendly plastic rubbing agents that in contrast to wood rubbing agents, prevent blockages of drains. With natural oil and care substances for regreasing the skin. pH skin neutral and dermatologically tested. Silicone-free.



Handwaschpaste
Hand cleaning paste

10 l 60010

Hand cleaner paste for removing stubborn dirt eg, oil, greases, tar, bitumen, etc. Ideal for industrial, craft-based, automotive companies, etc. Contains wood rubbing agents and nourishing re-greasing components. pH skin neutral and dermatologically tested. Silicone-free.



Skin Care

Kolan
Skin care lotion

1 l 62004

Moisturising, quickly absorbed skin care lotion. With regular use strengthens the skin's defence system and supports regeneration of affected skin. The skin remains healthy, smooth and cared for. Contains among other things skin-related natural oil such as almond oil, high-quality care substances such as natural bisabolol (anti-inflammatory active ingredient found in camomile), panthenol (provitamin B5), elastin, natural free vitamin E, vitamin A and special moisturisers. Dermatologically tested. pH skin neutral. Ideal for use in industry, craft trades, car workshops, offices, households, etc. Silicone-free.





Dosierspender und Halter für Handy Star

For the clean, economical and comfortable dosing of Handy Star (Hs).

Contents: 1 dosing dispenser, 1 wall bracket

Compatible with 3 l drums.

999034



Dosierspender für Handy Star

For the clean, economical and comfortable dosing of Handy Star (Hs).

Contents: 1 dosing dispenser

Compatible with 3 l drums.

999058

Dosierspender für Kolan und Schmu-Schu



For the clean, economical and comfortable dosing of Kolan (KI) and Schmu-Schu (Smu).

Contents: 1 dosing dispenser

Compatible with 1 l drums

999139

Dreierkorb für Handy Star, Kolan und Schmu-Schu



For the clean, economical and comfortable dosing from a 3 l drum of Handy Star (Hs) and two 1 l drums of Kolan (KI) and Schmu-Schu (Smu).

Contents: 3 dosing dispensers, 1 wall bracket (triple basket).

Compatible with a 3 l drum and two 1 l drums.

999561

KC Mask #staysafe



The reusable mouth and nose mask is high-quality processed, embroidered and available in two different designs. Four adapter holes for the elastic band allow an individual adjustment of the size. The special shape allows exhalation downwards and to the sides. KC Mask is also ideal for spectacle wearers, as it does not require metal temples. Washable up to 60°C (140°F), colourfast. Composition: cotton 35%, polyester 65%

#staysafe	999607
Protect Each Other	999608

Feinstaubmaske 3M-9312



Mask for protection against particles/fine dust with exhalation valve (minimises heat and moisture formation under the mask). Class: FFP1. Limit of use: 4 x WEL for particles. Packed individually and hygienically.

999326

**Dräger Half Mask X-Plore 4740 TPE Size
M/L**



The robust half mask for highest demands with excellent wearing comfort and first-class seal fit. A wide range of filters against gases, vapors and particles makes it ideal for use in industry and trade. The combination of soft mask body, specially shaped nose area and sturdy plastic housing ensures an exact fit, high sealing fit and almost pressure-free wearing. By simply opening the neck closure, the mask can be removed without having to take off the helmet, for example. When the mask is in the 'ready position', it remains with the inside against the body and is thus protected from contamination. The mask is made of durable, chemical-resistant material and can be worn well under many types of helmets. The EH strap is made of neoprene and is therefore very easy to clean.

- The mask is supplied without a filter!

999528

**Dräger Combination filter 940
A2B2E2-K1-P2 R D**



Combination filter with standard threaded connection Rd40 according to EN148-1. Whether in the chemical or automotive industry, in shipbuilding, in metal working and processing, in supply and disposal, Dräger respiratory protection filters have been synonymous with experience and safety worldwide for decades.

Combination filter with standard threaded connection Rd40 according to EN148-1 for use with half masks X-plore 4000 and full face masks Dräger X-plore 6000.

The filter is suitable for the mask we offer „Dräger Halbmaske X-Plore 4740 TPE Größe M/L“, Art. No.: 999528.


Read instructions for use before use.

999529

Your ear guard.



Hearing Protection



999606

The uvex K2 earmuffs in black, yellow with the Koch-Chemie branding. As part of the occupational safety equipment, the hearing protection meets the EN 352-1 standard with 32 decibel insulation. Thanks to the soft surface and memory foam ear cushions, the earmuffs are easy to mould and guarantee a comfortable fit even when worn for long periods. The headband is also padded. Its low weight and compact size contribute to the wearing comfort. The perfect wearing position can be found by the easy-to-use length adjustment.



**Latex-Protective Gloves glatt**

Natural rubber latex gloves with cotton lining for safe handling of liquids. Safety class AQL 4.0 (EN 374).

Shipping unit: 1 pair

7 999173

10 999116

**Einweg-Nitril Protective Gloves puderfrei**

Thin gloves made of nitrile.

Shipping unit: pack with 100 pcs.

L 999492

M 999491

S 999490

XL 999493

**Einweg Nitril extrem**

Thin gloves (0.2 mm) made of nitrile rubber. Allergy free, food safe, oil and grease resistant and high tear strength. Resistant also to hydrofluoric acid, solvents and hydrogen peroxide. Packing of 50 pieces (size L), 45 pieces (size XL).

Leistungsstufen

n-Heptan: Klasse 4 (> 120 Min.)

Natriumhydroxid 40%: Klasse 6 (> 480 Min.)

Schwefelsäure 96%: Klasse 2 (> 30 Min.)

Flusssäure 10%: Klasse 4 (> 120 Min.)

Wasserstoffperoxid 35%: Klasse 6 (> 480 Min.)

999533

999534



Accessories

- 5.1 Polishing Pads, Backing Plates and Sanding Media
- 5.2 Polishers, Electrical and Compressed Air Appliances
- 5.3 Brushes, Pads, Squeegee Driers
- 5.4 Cloths, Sponges and Washing Gloves
- 5.5 Paper Rolls and Accessories
- 5.6 Spray Bottles
- 5.7 Pumps and Dosers
- 5.8 Low- and High-Pressure Spray Systems
- 5.9 Car Wash Accessories
- 5.10 Canister Accessories
- 5.11 Waster Waster Set and Accessories
- 5.12 Various

Polishing Pads

Orange Peeling.

New!



Evolution of our PolishSystem

With our two-step PolishSystem, we have evolved paint treatment. With the aim of increasing the degree of cut in all polishes while maintaining the same high level of gloss, the polishes have been adapted to the newly developed, more scratch-resistant paint systems. In order to achieve the best possible result in only two work steps, our polishes are matched to our specially developed pads.

Turn two into one

For an even more economical approach to vehicle preparation, we have now developed an efficient one-step PolishSystem to complement our two-step PolishSystem. With our innovative One Cut & Finish P6.01 machine polish, we provide a product that combines the optimum ratio of cut and gloss. Here, too, we follow the system concept: The orange One Cut Pad with its reticulation and cell count is optimally matched to the One Cut & Finish P6.01. Polishing compound and pad complement each other perfectly to quickly create a high-gloss surface. In just one step, scratches and sanding traces from P2000 grit upwards are effectively removed and the surface is simultaneously sealed by the Carnauba waxes contained in the polish. The conclusion: Maximum results with minimum time and effort.

Compression hardness: 12
Abrasiveness: 5



One Cut Pad

- Ø 76 x 23 mm / 3" 999591
- Ø 126 x 23 mm / 5" 999592
- Ø 150 x 23 mm / 6" 999593

P6.01

- 1l 428001
- 250ml 428250



01. Car Wash
02. Detailing
03. Dealership&Industry
04. Care&Safety
05. Accessories
06. Private Customers

Heavy Cut Pad



Abrasive sponge for removing strong weathering and deep scratches using the Heavy Cut H9.01. The short height of 23mm creates low torsion forces, very good handling and the highest level of stability. The special density of the foam material enables long-lasting compression hardness during polishing. The optimised reticulation (open cellular structure) and cell count contribute to a high level of abrasiveness and excellent hygiene factors. The milling edge ensures extra flexibility for the pads, enabling them to fit around contours easier. The colourful non-woven material, suitable for polishing, ensures process safety.

Compression hardness: 17.
Abrasiveness: 9

Ø 76 x 23 mm / 3" **999577**
Ø 126 x 23 mm / 5" **999578**
Ø 150 x 23 mm / 6" **999579**

Fine Cut Pad



Medium abrasive sponge for removing moderate weathering and scratches using the Fine Cut F6.01. The short height of 23mm creates low torsion forces, very good handling and the highest level of stability. The special density of the foam material enables long-lasting compression hardness during polishing. The optimised reticulation (open cellular structure) and cell count contributes to a high level of abrasiveness and excellent hygiene factors. The milling edge ensures extra flexibility for the pads, enabling them to fit around contours easier. The colourful non-woven material, suitable for polishing, ensures process safety.

Compression hardness: 12.
Abrasiveness: 5.

Ø 76 x 23 mm / 3" **999580**
Ø 126 x 23 mm / 5" **999581**
Ø 150 x 23 mm / 6" **999582**

Micro Cut Pad



High-quality special sponge for removing fine scratches, holograms and polishing marks using the Micro Cut M3.02 and Micro Cut & Finish P3.01. The short height of 23mm creates low torsion forces, very good handling and the highest level of stability. The special density of the foam material enables long-lasting compression hardness during polishing. The optimised reticulation (open cellular structure) and cell count contribute to a high-shine finish and very good hygiene factors. The milling edge ensures extra flexibility for the pads, enabling them to fit around contours easier. The colourful non-woven material, suitable for polishing, ensures process safety.

Compression hardness: 10.
Abrasiveness: 5.

Ø 76 x 23 mm / 3" **999583**
Ø 126 x 23 mm / 5" **999584**
Ø 150 x 23 mm / 6" **999585**

Polish & Sealing Pad



Extra-fine finish sponge for economically and evenly applying sealing products such as the 1K Nano or Lack-Polish grün P1.01. The short height of 23mm creates low torsion forces, excellent handling and the highest level of stability. The optimised reticulation (open cellular structure) and cell count contribute to excellent hygiene factors. The milling edge ensures extra flexibility for the pads, enabling them to fit around contours easier. The colourful non-woven material, suitable for polishing, ensures process safety.

Compression hardness: 4.
Abrasiveness: 2.

Ø 126 x 23 mm / 5" **999586**
Ø 150 x 23 mm / 6" **999587**

Schleifschwamm weiß, hart

The most abrasive, extra hard polishing pad for removing severe weathering and deep scratches by means of polishing compounds such as Heavy Cut (H802), Schleifpaste (H701) and Feinschleifpaste (F501). In comparison with lambswool pads leaves behind fewer traces of polish. The reticulated (open-celled) material guarantees a long service life and low heat development.

Compression resistance: 20
Abrasiveness: 7

Ø 80x30 mm 999275

Schleifschwamm weiß, hart, V-Form

The perforated version of the Polishing pad, white, hard. Suitable for all machines, but especially developed for high performance eccentric machines.

Ø 145 x 30 mm 999259V
Ø 163 x 30 mm 999258V

Schleifschwamm gelb, mittelhart

The classic, medium-hard polishing pad for removing medium-heavy weathering and scratches by means of polishing compounds such as Heavy Cut (H802), Schleifpaste (H701) and Feinschleifpaste (F501). The reticulated (open-celled) material guarantees a long service life and low heat development.

Compression resistance: 5
Abrasiveness: 5

Ø 80x30 mm 999276
Ø 130x30 mm 999267
Ø 160x30 mm 999044



**Thermochrom Pad 76x23 mm
verfärbend**

The high-quality special sponge with thermochromic properties for removing light scratches, holograms and polishing marks. The Thermo Pad is especially recommended for polishing acrylic glass headlights, as these react temperature-sensitive and the temperature of 40°C - 45°C must not be exceeded during grinding and polishing. Due to the thermochromic properties of the colour pigments in the pad, the Thermo Pad changes colour from orange to yellow from a temperature of 45°C onwards. That way the colour change serves as an indicator. The pad returns to its original colour as soon as the temperature drops again. The Thermo Pad is part of the Headlight Polish Set (Art. No. 999600) and can also be ordered separately as a spare part
Compression hardness: 10. Abrasiveness: 5.

999602



**Antihologrammschwamm orange,
gewaffelt**



Honeycomb version of the round orange antihologram pad. High-grade special pad for the permanent removal of fine scratches, holograms and traces of polish.

Ø 135x25 mm 999289
Ø 160x25 mm 999257

Microfaser-Polierpad



Finishing (silicone-oil-free) microfibre polishing pad for cleaning and activating glass surfaces by means of cleaning milk (component 1) before the Nano-Glasversiegelung (component 2).

Ø 130x20 mm 999308

Padwasher



Clean pads at all times for perfect polishing results. Universal pad washer for fast, thorough and dust-free cleaning of all types and sizes of polishing pads. Place the polishing pad onto the pad cleaner's toothed wheels and run the rotary polisher at low speed for approx. 40 seconds. Then lift the polisher slightly and dry the polishing pad at a higher speed.

999339

Backing Plates

Teller für Druckluftexzentrerschleifer



Spare disc for compressed air orbital sander, 152 mm (999135).

Ø 152 mm 999150

**Teller für Makita Rotationsexzenter
PO5000C**



Spare disc for Makita PO5000C (999167).

999168

**Teller für Makita Rotationsexzenter
BO 6050**



Spare disc for Makita BO 6050 eccentric sander (999152).

999157

Polierteller, Sandwich



This polishing pad makes using the machine much easier, because slight slanting of the polisher is balanced out, thus preventing the machine from "dancing". The special configuration (pad, cellular rubber, soft foam, cellular rubber, Velcro) guarantees a tough bond between the cellular rubber and the Velcro® surface. Suitable for lambswool and foam pads. Adapter thread M14 (for rotary polishers).

Ø 123 mm 999410

Ø 147 mm 999411

Polierteller, extra weiches Schaumpolster



This polishing pad makes using the machine much easier, because slight slanting of the polisher is balanced out, thus preventing the machine from "dancing". In particular when lambswool pads are used, the pad's soft foam layer adjusts optimally to the contours of the surface. Adapter thread: M14 (for rotary polishers).

Ø 123 mm 999260

Ø 147 mm 999261

Polierteller mit Zellkautschukpolster



Sturdy, high-quality polishing pad with hard cellular rubber cushion for all polishing pad. With tough bond between the cellular rubber and the Velcro® surface. Adapter thread: M14 (for rotary polishers).

Ø 73 mm 999283

Ø 123 mm 999262

Ø 147 mm 999263

Ø 197 mm 999313

Teller für Mini-Polisher



Spare disc for mini compressed air polisher (999320).

Ø 75 mm 999170

Sanding Media

Abralon


Silicon carbide based sanding pad consisting of a sanding pad, foam centre and Velcro® backing for sanding spraying defects, paint blendings, scratches and coarse sanding (eg with 2000 Abralon) on paintwork, etc. The net structure means that water and air can move freely around the abrasive grains, which means that practically dust-free sanding is possible. The treated surfaces can be polished to a high gloss with the polishing compounds.

1000 grain size



Ø 77 mm 999603

2000 grain size



Ø 77 mm 999250

Ø 150 mm 999252

4000 grain size



Ø 77 mm 999251

Ø 150 mm 999253



Schleifblüten P 2500

Premium microfinishing stickers (P2000 grain) for removing paint blemishes, deep scratches, etc. The treated surfaces can be buffed perfectly to a high gloss with our polishing compounds.

Shipping unit: 1 sheet with 10 stickers.

Ø 32 mm 999318



Stempel für Schleifblüten

Punch for Velcro® and adhesive microfinishing stickers.

Ø 31 mm 999322

Lambswool Pads

Lammfell-Pad



Extra thick and non-pilling (lint-free) natural lambswool pad for use with polishing compounds. Lambswool is the polishing medium with the highest abrasiveness and is therefore ideally suited for removing the effects of severe weathering, deep scratches and sanding traces. Top quality with a long service life. Optimally suited for working with Heavy Cut (H802) and Feinschleifpaste (F501).

Abrasiveness: 9

Ø 80 mm 999274

Ø 135 mm 999254

Ø 150 mm 999286

Ø 180 mm 999284

Flex PXE 80 10.8-EC/2.5 Set



The Flex PXE 80 is the ideal complementary device for every vehicle refurbisher, painter and the spot repair sector. Flexible and easy as never before from flower sanding to hologram-free finishing with one unit. It is ideally suited for rotary and eccentric free-running work with 3 and 12 mm strokes. It has an innovative, tool-free quick-change system for exchanging the rotary and eccentric drive types. The Flex PXE 80 is equipped with a damped special Velcro pad for polishing and grinding. The ergonomic and flexible grip options thanks to the optimally placed SoftGrip surfaces allow the device to fit perfectly in the hand. Other advantages:

- Throttle switch for a slow and sensitive start and lock for continuous running.
- High running smoothness due to vibration optimization
- With impact protection ring to protect surfaces
- Brushless motor with higher efficiency and longer service life
- Electronic Management System (EMS) protects the machine, extends service life and increases efficiency
- LED battery capacity indicator
- FLEX battery system: operation with all 10.8 V battery packs

999594

Makita

Makita Rotationsexzenter PO5000C



The powerful, extremely smooth-running eccentric polisher with constant electronic speed control for consistent speed even at high loads. Can be set at either pure eccentric motion (for finishing and sanding) or eccentric motion with forced rotation (for permanent hologram removal). The Makita PO5000C not only has a soft-start function in both operating modes, but also vibration dampening and a switch lock, making it even more pleasant to use. The mounted sanding plate has grooves, which makes it easier to change pads and thereby increases the lifespan of the Velcro fastener. Idle speed: 0 - 6,800 rpm. Stroke: 5.5 mm. Eccentric speed: 0 - 780 rpm. Power consumption: 900 W. Weight: 2.8kg.

Sanding plate diameter: 125 mm.

999167

Flex

Mittlere Flex PE 14-2 150



Powerful handy Flex rotary polisher (without disc) with perfect cooling for the highest loads. With soft starting, infinitely adjustable. Speed: 380-2100 rpm. Power consumption: 1400 Watt. Weight: 2.3 kg. Adapter thread: M14.

Polishing pad diameter: max. 200 mm.

999149

Kleine Flex PE 14-3 125



Lightweight handy Flex rotary polisher (without backing plate) for working in smaller areas (not for permanent use). Without slow start, infinitely adjustable. Speed: from 1100-3700 rpm. Power consumption: 1400 Watt. Weight: 2.2 kg. Adapter thread: M14.

Polishing pad diameter: max. 135 mm.

999020

Flex XFE 7-15 150

The Flex XFE 7-15 150 is an eccentric polishing machine for the professional vehicle refurbisher or painter. The polisher has a power of 420 watts and a polishing stroke of 15mm, which ensures a high efficiency. The eccentric polisher is ideal for working on temperature-sensitive paints, as this machine allows you to work with low heat on the surface. For this Flex uses the VR microprocessor electronics. This means: constant speed control by means of a tachogenerator, soft start, throttle switch, restart interlock after power failure, overload protection, temperature monitoring and speed preselection. The free-running drive ensures excellent working in the hologram-free finishing area with the Flex XFE 7-15 150. The ergonomic and flexible grip options through the optimally placed SoftGrip surfaces let the device fit perfectly in the hand.

The polishing machine is designed for use in vehicle preparation, paint shops, industry and trade, for all types of polishing work with polishing sponges or lambskin pads, for sanding work with Velcro sandpaper, for work on temperature-sensitive paints, for hologram-free work in the finishing area.

Further advantages & information:

- Throttle switch for a slow and sensitive start and lock for continuous operation.
- Damped special Velcro pad for polishing
- High running smoothness due to balancing compound
- Optimized airflow for best possible cooling effect of motor and gearbox. No disturbing exhaust air for the user
- Flat gear head reduces the difference to the surface. This allows to guide the machine safely in any position
- Weight: 2,4 Kg
- Cable length 4m
- Polishing discs: 125mm & 150mm - special velcro

999573

Flex BW 18.0-EC Akku-Gebläse

- Handy battery blower / leaf blower 18.0 V, battery capacity 2.5 / 5.0 Ah
- Electronic Management System (EMS) protects the machine, extends service life and increases efficiency
- Brushless motor with higher efficiency and longer service life
- Air volume regulation in 3 steps
- Ergonomically designed soft grip handle with on/off switch and lock for continuous operation
- Space-saving storage due to removable blow tube and nozzle
- With adapter and matching reducing nozzles for inflating e.g. air mattresses
- LED battery capacity indicator+ FLEX battery system: operation with all 18.0 V battery packs. Delivery without battery, without charger
- Ideal for hard to reach places
- Versatile and flexible use: thanks to four different attachments
- For removing by air blower leaves, dust and dirt in the engine or vehicle interior.
- Suitable for removing water residues in hard-to-reach places after the vehicle wash
- Also suitable as a leaf blower for quick and convenient removal of dry leaves from property surfaces

999595

Flex P-Set 55 R: Schnellladegerät CA 10.8/18.0 und 2x Akku AP 18.0/5.0

999598

For charging 10.8 and 18.0 V battery packs. With large LCD display for battery diagnostics and charge status. Charging time 10.8 V : approx. 40 min. for 2.5 Ah / for 4.0 Ah and approx. 55 min. for 6.0 Ah batteries. Charging time 18 V: approx. 40 min for 2.5 Ah and approx. 45 min for 5.0 Ah. Due to a special charging procedure, 80% of the charging capacity is reached after approx. 30 min. With integrated battery pack cooling, overheating, discharge and overload protection.

Battery pack Li-Ion 18.0 V with integrated charge and discharge protection, charge level indicator, dust and splash protection. Electronic Management System (EMS) protects the battery pack, extends service life and increases efficiency.

Flex Accu-Schnellladegerät CA10.8/18.0

999596

Flex Accu-Pack AP 18.0/5.0

999597

Drucklufttechnik


Cyclone Z-010



The perfect compressed air tool for cleaning difficult to access areas such as ventilation air vent ducts, seat rails, gear-lever cuffs, door rebates, etc., as well as for removing stubborn dirt from plastics and textiles (foot mats, convertible fabric tops, etc.). Also ideally suited for quick cleaning of polishing pads. The cyclone effect in combination with the cleaning solution removes dust particles with extremely great force from the surfaces that are to be cleaned. The required effort is considerably reduced. If the chemical supply is switched off (just switch the lever over) the cyclone is also eminently suitable for the quick removal of dust and for drying cleaned surfaces. Recommended products for cleaning: Mehrzweckreiniger (Mzr), Green Star (Gs). Application of engine conserver: Motorplast (Mp). Compressed air connection: 1/4

999021

Cyclone AZ2000



Turbo cleaning gun is an innovative cleaning tool that chooses powerful turbine technology as the motor mechanism to create the tornado effect. Its rotation speed can reach a maximum of 8,000 revolutions per minute. In addition, the air hopper is adjustable to control the rotation speed of the rotation set. Different cleaning results are achieved by adjusting the rotation speed. To significantly extend the life cycle of the rotation set, it is designed with rolling bearings so that there are no contact points between the outer metal spray tube and the air hopper. As a result, the air hopper cannot break or be damaged when the rotation set rotates. Rotation speed adjustable 1000 to 8,000 rpm. Powerful rotation method by turbo motor with roller bearings. Strong and sturdy mechanical design. Creative and controllable method of rotation speed.

Multifunctional system: cleaning wet or dry possible to remove dust or dirt from surfaces. Engine compartment, wheels, carpets, dashboards, plastics, upholstery. Easy cleaning of the nozzle and rotation set.

Technical data:

- Compressed air 5.0 to 8.0 bar
- Recommended compressed air 6.2 Bar
- Rotating speed range 1.000 to 8.000 rpm
- Air consumption 98 liter/min (6.2 Bar)
- Fluid consumption 0 - 160 cc/min (6.2 Bar)
- Particle diameter 1 to 5 µ
- Liquid capacity 1 L Cleaner Neutral, miscible with water

999605

Exzenterschleifer Druckluft, 152 mm



High quality, extremely light, low-noise and low-vibration eccentric sander with dust extraction and 152 mm (6) Velcro® driver pad. In combination with the black finish polishing pad (999292) optimal for effective working with our paint sealants. Idle speed: 10.000 rpm. Stroke: 5 mm Weight: 0.8 kg. Compressed air: 6.3 bar. Compressed air connection: 1/4

999135

Mini-Druckluft-Polisher-Set



999320

Polisher set for eliminating scratches, dust particles and other paintwork defects. The set consists of:

- 1 x Mini compressed air polisher with 75 mm disc, rotary (not orbital) rpm: 3.200, working pressure: 6.0 bar
- 1 x Lambswool Pad, Ø 80 mm (999274)
- 1x Heavy Cut Pad Ø 76 x 23 mm (999577)
- 1x Fine Cut Pad Ø 76 x 23 mm (999580)
- 1x Micro Cut Pad Ø 76 x 23 mm (999583)
- 1 x Block for micro sanding stickers (999322)
- 1 x Micro sanding stickers P2500, 1 sheet of 10 (999318)
- 1 x Microfibre frottee cloths 40 x 40 cm, blue (999066)

Lampen

Interior Line Light



For extremely bright illumination of the vehicle interior. Allows individual positioning with soft cover to protect the paint when the battery is empty. Can also be used with the charging cable only.

- Luminous period [hrs.]: 3
- Weight [g]: 470
- Variant: Bonnet C+R
- Luminous flux [lm]: 1000
- Battery capacity [mAh]: 5200
- Protection class (IP code): 65
- Charging time [hrs.]: 4
- Cable length [m]: 5
- Adjustable telescopic holder (1.2 - 1.7 m)

999526

Vikan brushes handle compatible

Winkelwaschbürste mit
Wasserdurchlauf

Sturdy Vikan angled washing brush with water channel. The angled shape means that the bristles are in constant contact with the surface. The protective rubber edge prevents damage to paintwork. Compatible with Vikan handles 999233, 999223, 999222.

50x250 mm **999342**

Waschbürste mit Wasserdurchlauf



Sturdy Vikan washing brush with water channel. The protective rubber edge prevents damage to paintwork. Compatible with Vikan handles 999233, 999223, 999222.

70x270 mm **999221**LKW-Waschbürste groß mit Wasser-
durchlauf

Sturdy large-sized Vikan truck washing brush with water channel for cleaning larger areas. Compatible with Vikan handles 999233, 999223, 999222.

90x400 mm **999338**Felgenbürste groß für LKWs mit
Wasserdurchlauf

Sturdy large Vikan rim brush for trucks, busses, etc. with water channel. Compatible with Vikan handles 999233, 999223, 999222.

140x200 mm **999230**Bodenschrubber mit
Wasserdurchlauf rot

Robust, extremely long-life, effective Vikan floor scrubber with water channel for all heavily soiled areas. Can be used with or without water channel. Compatible with Vikan handles 999233, 999223, 999222.

65x275 mm **999298**

Vikan pad holder and cleaning pads

Padhalter Stielmodell



Vikan pad holder for effective cleaning of washing bay tiles, truck tarpaulins, etc. When used with acidic cleaners in particular this tool ensures increased safety, because in contrast to working with brushes or scrubbers, splashing of the cleaning solutions is avoided to the greatest extent. The patented pad holder system ensures that the pads are attached securely. Compatible with Vikan handles 999223, 999222 and pads 999296, 999297, 999454.

95x230 mm **999295**

Padhalter Handmodell



Vikan pad holder, hand-held model. Compatible with pads 999296, 999297, 999454.

120x230 mm **999450**

Pad grün für Padhalter



Medium-hard pad for acidic or alkaline cleaning of extremely dirty tiles. Compatible with pad holders 999295, 999450.

120x250 mm **999296**

Pad weiß für Padhalter



Soft pad for acidic or alkaline cleaning of extremely dirty tiles, tarpaulins, etc. Compatible with pad holders 999295, 999450.

120x250 mm **999297**

Pad Schmutzradierer für Padhalter



Dirt eraser pad (melamine material) for basic cleaning of porcelain stoneware, tiles, tarpaulins, etc. Compatible with pad holders 999295, 999450.

115x245 mm **999454**

Vikan handles

Ergonomischer Stiel mit Wasserdurchlauf

Ergonomischer Stiel

Ergonomischer Teleskopstiel



Ergonomic Vikan handle made of aluminium with water channel, insulated grip. Compatible with Vikan articles 999342, 999221, 999338, 999230, 999298.

1500 mm **999233**



Ergonomic Vikan handle made of aluminium (without water channel) with insulated grip. Compatible with Vikan articles 999342, 999221, 999338, 999230, 999298, 999259, 999299, 999406.

1500 mm **999223**



Ergonomic telescopic Vikan handle made of aluminium (without water channel) with insulated grip. Compatible with Vikan articles 999342, 999221, 999338, 999230, 999298, 999259, 999299, 999406.

1500-2750 mm **999222**

Wandhängeschiene Polypropylen, Gummi



Wall-mounted rail for hanging all Vikan brushes and handles. Where required, several modules can be mounted in series. Correct storage prolongs the brushes' service life considerably.


60 x 240 mm **999232**

Surface dryer and squeegee dryer

Flächentrockner 350 mm

Flächentrockner 450 mm

Flächentrockner-Profi



Vikan squeegee drier for fast and careful drying of large areas. Compatible with Vikan handles 999222, 999223.

350 mm **999299**



Large Vikan squeegee drier for fast and careful drying of large areas. Compatible with Vikan handles 999222, 999223.

450 mm **999406**



Flexible squeegee drier with special paint protecting silicone lip for wiping pre-cleaned paintwork and other surfaces such as windows, wall tiles, shower stalls, etc.

300 mm **999018**

Moosgummischieber Metall



Sturdy, oil- and chemicals-resistant workshop and industrial floor squeegee.

750 mm **999095**

Moosgummischieber-Stiel



Aluminium handle for foam-rubber squeegee.

1440 mm **999096**

Car wash pre-wash brushes

**Vorwaschhandbürste mit Wildschweinborstenimitat**

Long-life prewash brush with premium, paint-protecting high-quality faux wild boar bristles. High water and foam absorption.

60x400mm **999458**

**Vorwaschbürste mit Wildschweinborsten**

Durable pre-wash handwashing brush with high-quality faux wild boar bristles which go easy on your paintwork. Guarantees high water and foam absorption and because of the upward pointing edges is optimally suited for areas that are difficult to reach, such as the undersides of rear spoilers. Compatible with prewash brush wooden handle 999459.

80x250mm **999457**

**Vorwaschbürsten-Holzstiel**

Sturdy wooden handle with aluminium-US thread. Compatible with prewash brushes 999457, 999460.

1400mm **999459**

Brushes

Auto-Staubmop Profi

Ideal for display care of vehicles in show-rooms, at fairs, etc.

90x630mm **999071**

Pinzel Innenraum

Metal-free interior brush with high-quality China bristles and plastic holder to prevent scratching.

40x225mm **999453**

Felgen- & Motorpinzel klein

Metal-free, acid-resistant rim and engine brush with high-quality natural bristles and plastic holder to prevent scratching.

50x420mm **999452**

Felgen- & Motorpinzel groß

Metal-free, acid-resistant rim and engine brush with high-quality natural bristles and plastic holder to prevent scratching.

75x450mm **999451**

Felgenpinzel Atlasta

Extremely robust and acid-resistant rim brush with extra-hard synthetic bristles. Enables quick and thorough cleaning of all rim types without risk of scratching.

30x255mm **999340**

Felgenbürste, galvanisierter Faden

Flexible Vikan rim brush with rubberised wire to prevent scratching. Suitable for all rim geometries thanks to its special shape.

30x130mm **999224**

Felgenbürste, VTS Polyesterborsten



Solid, acid-resistant Vikan rim brush with a long handle. Ideal for precleaning in wash systems.

57x410 mm

999225

Felgenbürste klein



Solid, acid-resistant Vikan rim brush with long handle. Ideal for precleaning in wash systems. Small handy version. Ideal for hard to reach areas on the rim.

70x320 mm

999405

Lack-Hand-Bürste mit Gummikante



Ergonomic Vikan hand brush with rubber lip to prevent damage to paintwork.

130x340 mm

999226

Polsterbürste, harte Polyesterborsten



Vikan upholstery and textile brush with ergonomic shape for effective cleaning that is kind to the fabrics.

30x280 mm

999227

Flusen- und Hundehaarbürste



The ultimate solution for removing fluff and animal hairs from carpets and upholstery.

45x250 mm

999239

Nagelbürste



Extremely long-life Vikan nail brush. Ideally suited as well for brushing out lambswool polishing pads.

45x115 mm

999279

Cloths

Profi-Microfasertuch blau, ultraschallgeschnitten



The non-chainstitched undisputed number 1 among microfiber cloths with two differently structured sides. During ultrasound cutting the fibres are interlaced millions of times at the edge so that the cloth does not fray even after 50 machine washes. The unrivalled soft quality without fluff and silicone guarantees a perfect high-gloss finish without streaks and microscopic scratches and is therefore essential for preparing and using for 1K-Nano paintwork sealing (1K).

40x40 cm

999241

Microfasertuch bilateral grau



Premium, extra thick microfiber cloth with two differently structured sides and chain stitching. The high absorption capacity makes it ideally suited for all work in professional vehicle valeting. 380g/m².

40x40 cm

999348

Microfasertuch blau



Premium microfiber cloth with chain stitching. Ideally suited for all work in professional vehicle valeting. 300g/m².

40x40 cm

999066

Tornador Towel Absorber-Schwammtuch



Super-absorbent cloth for fast and residue-free drying of glass, painted and plastic surfaces after vehicle washing. Absorbs faster and up to 100% more water than traditional chamois and fine fibre cloths and is therefore a guarantee for fast working.

66x43 cm

999294

**Microfaser-Waffeltuch blau,
Set à 2 Stück**



The absorbent cloth with waffle structure for fast and residue-free drying of paint, glass and plastic surfaces. After the use of a squeegee dryer a run-off shampoo or an automatic car wash one cloth is sufficient, in the case of very wet surfaces, work with two cloths. 440g/m². Set of 2 towels.

80x55 cm **999362**

Feinfasertuch



Premium imitation leather cloth with high water absorption for fast and residue-free drying of glass, paintwork and plastic surfaces after washing vehicles.

54x44 cm **999059**

Fensterleder



Premium chamois leather with high water absorbing capacity for fast and residue-free drying of glass, paint and plastic surfaces after the vehicle is washed.

59x37 cm **999087**

**Microfaser-Waffeltuch grau-gelb,
Set à 4 Stück**



The perfect cloth for streak-free cleaning and drying of glass. The unique weave guarantees excellent dirt loosening ability and streak-free drying in combination with Glas Cleaner or Allround Surface Gleaner. The 320g/m² heavy towel with its strong overlocked edge is very durable and allows repeated washing. In combination with Glas Star (Gs) also ideal for removing wax residues and greases. 2 yellow and 2 grey towels (e.g. for wet-cleaning and drying).

40x40cm **999363**

**Baumwollputztücher weiß
(Recyclingzuschnitte)**



Cotton cleaning cloths made from recycled cuttings suitable for many application areas in professional vehicle valeting. Shipping unit: 10 kg.

999061

Poliertuchrolle Nowolin weiß



Soft, tear-resistant and lint-free disposable textile cloths made of natural viscose fibres. Nowolin is absorbent and solvent-resistant. The perforations guarantee simple and economic handling. 500 sheets. 70g/m².

29x38cm **999556**

Spezialtuch grau 40 x 40 cm



Pcs. 5 = sales unit
Accessories Ceramic Allround C0.01

999619

Ceramic Applizier Tuch grau



10 x 10 cm, pack of 5 = sales unit Accessories
Ceramic Allround C0.01

999620

Applikatorblock Ceramic



90 x 40 x 24 mm
Accessories Ceramic Allround C0.01

999621

Sponges

Waschschwamm



Paintwork-protecting, tear proof and chemical-resistant washing sponge with high water and foam absorption capacity. A special foam composition makes the sponge extremely long-lasting and economical.

20x13x7 cm **999017**

Fliegenschwamm hart, gelb



Classic large pore insect sponge for cleaning windcreens, lamps, etc.

11x7x4 cm **999037**

Schwamm weich, schwarz



Handy soft sponge for applying plastic, rubber and leather care products, etc., and for manual finishing of 1K-Nano paintwork seal (1K).

12x10x5 cm **999038**

Handpolierschwamm Puck

The perfect application sponge for our Hand Wax W0.01, leather care or plastic care products

77 x 47 mm **999609**
 90 x 47 mm **999610**



Applikator-Schwamm für Kunststoffinnenpflege



Soft sponge for applying console and interior plastic trim care products. The special flat shape means that even areas that are difficult to reach (eg transition from console to windscreen) can be treated exactly.

10x8x3cm **999290**

Microfaser-Handpolierschwamm



Optimum pad for working with finishing and sealing products. Machine-washable.

12x9x4cm **999291**

Dirt eraser, pack of 5



Abrasive, quick cleaning special sponge for removing stubborn stains and dirt such as rubber marks, ballpoint pen stains, tea and coffee stains, grease stains, chewing gum, tar stains, etc. from hard surfaces.

10x6x4 cm **999328**

Cleaning and Protective Gloves/Mitts

Einweg Nitril extrem



Thin gloves (0.2 mm) made of nitrile rubber. Allergy free, food safe, oil and grease resistant and high tear strength. Resistant also to hydrofluoric acid, solvents and hydrogen peroxide. Packing of 50 pieces (size L), 45 pieces (size XL).

Performance levels
 n-Heptane: Class 4 (> 120 min.)
 Sodium hydroxide 40%: Class 6 (> 480 min.)
 Sulfuric acid 96%: Class 2 (> 30 min.)
 Hydrofluoric acid 10%: Class 4 (> 120 min.)
 Hydrogen peroxide 35%: Class 6 (> 480 min.)

Size L **999533**
 Size XL **999534**

**Microfaser-Handschuh Oktopus,
Set à 3 Stück**

Special cleaning mitt with two differently structured sides. One side consists of the koi cloth material, the other of specially complex microfiber lamellas with high dirt and moisture absorption properties. Ideally suitable for cleaning vehicle interiors and final control of vehicle cleaning (polish residues, etc.). The long microfiber lamellas enable difficult to reach areas (eg the area between the dashboard and the windscreen) to be easily accessed.

23 x 17 cm 999336

Microfaser-Reinigungshandschuh

Mitt for cleaning upholstery, textiles and roof linings in vehicle interiors. The high dirt absorption capability guarantees thorough and careful cleaning (the fibres are not damaged).

27 x 19 cm 999287

Latex-Handschuhe glatt

Natural rubber latex gloves with cotton lining for safe handling of liquids. Safety class AQL 4.0 (EN 374). Shipping unit: 1 pair.

7 999173
10 999116

Einweg-Nitrilhandschuhe puderfrei

Thin gloves made of nitrile. Shipping unit: pack with 100 pcs.

L 999492
M 999491
S 999490
XL 999493

Paper Rolls**Papierrolle blau, 3-lagig, 500 Blatt**

The high-quality, layer-glued premium paper is manufactured specially for professional use. It enables smear- and fluff-free cleaning of windows, is extremely hard-wearing and absorbs liquids, grease and oil quickly and reliably. 60 g/m², Ø 33 cm/roll.

22 x 38 cm 999552
38 x 38 cm 999553

Paper Roll Accessories**Bodenständer für Papierrollen**

Premium floor stands for paper rolls up to 40 cm wide with maintenance-free tear-off edge.

90 x 46 x 44 cm 999064

**Wandhalter für Papierrollen**

Premium wall bracket for paper rolls up to 40 cm wide with maintenance free tearing edge.

31 x 50 x 23 cm 999069

Sprühkopf Star



Spray head with medium stroke (1.2 ml). Individually adjustable from needle jet to spray mist. Compatible with 1 l base (999063). Thread: 28/400.

999001

Zylinderflasche 1 l für Sprühkopf



Premium 1 litre HDPE cylindrical bottle with volume and dilution scale. Compatible with Jumbo spray head (999003), Double Action spray head (999465) and Star spray head (999001). Thread: 28/400.

999063

DPZ Venus Pro+ Super 360, 1,5 l



Extremely sturdy pressure pump for use with neutral and alkaline products. Due to the flexible hose it can be used in turned position up to 180° (for example to spray headliners, wheel rims). With adjustable nozzle which allows for adjusting the liquid flow and edasy changeable Viton seals.

999470




DPZ Venus Super Foamer 2,0 l

Extremely robust foam sprayer for processing neutral and strongly alkaline products. Its 2l capacity makes it the perfect accessory for wash portals, self-service wash stations and hall cleaning. Use and foam alkaline pre-cleaners, rim cleaners and snow foams easily without issue. The foam pattern can be adjusted to suit the requirements using the 3 foam cartridges supplied. With EPDM seals.

999477

DPZ Profi alkalienbeständig, 1,5 l gelb



Sturdy pressure pump vaporiser for use with neutral and alkaline products. Individually adjustable from point jet to spray mist. Operating pressure: 4 bar. Max. filling quantity: 1.3 l.

999547

DPZ Hobby alkalienbeständig, 1 l gelb



Pressure pump vaporiser for use with neutral and alkaline products. Individually adjustable from point jet to spray mist. Operating pressure: 3 bar. Max. filling quantity: 0.9 l.

999546

Oberteil für DPZ Profi alkalienbeständig, gelb



Replacement part for the DPZ Profi alkali-resistant, 1.5 l yellow. Compatible as well with the bottom part of the DPZ Hobby.

999112

DPZ Hobby lösungsmittelbeständig, 1 l rot



Pressure pump vaporiser for use with solvent-based products such as Fleckenwasser (Fw), Plast Star siliconölfrei (Pss), etc. Individually adjustable from point jet to spray mist. Operating pressure: 3 bar. Max. filling quantity: 0.9 litre

999544

Oberteil für DPZ lösungsmittelbeständig



Replacement part for the DPZ Profi solvent-resistant, 1 l red.

999111

Sprühgerät Orion pro + 6 l



Alkali-resistant spray. The Viton sealing rings (available as spare parts) are easy to replace.

999462

DPZ Venus Super HD Acid line 1,5l

The pump sprayer Venus Super HD Acid Line offers you a capacity of 2L and is very easy to fill from the outside. The product can not only produce a fine spray mist, but also a solid jet that hits directly the point of use. The Acid Line pump sprayer in the color red is especially suitable for acidic products. Due to the transparent display on the outside, you can always see how much content is still inside. This allows you to refill acidic products in time before they run out. The practical handle makes it easy to distribute the liquid. The nozzle at the front is adjustable between a fine spray mist and a spot jet.

999487

Vorsprüheinrichtung

Wall sprayer with 15 meters of hose. Complete with lance (60cm), flat jet spray head and CA system separator. The wall sprayer is connected directly to the water supply and automatically dilutes alkaline cleaning agents, such as pre-cleaners with the water during operation. The operating pressure of the unit is between 2 and 6 bar. For easy change of lances, a quick coupling is installed between the gun and the hose.

999589

Sprühgerät SG 700, befüllbare Alu-Spraydose

The SG 700 is the environmentally-friendly refillable spray can for pH-neutral and solvent-based products such as brake cleaners, Fleckenwasser, Quick & Shine, etc. Application: fill product, screw spray head tight and fill with air using the car valve. Optimum operating pressure: 7.5 bar. Maximum filling level: 500 ml.

999083

Pumps**Doppelmembranpumpe G 56 für alkalische Reiniger (Set)**

Long lasting Double-diaphragm dosing pump for alkaline cleaners. Capacity up to 26.5 Liter/min. Runs with compressed air max. 8,3 bar. Membrane: Santopren. Valves: EPDM; Set consists of:

- 1x 999437 Double-diaphragm dosing pump
- 1x 999438 Air pressure controller
- 1x 999409 PE hose 6x8mm 50m
- 2x 999497 Clamp 7-9mm stainless steel
- 1x 999500 Spout for air connection
- 2x 999499 Connection for air pressure controller
- 1x 999443 Fabric tube 9x13 25m
- 1x 999439 Foot valve
- 4x 999498 Hose clamp 10-16mm stainless steel; Optional available (not in the set)
- 999419 Lanze PVC 600 mm
- 999356 Promax 4 L



999436

Membrandosierpumpe Iwaki EWN-B11VCER

Long-life wash system diaphragm dosing pump with stroke frequency and stroke length setting for foam, shampoo, dryer, wax, flocculants, etc. Delivery: 2,3 l/h. 1 - 360 strokes per minute. Delivery pressure: 10 bar.



999384

Schlauchpumpe 4l/h

Sturdy, self-deflating hose pump (wall-mounted) for dosing water disinfectants, flocculants, in the chain shaft, sludge trap, water reservoir, etc. Not suitable for injecting products into a pressure line! Maximum delivery: 4 litres/hour. Injection bee (999414) is available separately.



999456

Fußventil für Membrandosierpumpe Iwaki

Prevents the product suction hose from running empty (air bubble formation).

999381

Fasspumpe PCP 250

Hand pumps with 1.2 m hose for removing acid, neutral and alkaline products from drums. Not suitable for hydrocarbons! Delivery per stroke: 0.25 l. Suction tube length: 840 mm. For G 2"

999098

Adapter für Fasspumpe PCP 250

The drum pump adapter from G 2" thread to 200 l plastic drum thread.

999099

Proportional Dosers**Promax Dosierer, 4 l/min, Flaschenbefüllung**

Sturdy proportional doser (wall mounting) for filling 1 litre bottles and other spray bottles with glass cleaner, interior cleaner, etc. Depending on the presetting, the venturi principle enables a broad range of dilution ratios to be generated reliably and always consistently. Any number of Promaxes (for different products and/or mixing ratios) can be switched in series with just one water connection. This system prevents the material wastage that frequently occurs on premixing by hand, and is therefore extremely economical. With water pressure fluctuations/water hammers we recommend the installation of a pressure reducer. Suitable for acidic, neutral and alkaline products. Output: 4 litres/minute, mixing ratios: 1:4 - 1:150.

999359

Promax Dosierer, 4 l/min, Schlauch und Druckschalter

Sturdy proportional doser with hose and pressure switch (wall mounting) for filling floor cleaning machines and similar with workshop floor cleaners, etc. For further information see Promax, 4 l/min, bottle filling. Suitable for acidic, neutral and alkaline products. Output: 16 l/minute, Mixing ratio: 1:8 - 1:1000.

999356

Promax Dosierer, 4 Produkte, 4 l/min, Druckschalter

Variation of the Promax doser, 4 l/min, hose and pressure switch for simultaneous mixing of up to four products.

999365

Promax Dosierer, 16 l/min, Schlauch und Druckschalter

Sturdy proportional doser with hose and pressure switch (wall mounting) for filling floor cleaning machines and similar with workshop floor cleaners, etc. For further information see Promax, 4 l/min, bottle filling. Suitable for acidic, neutral and alkaline products. Output: 16 l/minute, Mixing ratio: 1:8 - 1:1000.

999357

Lanze PVC 600 mm komplett

Lightweight handy pre-spray lance for all alkaline media. Used optimally with a Dosatron or similar dosing device (no Venturi principle) in low-pressure operation. Including 10 mm and 13 mm hose nozzle, flat spray jet 1.1 mm outlet with 110° spray angle.

600mm 999419

Dosatron D3 RE 10 AF

Proportional doser for producing ready-to-use precleaner solutions. Optimally suited for operating low-pressure lances (eg PVC 600 mm lance, 999419). Thanks to a patented mechanism (no Venturi principle) the same dilution is produced even with fluctuations in the water pressure. This system prevents the material wastage that frequently occurs with manual premixing and is therefore extremely economical. With water hammers (same water supply pipe with high-pressure appliances or carwash) we recommend the installation of a pressure reducer. Suitable for neutral and alkaline products. Dosing range: 1 – 10%. Operating pressure: 0.5 - 6 bar. Water throughflow: 10 l/h - 3000 l/h.

999341

Dosatron D07 RE 5 AF

Proportional doser for producing ready-to-use precleaner solutions. Optimally suited for operating low-pressure lances (eg PVC 600 mm lance, 999419). See Dosatron D3 RE 10 AF for more details. Suitable for neutral and alkaline products. Dosing range: 0.8 – 5.5 %. Operating pressure: 0.3 - 6 bar. Water throughflow: 5 l/h - 700 l/h.

999442

HD-Pistole M22 A

Ergonomic high pressure gun with quick-lock coupling. Compatible with high pressure foam gun (999351), high pressure lance 15° angle (999352), high pressure lance Push & Pull (999505), high pressure lance straight (999506) und high pressure hose (999507).

999354

HD-Lanze 80 cm Edelstahl, gerade

High pressure lance, stainless steel with quick-lock coupling. Due to its shortage and straight form ideal for the permanent and ergonomic use in car washes and other constricted rooms. Compatible with high pressure gun M22 A (999354) and high pressure nozzle 1/4 (999355).

80 cm 999506

HD-Schlauch premium, grau 10m

Reinforced and abrasion-proof high pressure hose with manual screw connection. Compatible with high pressure gun M22 A (999354).

10 m 999507

HD-Lanze 100 cm Edelstahl, 15° abgewinkelt

High pressure lance, stainless steel with quick-lock coupling and a 15° angle. Due to its special form ideal for utility vehicles. Compatible with high pressure gun M22 A (999354) and high pressure nozzle 1/4 (999355).

100 cm 999352

HD-Lanze Push & Pull

High pressure lance with quick-lock coupling and adjustable angel for perfect cleaning results of rocker rails and wheel guards. Compatible with high pressure gun M22 A (999354) and high pressure nozzle 1/4 (999355).

100 cm 999505

HD-Schaumkanone mit 2-Liter-Behälter


Optimally suited for foaming high foaming neutral and alkaline cleaners and conservers. The cleaning performance is clearly intensified through the stable foam, and thus a longer contact time. Easy to use thanks to the quick change between foam gun and lance with the quick release fastener. Compatible with high pressure gun M22 A (999354).

999351

Scheibenwischer-Schutzhüllen

Premium protective sleeves for windscreen wipers, in bundles of 50, with holes for hanging up. Perforated for tearing off individually. Shipping unit: pack of 3.000

750x100 mm 999333

Saugnäpfe

Suction cups made of elastic plastic with a long web for fixing windscreen wipers and filler caps. Shipping unit: pack of 50

110x13 mm 999349

Nass- und Trockentuch

Wet and dry cloth for cleaning and then drying windows after application of a protection product in the carwash. Shipping unit: pack of 500.

999090

Kombi pH- und Leitwert-Messgerät

Hanna pH and mineral content meter for comfortable checking of service water, waste water, fresh water, etc. Including the following solutions: storage solution (keep measuring sensor moist) and three calibration solutions (pH 7, pH 10 and conductance).

999343

Fresh-S-Center scenting device

Sturdy scenting device for carwashes. The week timer enables individual dosing during your hours of business. The intensity of the fragrance can be adjusted by frequency and spray duration. Compressed air and power connection required. A large selection of concentrated fragrances can be found in the category Car Wash/Scent Concept.

30x20x15 cm 999331

Washstrassendosierbehälter, 60 l

Cylindrical transparent PE container with volume scale and screw cap for use with carwash products. Volume: 60 l.

640xØ 420 mm 999347

Waschanlagen-Nachfüllkanne, 10l

Transparent screw-top refilling can for filling gantry containers. The containers can remain in the installation, which means that if they are refilled in time there is no need to vent the dosing pump. Also optimally suited for filling coolant and antifreeze windscreen washer, etc. Volume: 10 l.

999238

Messbecher, 2l

Practical graduated jug with volume scale (unit 20 ml) for measuring and pre-dilution of cleaning concentrates, etc. Volume: 2 l.

999136

Messzylinder, 500 ml

Practical measuring cylinder volume scale (unit 5 ml) for exact dosing of high-concentrates and exact measuring of washing chemicals consumption.

999106

Impfbiene

Dosing valve for flocculants for carwashes. With underfloor injection (eg chain shaft), the dosing valve prevents the canister from running dry (siphoning principle).

999414

Eimer blau, 18l

Sturdy rectangular plastic bucket with volume scale. Volume: 18 l.

999288

**Auslaufhahn**

For clean, safe and economical dispensing from plastic canisters. All compatible with reducer for tap (999175).

for 5l canister **999032**
for 10/30l canister **999131**
for 60l canister **999132**
for 200l **999133**

**Reduzierstück für Auslaufhahn**

For filling 1 litre bottles, spray bottles, etc.

999175

**Kanisteröffner Dreifachschlüssel**

Practical canister opener for easy opening of 5, 10 and 30 litre canisters.

999094

Waste Water Set

Abwasserkoffer Profi

Waste water set profi including oil level float gauge, measuring tape with carabiner, sample taking cup, and pH test stripes. All parts are also available as spare parts.



999480

Waste Water Accessories

Probeentnahmegläser 500 ml



Screw-top container for sending water samples.

999211

Messwertsteifen Wasserhärte



Pack of 100

8004

pH-Messwertstreifen



Pack of 100.

8003

Various

Dräger Halbmaske X-Plore 4740 TPE

Größe M/L



The robust half mask for highest demands with excellent wearing comfort and first-class seal fit. A wide range of filters against gases, vapors and particles makes it ideal for use in industry and trade.

The combination of soft mask body, specially shaped nose area and sturdy plastic housing ensures an exact fit, high sealing fit and almost pressure-free wearing.

By simply opening the neck closure, the mask can be removed without having to take off the helmet, for example. When the mask is in the 'ready position', it remains with the inside against the body and is thus protected from contamination. The mask is made of durable, chemical-resistant material and can be worn well under many types of helmets. The EH strap is made of neoprene and is therefore very easy to clean.

- The mask is supplied without a filter!

999528

Dräger Kombinationsfilter 940

A2B2E2-K1-P2 R D



Combination filter with standard threaded connection Rd40 according to EN148-1. Whether in the chemical or automotive industry, in shipbuilding, in metal working and processing, in supply and disposal, Dräger respiratory protection filters have been synonymous with experience and safety worldwide for decades.

Combination filter with standard threaded connection Rd40 according to EN148-1 for use with half masks Xplo-re

4000 and full face masks Dräger X-plore 6000.

The filter is suitable for the mask we offer „Dräger Halbmaske X-Plore 4740 TPE Größe M/L“ Art. No.: 999528.

Read instructions for use before use.

999529

Highlight the Headlight.

New!



The Headlight Polish Set gives yellowed, matt headlights a clear view again. With our perfectly coordinated polishes and pads, an optimal surface is created in just two steps. The branded black plastic case contains sanding papers of different grain sizes, a hand block with Velcro for manual sanding, Headlight Polish 1 and Headlight Polish 2 with sealing component as well as three matching pads. The included Thermo Pad allows a good control over the temperature development of the material during processing, as the colour change of the pad serves as an indicator due to its thermochromic property. A total of 50 spotlights can be processed with the Headlight Polish Set. All components can be purchased separately.

before



after



Headlight Polish Set

999528

Set contains:

- 406250 250 ml Headlight Polish 1
- 407250 250 ml Headlight Polish 2
- 999577 Heavy Cut Pad 76 x 23 mm
- 999274 Lambskin Pad 80 mm
- 999602 Thermo Pad 76 x 23 mm
- 999603 Abralon sandpaper 1.000 grit
- 999250 Abralon sandpaper 2.000 grit
- 999251 Abralon sandpaper 4.000 grit
- 999604 Hand block with velcro for sandpaper

Glasschaber Metall mit Griff

Sturdy and comfortable glass scraper with safety cap for fast removal of stickers on glass sheets, windows etc. Adhesive residues can then be removed without too much effort with Orange Power (Op), Eulex (Eu) or Eulex M (Eum).

Glasschaber **999412**
Ersatzklingen 10 Stk. **999413**

Glasschaber Metall

Glass scraper with insertable blade for fast removal of stickers on glass sheets and windows. Adhesive residues can then be removed without too much effort with Orange Power (Op), Eulex (Eu) or Eulex M (Eum).

Glasschaber **999091**
Ersatzklingen 5 Stk. **999092**

Kunststoff-Schaber

A plastic scraper for optimally removing film and adhesive residues on coated surfaces, wood and plastics. Before using on sensitive surfaces and finishes, test it on an area that is not visible. We recommend our glass scraper with metal blades for stubborn residue on windscreens. Shipping unit: One holder with 25 replacement blades.

999511

Folienradierer Ø 87 mm

Vinyl remover for removing foil, stickers, etc. on paintwork, glass and metal with a drill. Adhesive residues can then be removed without leaving residues with Orange Power (Op), Eulex (Eu) or Eulex M (Eum). Drill adapter available separately.

Folienradierer **999306**
Bohrmasch. Adapter **999307**

Felgenlackierschablone

Infinitely adjustable rim painting stencil to prevent spray mist on tyres and surrounding bodywork parts. Available in two sizes (car and truck).

für PKW bis 17" **999078**
für LKW bis 29" **999082**

Wandhalter für Fußmatte und Sitzschonbezug

Premium wall bracket for paper rolls up to 40 cm wide with maintenance free tearing edge.

999417

Sitzschonbezug PE weiß, Rolle à 500 Stk.

Protective seat cover to avoid dirt.

135 x 80 cm **999415**

Fußmatte Krepp beige, Rolle à 500 Stk.

Foot mat insert to prevent dirt.

50 x 38 cm **999416**

Eimer blau, 18l

Sturdy rectangular plastic bucket with volume scale. Volume: 18 l.

999288

Politurflasche, 500 ml

The extra narrow polish bottle fits perfectly into the pockets of all work trousers. Volume: 500 ml.

999137

Feinstaubmaske 3M-9312

Mask for protection against particles/fine dust with exhalation valve (minimises heat and moisture formation under the mask). Class: FFP1. Limit of use: 4 x WEL for particles. Packed individually and hygienically.

999326

Oil Dry-Ölbindemittel grob

The perfect binding agent for wiping up oil, acids and other liquids. Spread a sufficient amount over the contaminated area, wait for a short time and then sweep up. 20 kg sack.

999057

Kapsel-Gehörschutz



The uvex K2 earmuffs in black, yellow with the Koch-Chemie branding. As part of the occupational safety equipment, the hearing protection meets the EN 352-1 standard with 32 decibel insulation. Thanks to the soft surface and memory foam ear cushions, the earmuffs are easy to mould and guarantee a comfortable fit even when worn for long periods. The headband is also padded. Its low weight and compact size contribute to the wearing comfort. The perfect wearing position can be found by the easy-to-use length adjustment.

999606

KC Mask #staysafe



The reusable mouth and nose mask is high-quality processed, embroidered and available in two different designs. Four adapter holes for the elastic band allow an individual adjustment of the size. The special shape allows exhalation downwards and to the sides. KC Mask is also ideal for spectacle wearers, as it does not require metal temples. Washable up to 60°C (140°F), colourfast. Composition: cotton 35%, polyester 65%

#staysafe 999607
Protect Each Other 999608



Private Customers

- 6.1 Private Customers
- 6.2 Advertising Material for Private Customer Range
- 6.3 Ceramic Allround
- 6.4 1K-Nano



As the market leader for professional vehicle reconditioning products, we decided in 2010 to make our professional quality available to private car care enthusiasts due to multiple requests. You can now offer your customers a coordinated range of products. Unique product quality, high-quality product design, a durable sales display, the professional image of the brand and your enthusiasm guarantee satisfied customers and high sales.

Digital product images, logos and banners for your website can be found on our website:
www.koch-chemie.com/en/products/advertising-material



NanoMagicShampoo

The Nano-Shampoo
 750 ml 77702750

Unchallenged high-tech shampoo to thorough gloss cleaning and long-term protection in a single step. Previously applied waxes and seals are preserved. The unique combination of care components leaves behind a long-lasting protective and water-repellent nano-layer.

- High-gloss
- Long-term seal
- Nano-protection
- Active maintenance of value

ReactiveWheelCleaner

The Rim Cleaning Gel
 750 ml 77704750

Reactive, acid-free rim cleaner with performance indicator (red indicator) and gloss additives for thorough and careful cleaning of high-quality rims. Powerful dirt carriers disperse and dissolve stubborn dirt. With gloss and lotus effect.

- Acid-free
- Performance indicator
- Extra strong
- Gloss additives

SpeedGlassCleaner

The Glass Cleaner
 750 ml 77703750

Ready-to-use glass cleaner for all smooth surfaces on vehicles, buildings, etc. Effortlessly removes the most stubborn dirt including oil, grease, insects and similar. Runs off quickly without streaks and its gloss and smoothness additive improves the wiping effect of the cleaning cloth. With fresh fragrance.

- Streak-free
- Surface conserver
- Extra fast



MultInteriorCleaner

The Interior Cleaner

750 ml 77705750

Removes heavy dirt from upholstered seats, fabric covers, roof linings, floors, plastic trim, etc., thoroughly and gently. Dirt is removed from deep in the pores and a fresh fragrance radiates throughout the vehicle interior.

- Enormous cleaning power
- Fresh fragrance
- Universal use



Insect&DirtRemover

The Insect & Dirt Remover

750 ml 77701750

Removes even the most stubborn debris from dead insects, oil and other environmental dirt from the outside of the vehicle and the engine bay. High-quality innovative ingredients penetrate into the dirt and enable fast, thorough and careful cleaning.

- Fast acting
- Long-lasting
- Completely clean



NanoMagicPlastCare

The Exterior Plastic Care

500 ml 77707500

Maintains and protects all external plastic parts (trim, rubber, etc.). The treated parts regain their original, new appearance and are protected against damaging environmental factors. The premium product for professional vehicle care with unmatched durability.

- Deep care
- Extremely long-lasting
- Nano-protection



ShineSpeedPolish

The High Gloss Polish

500 ml 77710500

Profi polish for a unique high gloss finish. Maintains and conserves in a single step and protects durably against aggressive environmental factors. Creates a perfect gloss with all paint types by hand or with a machine.

- High gloss polish
- Long-term protection
- Simple buffing



ProtectLeatherCare

The Leather Care

500 ml 77709500

Premium emulsion for the care of all leather parts. Creates a colour-refreshing sleek result and intensifies the incomparable smell of leather. Provides all types of leather with the necessary care and a pleasantly soft feel.

- For all types of leather
- Inimitable fragrance
- Smooth feel



AllroundQuickShine

The Finish Spray

500 ml 77708500

The AllroundQuickShine multi-purpose, cleans, maintains and conserves all smooth and painted surfaces (paintwork, glass, plastics, furniture, etc.). Ideal as dashboard care and for after-treatment of paintwork and glass surfaces after washing, as well as a quick-action finish. Creates a clean and glossy surface in just one step. Previously applied veneers or waxes are preserved.

- Perfect finish
- Cleans and conserves
- Universally usable



RefreshCockpitCare

The Satin Cockpit Care
500 ml 77706500

Cleans, maintains and preserves all plastic parts in the vehicle interior. Gives a long-lasting new appearance and protects against new dirt. Protects against UV radiation and creates a pleasant fragrance.

- Deep-cleaning care
- UV protection
- Antistatic ingredients



AllroundQuickShine

The Finish Spray
140 ml 26714032

Unsaleable sample as give-away at the car wash (e.g. to the Premium Program), after a service in a car dealership or reprocessing. Ideal form of advertising for the private customer range.

32 pcs. / carton



SpeedGlassCleaner

The Glass Cleaner
140 ml 26614032

Unsaleable sample as give-away at the car wash (e.g. to the Premium Program), after a service in a car dealership or reprocessing. Ideal form of advertising for the private customer range.

32 pcs. / carton



Aufkleber

DIN A5 (21 x 14,8 cm).
Material plastic.

for program board at car wash or similar for advertising the sample bottle AllroundQuickShine.



Poster
Plastic (for inside and outside)
DIN A3 999857





Sticker
Plastic (inside and outside)
DIN A5 999859

Sales display
Painted metal anodised silver
30 x 57 x 160 cm 999400



Flyer
350 g/m2 paper
Special colour silver
21 x 10,5 cm 999858



Website
As a full-range supplier, we would be happy to include your company in the list of dealers on our website. This way you can reach potential customers and increase your sales.

The Paint Bodyguard



Ceramic Allround C0.01: The Protective Vest for Surfaces

A long-lasting protective layer that shields the surface from environmental influences: This is what the first ceramic sealant in Koch-Chemie's product portfolio promises. With Ceramic Allround C0.01, we now offer a high-quality ceramic sealant, which optimizes and permanently protects surfaces with little effort. The ceramic coating contributes significantly to maintaining or increasing the value of the vehicle.

The Ceramic Allround ceramic coating requires expert preparatory work, which is only possible with technical application know-how and professional products and machines. Therefore, Ceramic Allround is not suitable for private customers. The target group is vehicle enthusiasts who want long-lasting protection of 18-24 months for their car. You can retain your customers by the specified aftercare with hand wash and Hand Wax W0.01 as well as the annually recommended paint inspection and thus build up a sustainable business.



Ceramic Allround

Ceramic Coating

505001

Set includes

- 505075 Ceramic Allround C0.01 (75ml)
- 999621 Applicator block (1 pcs.)
- 999620 Applicator cloth microfiber 10x10 cm (5 pcs.)
- 999619 Special microfiber cloth grey 40x40 cm (1 pcs.)
- 9998049 Certificate for ceramic coating (5 pcs.)
- 9998050 Door entry sticker for ceramic coating (5 pcs.)




Ceramic Allround Poster

DIN A1, 135 g/m² paper

9998047 German

9998048 English



Door rebate sticker for ceramic coating

Sticker for the door rebate for noting the sealing date. Can be labeled.

5 x 5 cm 9998050

Ceramic Allround Certificate

Special color silver, inscribable and stampable certificate with inspection dates for customer loyalty.

8,6 x 14,8 cm folded

14,8 x 14,8 cm open



GIB DEINEM AUTO ZUKUNFT.

Die LANGZEIT NANO Versiegelung



KochChemie 1K-Nano

- Highly reactive long-term protection
- Excellent gloss and smoothness
- Easy-to-clean surface
- Extremely resistant to chemicals, UV and abrasion
- Minimization of traces of use
- Active value conservation

In practice, the 1-component nano paint sealant has proven to be unbeatable in terms of durability and gloss level. Due to covalent bonds, it bonds permanently to the paint structure and forms a solid, chemical-resistant

network. This creates the long-term effect and the incomparable deep gloss. To date, over 50,000 vehicles have been permanently sealed with 1K-Nano. Regular aftercare with NanoMagicShampoo (hand wash) or NanoMagic

Twin Wax (car wash) and the recommended annual paint inspection can extend the durability to up to three years. In this way you can retain your customers and generate a profitable after-sales business.

The 1K nano paint sealing requires expert preparation, which is only possible with application knowhow and professional products and machines. Therefore the product is not offered in retail trade. The target group is car enthusiasts who want the best and most durable protection for their car.



1K-Nano Set

- 1K-Nano Preparation Set
Consisting of 250 ml sealant (for about 3 - 5 cars)
75 ml dosing bottle
Application sponge
5 certificates
5 flyers
5 Stickers: Koch-Chemie 1K-Nano sealed.
245001



1K-Nano Poster

- 1K-Nano Poster Landscape format
Plastic (also for outside) Screen printing
(very colourfast and weather resistant)
DIN A0 **999865**



1K-Nano Flyer

- 300 g/m² Paper, special colour silver
Product explanation for advertising and appointment reminder (field for sealing appointment). Can be printed individually with your logo or similar using an inkjet printer or stamp.
17,2 x 14,8 cm **999875**

KochChemie 1K-Nano
Lackschutzzertifikat

Kunden-Name
Telefon-Nr. Kunde
Fahrzeugfabrikat/Modell
Kennzeichen
Verarbeitungsdatum
Stempel Ihres Fachbetriebes

Koch-Chemie GmbH
Einsteinstraße 42
59423 Umla / Germany
Tel: +49 23 03 - 98 67 00
www.koch-chemie.de

1K-Nano Certificate

- Special colour silver, can be inscribed and stamped Certificate with inspection dates, product advantages and care instructions for customer loyalty.

- 8,6 x 14,8 cm folded
17,2 x 14,8 cm open
250 g/m² paper



Koch-Chemie GmbH

Einsteinstraße 42 / D-59423 Unna

T +49-23 03-9 86 70-0 / F +49-23 03-9 86 70-26

info@koch-chemie.com / www.koch-chemie.com

Photography

Robert Hoernig — www.roberthoernig.com, Dortmund

Steffen Schulte-Lippert — www.studio-steve.de, Lüdenscheid

Design and implementation

David&Goliath — www.davidundgoliath.com, Lüdenscheid